

# Does the OPERA experiment reveal a systematic error in the satellite ephemeris of the Global Positioning System ?

*Yves-Henri Sanejouand*<sup>A,B</sup>

<sup>A</sup> Laboratoire U3B, UMR 6204 of CNRS, Faculté des Sciences, 2 rue de la Houssinière, 44322 Nantes Cedex 3, France.

<sup>B</sup> Email: Yves-Henri.Sanejouand@univ-nantes.fr

**Abstract:** With respect to the speed of light, the speed excess of the neutrinos ( $7.2 \pm 0.6$  km.s<sup>-1</sup>) measured in the OPERA experiment is observed to be close, if not exactly equal, to two times the orbital velocity of the GPS satellites ( $\approx 3.9$  km.s<sup>-1</sup>), strongly suggesting that this anomaly is due to an error made on some of the GPS-based measurements involved in the OPERA experiment. Moreover, when this error is assumed to arise from a systematic error made on the measurements of GPS satellite velocities, the origin of the factor two becomes obvious. So, it seems likely that the OPERA experiment, instead of revealing a new, unexpected and challenging aspect of the physics of neutrinos, has demonstrated that the Global Positioning System still suffers from a rather important error, which remained unnoticed until now, probably as a consequence of its systematic nature.

**Keywords:** Speed-of-light – Neutrinos – OPERA – Distance measurement – GPS – Ephemeris.

## Introduction

Recently, the time-of-flight of neutrinos going from CERN to the OPERA detector in Gran Sasso Laboratory was announced to be  $58 \pm 8$  ns smaller than expected for light (Adam et al. 2011), that is, smaller than  $\frac{d_{cgs}}{c_0}$ , where  $c_0$  is the speed of light in vacuum and where  $d_{cgs}$  is the distance between the source of neutrinos in CERN and the detector (about 730 km).

Given the pivotal role in modern physics of  $c_0$  as a maximum possible speed of propagation of any signal, systematic effects that could explain this anomaly have to be investigated. Hereafter, it is shown that the magnitude of the anomaly suggests that systematic errors in the satellite ephemeris of the Global Positioning System (GPS) are likely to be responsible for the observed effect.

## Result

The OPERA experiment is in essence extremely simple: a timespan, the time-of-flight of neutrinos, as well as a distance, namely,  $d_{cgs}$ , have to be measured accurately. While the former relies on highly accurate time measurements, using atomic clocks and well-mastered clock synchronization techniques, the later depends upon separate GPS measurements of the positions of the source and of the detector (Adam et al. 2011).

Although GPS accuracy also relies on highly accurate time measurements, those are used to obtain distances between a set of GPS satellites and a given GPS receiver. From such distances, the position of the receiver can be determined accurately if, and only if, the positions of the GPS satellites, more precisely, their ephemeris, is known with an accuracy high enough. Note that what is needed here is not only the distances between the satellites and a set of reference ground stations, but also their positions and their velocities with respect to a reference frame, whose center is nowadays chosen as being the center of mass of the Earth (Altamimi et al. 2007). For satellites above the Earth atmosphere, like GPS ones which are nearly 20,300 kms above mean-sea level (Dixon 1991), the most accurate way to obtain their distances from the Earth center of mass,  $r_{sat}$ , is through their orbital velocities,  $v_{sat}$ , which are measured by ground stations of the GPS control segment (Dana 1997). Indeed, to first order:

$$r_{sat} \approx \frac{GM}{v_{sat}^2} \quad (1)$$

where G is the gravitational constant and M the mass of the Earth,  $GM$  being known with a high accuracy.

Let us assume that  $v_{sat}$  is measured with a small, although systematic, error,  $\delta v_{sat}$ . For  $r_{sat}$ , according to (1), this would show up as an error,  $\delta r_{sat}$ , so that:

$$\frac{\delta r_{sat}}{r_{sat}} \approx -2 \frac{\delta v_{sat}}{v_{sat}} \quad (2)$$

Since  $r_{sat}$  is used for determining all GPS satellite ephemeris and, as a consequence, all GPS-based positions, this error would also show up as an error in GPS-based distance measurements, like those performed within the frame of the OPERA experiment. Indeed, if the outcome of the OPERA experiment is interpreted as being a measure of the error,  $\delta d_{cgs}$ , done when estimating the distance between the source of neutrinos in CERN and the detector, using GPS-based positions, then (Adam et al. 2011):

$$\frac{\delta d_{cgs}}{d_{cgs}} = \frac{\delta r_{sat}}{r_{sat}} = 2.4 \pm 0.2 \cdot 10^{-5} \quad (3)$$

With (2), this yields:

$$\frac{\delta v_{sat}}{v_{sat}} = -1.2 \pm 0.1 \cdot 10^{-5}$$

Amazingly, this is, within error bars, equal to the opposite of the ratio of the average velocity of the GPS satellites and the speed of light. Indeed, since  $r_{sat} \approx 26,600$  kms (Dixon 1991), according to (1),  $v_{sat} \approx 3.9$  km.s<sup>-1</sup>. So:

$$\frac{v_{sat}}{c_0} \approx 1.3 \cdot 10^{-5}$$

Taking into account the above "numerical coincidence", (2) and (3) yield:

$$\frac{\delta d_{cgs}}{d_{cgs}} \approx 2 \frac{v_{sat}}{c_0}$$

underlining the not-yet-mentioned<sup>1</sup> fact that the measured speed excess of the neutrinos ( $7.2 \pm 0.6$  km.s<sup>-1</sup>) is close, if not exactly equal, to two times the average orbital velocity of the GPS satellites ( $\approx 3.9$  km.s<sup>-1</sup>).

## Conclusion

If the speed excess of the neutrinos measured in the OPERA experiment is interpreted as being a measure of the error made on the distance between the source of neutrinos and the detector and if this error is assumed to arise from a systematic error made on the measurements of GPS satellite orbital velocities, then a factor  $-2$  is expected to relate the two corresponding relative errors.

Since there is also a factor 2 between the measured speed excess of the neutrinos and the average velocity of GPS satellites, it seems likely that the OPERA experiment, instead of revealing a new, unexpected and challenging aspect of the physics of neutrinos, has allowed to perform the first distance measurement over a rather long baseline (about 730 km), with an accuracy below  $10^{-5}$  (better than 10 m), demonstrating *en passant* that the Global Positioning System still suffers from a rather important error, which remained unnoticed until now, probably as a consequence of its systematic nature.

## Acknowledgments

I thank Simon Mathieu and Georges Trinquier for useful comments.

---

<sup>1</sup>To my knowledge.

## References

- Adam, T., Agafonova, N., Aleksandrov, A., Altinok, O., Sanchez, P. A., Aoki, S., Ariga, A., Ariga, T., Autiero, D., Badertscher, A., Dhahbi, A. B., Bertolin, A., Bozza, C., Brugiére, T., Brunet, F., Brunetti, G., Buontempo, S., Cavanna, F., Cazes, A., Chaussard, L., Chernyavskiy, M., Chiarella, V., Chukanov, A., Colosimo, G., Crespi, M., D'Ambrosios, N., Déclais, Y., del Amo Sanchez, De Lellis, G., De Serio, M., Di Capua, F., Cavanna, F., Di Crescenzo, A., Di Ferdinando, D., Di Marco, N., Dmitrievsky, S., Dracos, M., Duchesneau, D., Dusini, S., Ebert, J., Eftimiopolous, I., Egorov, O., Ereditato, A., Esposito, L. S., Favier, J., Ferber, T., Fini, R. A., Fukuda, T., Garfagnini, A., Giacomelli, G., Girerd, C., Giorgini, M., Giovannozzi, M., Goldberga, J., Göllnitz, C., Goncharova, L., Gornushkin, Y., Grella, G., Griantia, F., Gschewentner, E., Guerin, C., Guler, A. M., Gustavino, C., Hamada, K., Hara, T., Hierholzer, M., Hollnagel, A., Ieva, M., Ishida, H., Ishiguro, K., Jakovcic, K., Jollet, C., Jones, M., Juget, F., Kamiscioglu, M., Kawada, J., Kim, S. H., Kimura, M., Kitagawa, N., Klicek, B., Knuesel, J., Kodama, K., Komatsu, M., Kose, U., Kreslo, I., Lazzaro, C., Lenkeit, J., Ljubcic, A., Longhin, A., Malgin, A., Mandrioli, G., Marteau, J., Matsuo, T., Mauri, N., Mazzoni, A., Medinaceli, E., Meisel, F., Meregaglia, A., Migliozi, P., Mikado, S., Missiaen, D., Morishima, K., Moser, U., Muciaccia, M. T., Naganawa, N., Naka, T., Nakamura, M., Nakano, T., Nakatsuka, Y., Naumov, D., Nikitina, V., Ogawa, S., Okateva, N., Olchevsky, A., Palamara, O., Paoloni, A., Park, B. D., Park, I. G., Pastore, A., Patrizii, L., Pennacchio, E., Pessard, H., Pistillo, C., Polukhina, N., Pozzato, M., Pretzl, K., Pupilli, F., Rescigno, R., Roganova, T., Rokujo, H., Rosa, G., Rostovtseva, I., Rubbia, A., Russo, A., Sato, O., Sato, Y., Schembri, A., Schuler, J., Lavina, L. S., Serrano, J., Sheshukov, A., Shibuya, H., Shoziyoev, G., Simone, S., Sioli, M., Sirignano, C., Sirri, G., Song, J. S., Spinetti, M., Starkov, N., Stellacci, M., Stipcevic, M., Strauss, T., Strolin, P., Takahashi, S., Tenti, M., Terranova, F., Tezuka, I., Tioukov, V., Tolun, P., Tran, T., Tufanli, S., Vilain, P., Vladimirov, M., Votano, L., Vuilleumier, J. L., Wilquet, G., Wonsak, B., Wurtz, J., Yoon, C. S., Yoshida, J., Zaitsev, Y., Zemskova, S., and Zghiche, A. (2011). Measurement of the neutrino velocity with the OPERA detector in the CNGS beam. *Arxiv/1109.4897*.
- Altamimi, Z., Collilieux, X., Legrand, J., Garayt, B., and Boucher, C. (2007). ITRF2005: A new release of the International Terrestrial Reference Frame based on time series of station positions and Earth Orientation Parameters. *Journal of Geophysical Research*, 112(B9):B09401.
- Dana, P. H. (1997). Global Positioning System (GPS). Time Dissemination for Real-Time Applications. *Real-Time Systems*, 12(1):9–40.
- Dixon, T. H. (1991). An introduction to the global positioning system and some geological applications. *Reviews of Geophysics*, 29(2):249–276.