

Dark Photons and Dark Matter

Kamal L Rajpal

Copyright © 2002-2013 by Kamal L Rajpal. All Rights Reserved. May be distributed for no profit educational and research purposes. Not for commercial use.

Abstract

This article conjectures that, more energetic than the cosmic gamma photons, there should exist dark photons and Planck photons. Also, similar to the cosmic microwave background radiation (CMB), there should exist a 'cosmic dark photons background' (CDB). Dark photons may be the particles of the elusive dark matter.

The photon frequency available is continuous and has no upper or lower bound. There is no finite lower limit or upper limit on the possible energy of a photon. However, going by observations, the most energetic photons are the cosmic gamma photons with a wavelength of 10^{-15}m . The least energetic are the Very Low Frequency (VLF) radio photons with a wavelength of 10^5m .

PHOTONS - classification as per their wavelengths:

Radio photons	10^5 to 10^{-1}m .
Microwave photons	10^{-1} to 10^{-3}m .
Infrared photons	10^{-3} to 10^{-6}m .
Optical photons	10^{-6} to 10^{-7}m .
Ultraviolet photons	10^{-7} to 10^{-9}m .
X-ray photons	10^{-9} to 10^{-11}m .
Gamma photons	10^{-11} to 10^{-13}m .

Planck Photons and Zero Point Photons

- *Theoretically, the most energetic photons that can exist in the universe will have a wavelength equal to the Planck length (1.6162×10^{-35} m) and possess Planck energy. One can call these as **Planck photons**.*
- *And, photons with the least energy will correspond to photons with a temperature close to zero kelvin. These can be termed as a **zero point photons (ZPP)**.*

The cosmic zero point photons (ZPP) are a constituent of the vacuum energy of free space and the spacetime fabric of the cosmos. A vacuum, strictly speaking, is a physical state totally devoid of particles of matter and of radiation (photons). Such a vacuum does not exist in practice.

The CMB (cosmic microwave background) photons have a temperature of 2.7 K, a wavelength of 1.1mm and the density is 411 photons per centimeter cube.

Dark Photons

Photons with frequency or energy more than gamma and less than Planck photons can be called dark photons. These may be the particles of the elusive dark matter.

A Black Hole will consist mainly of Planck and dark photons. A Planck photon will emit MeV, GeV or TeV gamma photons and transform into PeV, EeV, ZeV or YeV dark photons.

Ordinary matter is matter that emits or reflects radiation or photons, that is, radio photons, microwaves, infrared, visible light, ultra-violet, x-rays or gamma photons.

The photon has several properties that distinguish it from all other subatomic particles. It is the only elementary particle wherein a high energy photon can split into two or more low energy photons (down conversion) and vice versa (up conversion). This transformation conforms to the laws of conservation of momentum and of energy.

A photon down converter is a device that splits a high energy photon into two or more low energy photons. When a photon reaches the down converter, it excites an electron into a higher energy level. But the electron returns to its ground state via an intermediate energy level, and emits a lower energy photon at each stage. A visible light photon (wavelength 405 nm) splits up into two infrared photons (wavelength 810 nm). Three-photon down conversion is also observed.

Photon up conversion is a process which occurs when a material is photo excited by two or more low energy photons resulting in the emission of a higher energy photon.

Semiconductors with radiatively efficient impurities can potentially act as up or down converters. A crystal of beta barium borate (BBO) can split an ultraviolet photon of wavelength 390 nm into two infrared photons of wavelength 780 nm. The two down conversion photons have orthogonal polarization.

In the Sun, a gamma photon in the radiation zone, on its way to the photosphere, transforms into a hundred thousand visible light optical photons during its journey through the turbulent conduction zone.

Spacetime

Spacetime is an ideal photon gas consisting of Planck photons, dark photons, gamma photons, X-ray photons, ultraviolet photons, visible light photons, infrared photons, microwave photons, radio photons and zero point photons. The statistical distribution of these photons will depend on the spacetime curvature or the photon energy momentum density.

The Cosmic Photon Background Radiation [1,2] consists of:

Cosmic *Radio* photons background radiation (CRB)
Cosmic *Microwave* photons background radiation (CMB)
Cosmic *Infrared* photons background radiation (CIB)
Cosmic *Optical* photons background radiation (COB)
Cosmic *Ultraviolet* photons background radiation (CUVB)
Cosmic *X-ray* photons background radiation (CXB)
Cosmic *Gamma* photons background radiation (CGB) and the
Cosmic *Dark* photons background (CDB) besides the
Cosmic *Neutrino* background (CNB or CvB)

The cosmic microwave background radiation at millimeter wavelength was the first to be discovered and has been extensively studied.

A dark photon is like a tiny black hole and does not reflect radiation like ordinary matter does. We live in a sea of dark photons. The CDB might never be observed directly. However, a dark photon when it moves from a stronger to a weaker gravitational field will undergo Einstein's gravitational redshift or down conversion into gamma photons which further results in an electron-positron pair creation.

The first results from the space-borne Alpha Magnetic Spectrometer (AMS-02) confirm an unexplained excess of high-energy positrons in Earth-bound cosmic rays [3]. Positrons are originating from all parts of the sky equally, to 95 percent likelihood—meaning their flux is isotropic.

“We live in a sea of dark matter,” says Michael Salamon, who runs the AMS program for the U.S. Energy Department.

REFERENCES:

- [1] Cosmic background – Wikipedia
http://en.wikipedia.org/wiki/Cosmic_background

- [2] Diffuse extragalactic background radiation - Wikipedia
http://en.wikipedia.org/wiki/Diffuse_extragalactic_background_radiation

- [3] Stephane Coutu, Viewpoint: Positrons Galore, April 3, 2013.
<http://physics.aps.org/articles/v6/40>

Email your comments on this article to:
webmaster@physicsphotons.org