

Seventeen sequences of Poulet numbers characterized by a certain set of Smarandache-Coman divisors

Marius Coman
Bucuresti, Romania
email: mariuscoman13@gmail.com

Abstract. In a previous article I defined the Smarandache-Coman divisors of order k of a composite integer n with m prime factors and I sketched some possible applications of this concept in the study of Fermat pseudoprimes. In this paper I make few conjectures about few possible infinite sequences of Poulet numbers, characterized by a certain set of Smarandache-Coman divisors.

Conjecture 1:

There is an infinity of 2-Poulet numbers which have the set of SC divisors of order 1 equal to $\{p, p\}$, where p is prime.

The sequence of this 2-Poulet numbers is:
341, 2047, 3277, 5461, 8321, 13747, 14491, 19951, 31417, ...
(see the lists below)

Conjecture 2:

There is an infinity of 2-Poulet numbers which have the set of SC divisors of order 2 equal to $\{p, p + 20 \cdot k\}$, where p is prime and k is non-null integer.

The sequence of this 2-Poulet numbers is:
4033, 4681, 10261, 15709, 23377, 31609, ...
(see the lists below)

Conjecture 3:

There is an infinity of 2-Poulet numbers which have the set of SC divisors of order 2 equal to $\{a, b\}$, where $a + b + 1$ is prime.

The sequence of this 2-Poulet numbers is:
1387, 2047, 2701, 3277, 4369, 4681, 8321, 13747, 14491, 18721, 31417, 31609, ...
(see the lists below)

Note: This is the case of twelve from the first twenty 2-Poulet numbers.

Conjecture 4:

There is an infinity of 2-Poulet numbers which have the set of SC divisors of order 2 equal to $\{a, b\}$, where $a + b - 1$ is prime.

The sequence of this 2-Poulet numbers is:

4033, 8321, 10261, 13747, 14491, 15709, 19951, 23377, 31417, ...

(see the lists below)

Conjecture 5:

There is an infinity of 2-Poulet numbers which have the set of SC divisors of order 2 equal to $\{a, b\}$, where $a + b - 1$ and $a + b + 1$ are twin primes.

The sequence of this 2-Poulet numbers is:

13747, 14491, 23377, 31417, ...

(see the lists below)

Conjecture 6:

There is an infinity of pairs of 2-Poulet numbers which have the set of SC divisors of order 2 equal to $\{a, b\}$, respectively to $\{c, d\}$, where $a + b = c + d$ and a, b, c, d are primes.

Such pair of 2-Poulet numbers is:

(4681, 7957), because $29 + 149 = 71 + 107 = 178$.

Conjecture 7:

There is an infinity of pairs of 2-Poulet numbers which have the set of SC divisors of order 2 equal to $\{a, b\}$, respectively to $\{c, d\}$, where $a + b + 1 = c + d - 1$.

Such pairs of 2-Poulet numbers are:

(3277, 8321), because $9 + 37 + 1 = 17 + 31 - 1 = 47$;

(19951, 5461), because $23 + 31 + 1 = 41 + 15 - 1 = 55$.

Conjecture 8:

There is an infinity of 2-Poulet numbers which have the set of SC divisors of order 6 equal to $\{p, q\}$, where $\text{abs}\{p - q\} = 6 \cdot k$, where p and q are primes and k is non-null positive integer.

The sequence of this 2-Poulet numbers is:

1387, 2047, 2701, 3277, 4033, 4369, 7957, 13747, 14491, 15709, 23377, 31417, 31609, ...

(see the lists below)

Note: This is the case of thirteen from the first twenty 2-Poulet numbers.

Conjecture 9:

There is an infinity of 2-Poulet numbers which have the set of SC divisors of order 6 equal to $\{a, b\}$, where $\text{abs}\{a - b\} = p$ and p is prime.

The sequence of this 2-Poulet numbers is:
341, 4681, 10261, ...
(see the lists below)

Conjecture 10:

There is an infinity of 2-Poulet numbers which have the set of SC divisors of order 6 equal to $\{p, q\}$, where one from the numbers p and q is prime and the other one is twice a prime.

The sequence of this 2-Poulet numbers is:
341, 4681, 5461, 10261, ...
(see the lists below)

Conjecture 11:

There is an infinity of 3-Poulet numbers which have the set of SC divisors of order 1 equal to $\{a, b, c\}$, where $a + b + c$ is prime and a, b, c are primes.

The sequence of this 2-Poulet numbers is:
561, 645, 1729, 1905, 2465, 6601, 8481, 8911, 10585, 12801, 13741,
...
(see the lists below)

Note: This is the case of eleven from the first twenty 2-Poulet numbers.

Conjecture 12:

There is an infinity of 3-Poulet numbers which have the set of SC divisors of order 1 equal to $\{a, b, c\}$, where $a + b + c - 1$ and $a + b + c + 1$ are twin primes.

The sequence of this 3-Poulet numbers is:
2821, 4371, 16705, 25761, 30121, ...
(see the lists below)

Conjecture 13:

There is an infinity of 3-Poulet numbers which have the set of SC divisors of order 1 equal to $\{n, n, n\}$.

Such 3-Poulet number is 13981.

Conjecture 14:

There is an infinity of 3-Poulet numbers which have the set of SC divisors of order 2 equal to $\{5, p, q\}$, where p and q are primes and $q = p + 6*k$, where k is non-null positive integer.

Such 3-Poulet numbers are:

1729, because $SCD_2(1729) = \{5, 11, 17\}$ and $17 = 11 + 6*1$;
 2821, because $SCD_2(2821) = \{5, 11, 29\}$ and $29 = 11 + 6*3$;
 6601, because $SCD_2(6601) = \{5, 7, 13\}$ and $13 = 7 + 6*1$;
 13741, because $SCD_2(13741) = \{5, 11, 149\}$ and $149 = 11 + 6*23$;
 15841, because $SCD_2(15841) = \{5, 29, 71\}$ and $71 = 29 + 6*7$;
 30121, because $SCD_2(30121) = \{5, 11, 329\}$ and $329 = 11 + 6*53$.

Conjecture 15:

There is an infinity of Poulet numbers divisible by 15 which have the set of SC divisors of order 1 equal to $\{2, 4, 7, n_1, \dots, n_i\}$, where n_1, \dots, n_i are non-null positive integers and $i > 0$.

The sequence of this 3-Poulet numbers is:

18705, 55245, 72855, 215265, 831405, 1246785, ...

(see the lists below)

Conjecture 16:

There is an infinity of Poulet numbers divisible by 15 which have the set of SC divisors of order 1 equal to $\{2, 4, 23, n_1, \dots, n_i\}$, where n_1, \dots, n_i are non-null positive integers and $i > 0$.

The sequence of this 3-Poulet numbers is:

62745, 451905, ...

(see the lists below)

Conjecture 17:

There is an infinity of Poulet numbers which are multiples of any Poulet number divisible by 15 which has the set of SC divisors of order 1 equal to $\{2, 4, n_1, \dots, n_i\}$, where $n_1 = n_2 = \dots = n_i = 7$ and $i > 0$.

Examples:

The Poulet number $645 = 3*5*43$, having $SCD_1(645) = \{2, 4, 7\}$, has the multiples the Poulet numbers 18705, 72885, which have $SCD_1 = \{2, 4, 7, 7\}$.

The Poulet number $1905 = 3*5*127$, having $SCD_1(1905) = \{2, 4, 7\}$, has the multiples 55245, 215265 which have $SCD_1 = \{2, 4, 7, 7\}$.

(see the sequence A215150 in OEIS for a list of Poulet numbers divisible by smaller Poulet numbers)

List of SC divisors of order 1 of the first twenty 2-Poulet numbers:
(see the sequence A214305 that I submitted to OEIS for a list of 2-Poulet numbers)

$SCD_1(341) = \{S(11 - 1), S(31 - 1)\} = \{S(10), S(30)\} = \{5, 5\};$
 $SCD_1(1387) = \{S(19 - 1), S(73 - 1)\} = \{S(18), S(72)\} = \{6, 6\};$
 $SCD_1(2047) = \{S(23 - 1), S(89 - 1)\} = \{S(22), S(88)\} = \{11, 11\};$
 $SCD_1(2701) = \{S(37 - 1), S(73 - 1)\} = \{S(36), S(72)\} = \{6, 6\};$
 $SCD_1(3277) = \{S(29 - 1), S(113 - 1)\} = \{S(28), S(112)\} = \{7, 7\};$
 $SCD_1(4033) = \{S(37 - 1), S(109 - 1)\} = \{S(36), S(108)\} = \{6, 9\};$
 $SCD_1(4369) = \{S(17 - 1), S(257 - 1)\} = \{S(16), S(256)\} = \{6, 10\};$
 $SCD_1(4681) = \{S(31 - 1), S(151 - 1)\} = \{S(30), S(150)\} = \{5, 10\};$
 $SCD_1(5461) = \{S(43 - 1), S(127 - 1)\} = \{S(42), S(126)\} = \{7, 7\};$
 $SCD_1(7957) = \{S(73 - 1), S(109 - 1)\} = \{S(72), S(108)\} = \{6, 9\};$
 $SCD_1(8321) = \{S(53 - 1), S(157 - 1)\} = \{S(52), S(156)\} = \{13, 13\};$
 $SCD_1(10261) = \{S(31 - 1), S(331 - 1)\} = \{S(30), S(330)\} = \{5, 11\};$
 $SCD_1(13747) = \{S(59 - 1), S(233 - 1)\} = \{S(58), S(232)\} = \{29, 29\};$
 $SCD_1(14491) = \{S(43 - 1), S(337 - 1)\} = \{S(42), S(336)\} = \{7, 7\};$
 $SCD_1(15709) = \{S(23 - 1), S(683 - 1)\} = \{S(22), S(682)\} = \{11, 31\};$
 $SCD_1(18721) = \{S(97 - 1), S(193 - 1)\} = \{S(96), S(192)\} = \{8, 8\};$
 $SCD_1(19951) = \{S(71 - 1), S(281 - 1)\} = \{S(70), S(280)\} = \{7, 7\};$
 $SCD_1(23377) = \{S(97 - 1), S(241 - 1)\} = \{S(96), S(240)\} = \{8, 6\};$
 $SCD_1(31417) = \{S(89 - 1), S(353 - 1)\} = \{S(88), S(352)\} = \{11, 11\};$
 $SCD_1(31609) = \{S(73 - 1), S(433 - 1)\} = \{S(72), S(432)\} = \{6, 9\}.$

List of SC divisors of order 2 of the first twenty 2-Poulet numbers:
(see the sequence A214305 that I submitted to OEIS for a list of 2-Poulet numbers)

$SCD_2(341) = \{S(11 - 2), S(31 - 2)\} = \{S(9), S(29)\} = \{6, 29\};$
 $SCD_2(1387) = \{S(19 - 2), S(73 - 2)\} = \{S(17), S(71)\} = \{17, 71\};$
 $SCD_2(2047) = \{S(23 - 2), S(89 - 2)\} = \{S(21), S(87)\} = \{7, 29\};$
 $SCD_2(2701) = \{S(37 - 2), S(73 - 2)\} = \{S(35), S(71)\} = \{7, 71\};$
 $SCD_2(3277) = \{S(29 - 2), S(113 - 2)\} = \{S(27), S(111)\} = \{9, 37\};$
 $SCD_2(4033) = \{S(37 - 2), S(109 - 2)\} = \{S(35), S(107)\} = \{7, 107\};$
 $SCD_2(4369) = \{S(17 - 2), S(257 - 2)\} = \{S(15), S(255)\} = \{5, 17\};$
 $SCD_2(4681) = \{S(31 - 2), S(151 - 2)\} = \{S(29), S(149)\} = \{29, 149\};$
 $SCD_2(5461) = \{S(43 - 2), S(127 - 2)\} = \{S(41), S(125)\} = \{41, 15\};$
 $SCD_2(7957) = \{S(73 - 2), S(109 - 2)\} = \{S(71), S(107)\} = \{71, 107\};$
 $SCD_2(8321) = \{S(53 - 2), S(157 - 2)\} = \{S(51), S(155)\} = \{17, 31\};$
 $SCD_2(10261) = \{S(31 - 2), S(331 - 2)\} = \{S(29), S(329)\} = \{29, 47\};$
 $SCD_2(13747) = \{S(59 - 2), S(233 - 2)\} = \{S(57), S(231)\} = \{19, 11\};$
 $SCD_2(14491) = \{S(43 - 2), S(337 - 2)\} = \{S(41), S(335)\} = \{41, 67\};$
 $SCD_2(15709) = \{S(23 - 2), S(683 - 2)\} = \{S(21), S(681)\} = \{7, 227\};$
 $SCD_2(18721) = \{S(97 - 2), S(193 - 2)\} = \{S(95), S(191)\} = \{19, 191\};$
 $SCD_2(19951) = \{S(71 - 2), S(281 - 2)\} = \{S(69), S(279)\} = \{23, 31\};$
 $SCD_2(23377) = \{S(97 - 2), S(241 - 2)\} = \{S(95), S(239)\} = \{19, 239\};$
 $SCD_2(31417) = \{S(89 - 2), S(353 - 2)\} = \{S(87), S(351)\} = \{29, 13\};$
 $SCD_2(31609) = \{S(73 - 2), S(433 - 2)\} = \{S(71), S(431)\} = \{71, 431\}.$

List of SC divisors of order 6 of the first twenty 2-Poulet numbers:
(see the sequence A214305 that I submitted to OEIS for a list of 2-Poulet numbers)

$SCD_6(341) = \{S(11 - 6), S(31 - 6)\} = \{S(5), S(25)\} = \{5, 10\};$
 $SCD_6(1387) = \{S(19 - 6), S(73 - 6)\} = \{S(13), S(67)\} = \{13, 67\};$
 $SCD_6(2047) = \{S(23 - 6), S(89 - 6)\} = \{S(17), S(83)\} = \{17, 83\};$
 $SCD_6(2701) = \{S(37 - 6), S(73 - 6)\} = \{S(31), S(67)\} = \{31, 67\};$
 $SCD_6(3277) = \{S(29 - 6), S(113 - 6)\} = \{S(23), S(107)\} = \{23, 107\};$
 $SCD_6(4033) = \{S(37 - 6), S(109 - 6)\} = \{S(31), S(103)\} = \{31, 103\};$
 $SCD_6(4369) = \{S(17 - 6), S(257 - 6)\} = \{S(11), S(251)\} = \{11, 251\};$
 $SCD_6(4681) = \{S(31 - 6), S(151 - 6)\} = \{S(25), S(145)\} = \{10, 29\};$
 $SCD_6(5461) = \{S(43 - 6), S(127 - 6)\} = \{S(37), S(121)\} = \{37, 22\};$
 $SCD_6(7957) = \{S(73 - 6), S(109 - 6)\} = \{S(67), S(103)\} = \{67, 103\};$
 $SCD_6(8321) = \{S(53 - 6), S(157 - 6)\} = \{S(47), S(151)\} = \{47, 151\};$
 $SCD_6(10261) = \{S(31 - 6), S(331 - 6)\} = \{S(25), S(325)\} = \{10, 13\};$
 $SCD_6(13747) = \{S(59 - 6), S(233 - 6)\} = \{S(53), S(227)\} = \{53, 227\};$
 $SCD_6(14491) = \{S(43 - 6), S(337 - 6)\} = \{S(37), S(331)\} = \{37, 331\};$
 $SCD_6(15709) = \{S(23 - 6), S(683 - 6)\} = \{S(17), S(677)\} = \{17, 677\};$
 $SCD_6(18721) = \{S(97 - 6), S(193 - 6)\} = \{S(91), S(187)\} = \{13, 17\};$
 $SCD_6(19951) = \{S(71 - 6), S(281 - 6)\} = \{S(65), S(275)\} = \{13, 11\};$
 $SCD_6(23377) = \{S(97 - 6), S(241 - 6)\} = \{S(91), S(235)\} = \{13, 47\};$
 $SCD_6(31417) = \{S(89 - 6), S(353 - 6)\} = \{S(83), S(347)\} = \{83, 347\};$
 $SCD_6(31609) = \{S(73 - 6), S(433 - 6)\} = \{S(67), S(427)\} = \{67, 61\}.$

List of SC divisors of order 1 of the first twenty 3-Poulet numbers:
(see the sequence A215672 that I submitted to OEIS for a list of 3-Poulet numbers)

$SCD_1(561) = SCD_1(3*11*17) = \{S(2), S(10), S(16)\} = \{2, 5, 6\};$
 $SCD_1(645) = SCD_1(3*5*43) = \{S(2), S(4), S(42)\} = \{2, 4, 7\};$
 $SCD_1(1105) = SCD_1(5*13*17) = \{S(4), S(12), S(16)\} = \{4, 4, 6\};$
 $SCD_1(1729) = SCD_1(7*13*19) = \{S(6), S(12), S(18)\} = \{3, 4, 6\};$
 $SCD_1(1905) = SCD_1(3*5*127) = \{S(2), S(4), S(126)\} = \{2, 4, 7\};$
 $SCD_1(2465) = SCD_1(5*17*29) = \{S(4), S(16), S(28)\} = \{4, 6, 7\};$
 $SCD_1(2821) = SCD_1(7*13*31) = \{S(6), S(12), S(30)\} = \{3, 4, 5\};$
 $SCD_1(4371) = SCD_1(3*31*47) = \{S(2), S(30), S(46)\} = \{2, 5, 23\};$
 $SCD_1(6601) = SCD_1(7*23*41) = \{S(6), S(22), S(40)\} = \{3, 11, 5\};$
 $SCD_1(8481) = SCD_1(3*11*257) = \{S(2), S(10), S(256)\} = \{2, 5, 10\};$
 $SCD_1(8911) = SCD_1(7*19*67) = \{S(6), S(18), S(66)\} = \{3, 19, 67\};$
 $SCD_1(10585) = SCD_1(5*29*73) = \{S(4), S(28), S(72)\} = \{4, 7, 6\};$
 $SCD_1(12801) = SCD_1(3*17*251) = \{S(2), S(16), S(250)\} = \{2, 6, 15\};$
 $SCD_1(13741) = SCD_1(7*13*151) = \{S(6), S(12), S(150)\} = \{3, 4, 10\};$
 $SCD_1(13981) = SCD_1(11*31*41) = \{S(10), S(30), S(40)\} = \{5, 5, 5\};$
 $SCD_1(15841) = SCD_1(7*31*73) = \{S(6), S(30), S(72)\} = \{3, 5, 6\};$
 $SCD_1(16705) = SCD_1(5*13*257) = \{S(4), S(12), S(256)\} = \{4, 4, 10\};$
 $SCD_1(25761) = SCD_1(3*31*277) = \{S(2), S(30), S(276)\} = \{2, 5, 23\};$
 $SCD_1(29341) = SCD_1(13*37*61) = \{S(12), S(36), S(60)\} = \{4, 6, 5\};$
 $SCD_1(30121) = SCD_1(7*13*331) = \{S(6), S(12), S(330)\} = \{3, 4, 11\}.$

List of SC divisors of order 2 of the first twenty 3-Poulet numbers:
 (see the sequence A215672 that I submitted to OEIS for a list of 3-Poulet numbers)

$SCD_2(561) = SCD_1(3 \cdot 11 \cdot 17) = \{S(1), S(9), S(15)\} = \{1, 6, 5\};$
 $SCD_2(645) = SCD_1(3 \cdot 5 \cdot 43) = \{S(1), S(3), S(41)\} = \{1, 3, 41\};$
 $SCD_2(1105) = SCD_1(5 \cdot 13 \cdot 17) = \{S(3), S(11), S(15)\} = \{3, 11, 5\};$
 $SCD_2(1729) = SCD_1(7 \cdot 13 \cdot 19) = \{S(5), S(11), S(17)\} = \{5, 11, 17\};$
 $SCD_2(1905) = SCD_1(3 \cdot 5 \cdot 127) = \{S(1), S(3), S(125)\} = \{1, 3, 15\};$
 $SCD_2(2465) = SCD_1(5 \cdot 17 \cdot 29) = \{S(3), S(15), S(27)\} = \{3, 5, 9\};$
 $SCD_2(2821) = SCD_1(7 \cdot 13 \cdot 31) = \{S(5), S(11), S(29)\} = \{5, 11, 29\};$
 $SCD_2(4371) = SCD_1(3 \cdot 31 \cdot 47) = \{S(1), S(29), S(45)\} = \{1, 29, 6\};$
 $SCD_2(6601) = SCD_1(7 \cdot 23 \cdot 41) = \{S(5), S(21), S(29)\} = \{5, 7, 13\};$
 $SCD_2(8481) = SCD_1(3 \cdot 11 \cdot 257) = \{S(1), S(9), S(255)\} = \{1, 6, 17\};$
 $SCD_2(8911) = SCD_1(7 \cdot 19 \cdot 67) = \{S(5), S(17), S(65)\} = \{5, 17, 13\};$
 $SCD_2(10585) = SCD_1(5 \cdot 29 \cdot 73) = \{S(3), S(27), S(71)\} = \{3, 9, 71\};$
 $SCD_2(12801) = SCD_1(3 \cdot 17 \cdot 251) = \{S(1), S(15), S(249)\} = \{1, 5, 83\};$
 $SCD_2(13741) = SCD_1(7 \cdot 13 \cdot 151) = \{S(5), S(11), S(149)\} = \{5, 11, 149\};$
 $SCD_2(13981) = SCD_1(11 \cdot 31 \cdot 41) = \{S(9), S(29), S(39)\} = \{6, 29, 13\};$
 $SCD_2(15841) = SCD_1(7 \cdot 31 \cdot 73) = \{S(5), S(29), S(71)\} = \{5, 29, 71\};$
 $SCD_2(16705) = SCD_1(5 \cdot 13 \cdot 257) = \{S(3), S(111), S(255)\} = \{3, 11, 17\};$
 $SCD_2(25761) = SCD_1(3 \cdot 31 \cdot 277) = \{S(1), S(29), S(275)\} = \{1, 29, 11\};$
 $SCD_2(29341) = SCD_1(13 \cdot 37 \cdot 61) = \{S(11), S(35), S(59)\} = \{11, 7, 59\};$
 $SCD_2(30121) = SCD_1(7 \cdot 13 \cdot 331) = \{S(5), S(11), S(329)\} = \{5, 11, 329\}.$

List of SC divisors of order 1 of the first ten Poulet numbers divisible by 3 and 5:

(see the sequence A216364 that I submitted to OEIS for a list of Poulet numbers divisible by 15)

$SCD_1(645) = SCD_1(3 \cdot 5 \cdot 43) = \{2, 4, 7\};$
 $SCD_1(1905) = SCD_1(3 \cdot 5 \cdot 127) = \{2, 4, 7\};$
 $SCD_1(18705) = SCD_1(3 \cdot 5 \cdot 29 \cdot 43) = \{2, 4, 7, 7\};$
 $SCD_1(55245) = SCD_1(3 \cdot 5 \cdot 29 \cdot 127) = \{2, 4, 7, 7\};$
 $SCD_1(62745) = SCD_1(3 \cdot 5 \cdot 47 \cdot 89) = \{2, 4, 23, 11\};$
 $SCD_1(72855) = SCD_1(3 \cdot 5 \cdot 43 \cdot 113) = \{2, 4, 7, 7\};$
 $SCD_1(215265) = SCD_1(3 \cdot 5 \cdot 113 \cdot 127) = \{2, 4, 7, 7\};$
 $SCD_1(451905) = SCD_1(3 \cdot 5 \cdot 47 \cdot 641) = \{2, 4, 23, 8\};$
 $SCD_1(831405) = SCD_1(3 \cdot 5 \cdot 43 \cdot 1289) = \{2, 4, 7, 23\};$
 $SCD_1(1246785) = SCD_1(3 \cdot 5 \cdot 43 \cdot 1933) = \{2, 4, 7, 23\}.$