

LHC Explore Pentaquark

Scientists at the Large Hadron Collider have announced the discovery of a new particle called the pentaquark. [9]

CERN scientists just completed one of the most exciting upgrades on the Large Hadron Collider—the Di-Jet Calorimeter (DCal). [8]

As physicists were testing the repairs of LHC by zipping a few spare protons around the 17 mile loop, the CMS detector picked up something unusual. The team feverishly pored over the data, and ultimately came to an unlikely conclusion—in their tests, they had accidentally created a rainbow universe. [7]

The universe may have existed forever, according to a new model that applies quantum correction terms to complement Einstein's theory of general relativity. The model may also account for dark matter and dark energy, resolving multiple problems at once. [6]

This paper explains the Accelerating Universe, the Special and General Relativity from the observed effects of the accelerating electrons, causing naturally the experienced changes of the electric field potential along the moving electric charges. The accelerating electrons explain not only the Maxwell Equations and the Special Relativity, but the Heisenberg Uncertainty Relation, the wave particle duality and the electron's spin also, building the bridge between the Classical and Relativistic Quantum Theories.


The Big Bang caused acceleration created the radial currents of the matter and since the matter composed of negative and positive charges, these currents are creating magnetic field and attracting forces between the parallel moving electric currents. This is the gravitational force experienced by the matter, and also the mass is result of the electromagnetic forces between the charged particles. The positive and negative charged currents attracts each other or by the magnetic forces or by the much stronger electrostatic forces. The gravitational force attracting the matter, causing concentration of the matter in a small space and leaving much space with low matter concentration: dark matter and energy.

Contents

Large Hadron Collider discovers new pentaquark particle	3
New states	4
LHC Set to Explore The Big Bang & Physics Of Matter.....	4

The Legacy of the LHC:	4
A New Era at the LHC:.....	5
Physicists Warming Up the LHC Accidentally Create a Rainbow Universe	6
No Big Bang? Quantum equation predicts universe has no beginning	7
Old ideas revisited	8
No singularities, nor dark stuff.....	8
New gravity particle	8
The Big Bang	9
Evidence for an accelerating universe	9
Equation	10
Explanatory models.....	11
Lorentz transformation of the Special Relativity	11
The Classical Relativistic effect	11
Electromagnetic inertia and Gravitational attraction	12
Electromagnetic inertia and mass.....	12
Electromagnetic Induction	12
Relativistic change of mass.....	12
The frequency dependence of mass	12
Electron – Proton mass rate	13
Gravity from the point of view of quantum physics	13
The Gravitational force	13
The Graviton	14
Conclusions	14
References	15

Large Hadron Collider discovers new pentaquark particle



An illustration of one possible layout of quarks in a pentaquark particle such as those seen at LHCb (showing five tightly-bonded quarks)

It was first predicted to exist in the 1960s but, much like the Higgs boson particle before it, the pentaquark eluded science for decades until its detection at the LHC.

The discovery, which amounts to a new form of matter, was made by the Hadron Collider's LHCb experiment.

The findings have been submitted to the journal Physical Review Letters.

There is no way that what we see could be due to something else other than the addition of a new particle Dr Patrick Koppenburg, LHCb physics coordinator.

In 1964, two physicists - Murray Gell Mann and George Zweig - independently proposed the existence of the subatomic particles known as quarks.

They theorised that key properties of the particles known as baryons and mesons were best explained if they were in turn made up of other constituent particles.

Zweig coined the term "aces" for the three new hypothesised building blocks, but it was Gell-Mann's name "quark" that stuck.

This model also allowed for other quark states, such as the pentaquark. This purely theoretical particle was composed of four quarks and an antiquark (the anti-matter equivalent of an ordinary quark).

New states

During the mid-2000s, several teams claimed to have detected pentaquarks, but their discoveries were subsequently undermined by other experiments.

"There is quite a history with pentaquarks, which is also why we were very careful in putting this paper forward," Patrick Koppenburg, physics coordinator for LHCb at Cern, told BBC News.

"It's just the word 'pentaquark' which seems to be cursed somehow because there have been many discoveries that were then superseded by new results that showed that previous ones were actually fluctuations and not real signals."

Scientists used precision measurements at the LHCb experiment to unmask the new pentaquark particle

Physicists studied the way a sub-atomic particle called Lambda b decayed - or transformed - into three other particles inside LHCb. The analysis revealed that intermediate states were sometimes involved in the production of the three particles.

These intermediate states have been named $P_c(4450)^+$ and $P_c(4380)^+$.

"We have examined all possibilities for these signals, and conclude that they can only be explained by pentaquark states," said LHCb physicist Tomasz Skwarnicki of Syracuse University, US.

Previous experiments had measured only the so-called mass distribution where a statistical peak may appear against the background "noise" - the possible signature of a novel particle.

But the collider enabled researchers to look at the data from additional perspectives, namely the four angles defined by the different directions of travel taken by particles within LHCb.

"We are transforming this problem from a one-dimensional to a five dimensional one... we are able to describe everything that happens in the decay," said Dr Koppenburg who first saw a signal begin to emerge in 2012.

"There is no way that what we see could be due to something else other than the addition of a new particle that was not observed before." [9]

LHC Set to Explore The Big Bang & Physics Of Matter

The Legacy of the LHC:

This new tech could help us uncover some of the greatest mysteries in the cosmos and better understand the physics that holds all matter together. The Large Hadron Collider (LHC) is one of humanity's most complex and monumental undertakings. Located in Geneva, Switzerland, the LHC is the largest and most powerful particle accelerator in the world.

In an attempt to simulate conditions that existed just moments after the Big Bang, the LHC whips beams of protons around a 27 km (17 mi) track at speeds reaching 99% the speed of light.

To give you an idea of the kind of energy (and data) that the LHC is capable of producing: Each particle beam that the LHC sends around the track is made of “trains” of particle bunches. Each beam contains 2,808 bunches. Each bunch contains over 100 billion protons. Ultimately, these figures allow the LHC to produce up to 1 billion collisions per second.

The completed ALICE detector showing the eighteen TRD modules (trapezoidal prisms in a radial arrangement)

These collisions are notable because they allow scientists to create energy densities that have not occurred since just microseconds after the Big Bang; thus, they provide us with a number of opportunities to create particles that we have never encounter on Earth.

To date, one of the most notable discoveries made by the LHC is the Higgs Boson. This particle was first proposed some 40 years ago by Peter Higgs (the physicist that the elusive particle is named after) and a team of researchers. The team claimed that some particles gain mass by interacting with an invisible electromagnetic field, which has been named the “Higgs field.” If this hypothesis is true, the scientists stated that there should be a particle that it associated with it—the Higgs boson—that supervises interactions with other particles and the Higgs field.


In 2012, scientists working at the LHC confirmed the discovery of the Higgs boson. And now they are ready to start treading through new frontiers in physics.

A New Era at the LHC:

Until very recently, the LHC was down for some scheduled upgrades (all in all, it was down for just over two years). One of those upgrades is the Di-Jet Calorimeter (DCal), which was installed in the ALICE detector (an experiment that studies heavy-ion collisions).

The DCal is such an important addition because the energy densities that are created in the LHC cause ordinary matter to melt into its constituent parts—quarks and gluons. And the DCal is going to explore this super-hot plasma of quarks and gluons as it expands and cools in order to better understand the mechanism that keeps quarks tightly confined. Ultimately, this “confinement” it one of the primary mechanisms that holds all matter together. [8]

Physicists Warming Up the LHC Accidentally Create a Rainbow Universe



After two years of extensive upgrades, the Large Hadron Collider was warming up on March 21 for another round of experiments when a circuit controlling one of its massive magnets shorted out. Dismayed, scientists began repairing the equipment, hoping for a short delay. Just yesterday, CERN announced that the LHC could restart within days.

Then the unexpected happened. As physicists were testing the repairs by zipping a few spare protons around the 17 mile loop, the CMS detector picked up something unusual. The team feverishly pored over the data, and ultimately came to an unlikely conclusion—in their tests, they had accidentally created a rainbow universe.


“Rainbow universes were pure speculation before this happened,” said Jessica Czerniski, the CERN physicist who was overseeing the warm-up procedures. “We had some solid math backing us up, of course, but none of us ever dreamed we would live to see this day.”

First proposed back in the early 2000s, the theory of rainbow gravity posits that different wavelengths of light are affected by gravity in different ways. Rainbow universes are thought to be a natural result of rainbow gravity, but with the peculiar qualities of not having distinct beginnings. In other words, rainbow universes have been around since forever, which has physicists stumped over the “creation” at the LHC.

“When I first saw the paper posted on the arXiv [a site for scholarly publications], I almost spit out my coffee,” said Randall Pattinson, a professor of physics at the Princeton University. “Rainbow gravity has some real physics behind it, but actually seeing evidence of it? It’s like finding an original edition Lisa Frank Trapper Keeper that your daughter wanted for her birthday. It’s almost too good to be true.”

Technicians close to the CMS detector reported hearing a loud noise, something of a cross between screeching metal and tearing cloth. In a thick haze that hung over the magnet, initially thought to be smoke from the short circuit, they saw a shimmering halo that spanned the full spectrum of visible light which vanished after a few seconds. Scientists studying the CMS data later confirmed the anomaly lasted for about 2.6 seconds.

Czerniski and her team would like to repeat the conditions that led to the appearance of the rainbow universe, though only after carefully analyzing the current CMS data. "We'd like to ensure that there aren't any unanticipated consequences from attempting to create a more stable version of the rainbow universe," she said, acknowledging that CERN is aware of the public's concerns over its experiments. (When the LHC was first started, some people feared the powerful accelerator would create a black hole here on Earth.)



A visualization of the data captured by the CMS detector

Among the curiosities Czerniski and her colleagues need to sort out is an artifact in the data that, when recreated in three-dimensions, appears to be the ghostly outline of a dolphin. At first they thought it was merely the computer's desktop wallpaper bleeding through a transparent window, but after confirming the terminal's settings, they dove deeper into the data. Subsequent analysis suggested the apparition is real as it registered at five sigma. [7]

No Big Bang? Quantum equation predicts universe has no beginning

The widely accepted age of the universe, as estimated by general relativity, is 13.8 billion years. In the beginning, everything in existence is thought to have occupied a single infinitely dense point, or singularity. Only after this point began to expand in a "Big Bang" did the universe officially begin.

Although the Big Bang singularity arises directly and unavoidably from the mathematics of general relativity, some scientists see it as problematic because the math can explain only what happened immediately after—not at or before—the singularity.

"The Big Bang singularity is the most serious problem of general relativity because the laws of physics appear to break down there," Ahmed Farag Ali at Benha University and the Zewail City of Science and Technology, both in Egypt, told Phys.org.

Ali and coauthor Saurya Das at the University of Lethbridge in Alberta, Canada, have shown in a paper published in Physics Letters B that the Big Bang singularity can be resolved by their new model in which the universe has no beginning and no end.

Old ideas revisited

The physicists emphasize that their quantum correction terms are not applied ad hoc in an attempt to specifically eliminate the Big Bang singularity. Their work is based on ideas by the theoretical physicist David Bohm, who is also known for his contributions to the philosophy of physics. Starting in the 1950s, Bohm explored replacing classical geodesics (the shortest path between two points on a curved surface) with quantum trajectories.

Using the quantum-corrected Raychaudhuri equation, Ali and Das derived quantum-corrected Friedmann equations, which describe the expansion and evolution of universe (including the Big Bang) within the context of general relativity. Although it's not a true theory of quantum gravity, the model does contain elements from both quantum theory and general relativity. Ali and Das also expect their results to hold even if and when a full theory of quantum gravity is formulated.

No singularities, nor dark stuff

In addition to not predicting a Big Bang singularity, the new model does not predict a "big crunch" singularity, either. In general relativity, one possible fate of the universe is that it starts to shrink until it collapses in on itself in a big crunch and becomes an infinitely dense point once again.

Ali and Das explain in their paper that their model avoids singularities because of a key difference between classical geodesics and Bohmian trajectories. Classical geodesics eventually cross each other, and the points at which they converge are singularities. In contrast, Bohmian trajectories never cross each other, so singularities do not appear in the equations.

In cosmological terms, the scientists explain that the quantum corrections can be thought of as a cosmological constant term (without the need for dark energy) and a radiation term. These terms keep the universe at a finite size, and therefore give it an infinite age. The terms also make predictions that agree closely with current observations of the cosmological constant and density of the universe.

New gravity particle

In physical terms, the model describes the universe as being filled with a quantum fluid. The scientists propose that this fluid might be composed of gravitons—hypothetical massless particles that mediate the force of gravity. If they exist, gravitons are thought to play a key role in a theory of quantum gravity.

In a related paper, Das and another collaborator, Rajat Bhaduri of McMaster University, Canada, have lent further credence to this model. They show that gravitons can form a Bose-Einstein condensate (named after Einstein and another Indian physicist, Satyendranath Bose) at temperatures that were present in the universe at all epochs. [6]

The Big Bang

The Big Bang caused acceleration created radial currents of the matter, and since the matter is composed of negative and positive charges, these currents are creating magnetic field and attracting forces between the parallel moving electric currents. This is the gravitational force experienced by the matter, and also the mass is result of the electromagnetic forces between the charged particles.

The positive and negative charged currents attracts each other or by the magnetic forces or by the much stronger electrostatic forces!?


The gravitational force attracting the matter, causing concentration of the matter in a small space and leaving much space with low matter concentration: dark matter and energy.

There is an asymmetry between the mass of the electric charges, for example proton and electron, can understood by the asymmetrical Planck Distribution Law. This temperature dependent energy distribution is asymmetric around the maximum intensity, where the annihilation of matter and antimatter is a high probability event. The asymmetric sides are creating different frequencies of electromagnetic radiations being in the same intensity level and compensating each other. One of these compensating ratios is the electron – proton mass ratio. The lower energy side has no compensating intensity level, it is the dark energy and the corresponding matter is the dark matter.

Evidence for an accelerating universe

One of the observational foundations for the big bang model of cosmology was the observed expansion of the universe. [4] Measurement of the expansion rate is a critical part of the study, and it has been found that the expansion rate is very nearly "flat". That is, the universe is very close to the critical density, above which it would slow down and collapse inward toward a future "big crunch". One of the great challenges of astronomy and astrophysics is distance measurement over the vast distances of the universe. Since the 1990s it has become apparent that type Ia supernovae offer a unique opportunity for the consistent measurement of distance out to perhaps 1000 Mpc. Measurement at these great distances provided the first data to suggest that the expansion rate of the universe is actually accelerating. That acceleration implies an energy density that acts in opposition to gravity which would cause the expansion to accelerate. This is an energy density which we have not directly detected observationally and it has been given the name "dark energy".

The type Ia supernova evidence for an accelerated universe has been discussed by Perlmutter and the diagram below follows his illustration in Physics Today.



The data summarized in the illustration above involve the measurement of the redshifts of the distant supernovae. The observed magnitudes are plotted against the redshift parameter z . Note that there are a number of Type Ia supernovae around $z=0.6$, which with a Hubble constant of 71 km/s/mpc is a distance of about 5 billion light years.

Equation

The cosmological constant Λ appears in Einstein's field equation [5] in the form of

$$R_{\mu\nu} - \frac{1}{2}Rg_{\mu\nu} + \Lambda g_{\mu\nu} = \frac{8\pi G}{c^4}T_{\mu\nu},$$

where R and g describe the structure of spacetime, T pertains to matter and energy affecting that structure, and G and c are conversion factors that arise from using traditional units of measurement. When Λ is zero, this reduces to the original field equation of general relativity. When T is zero, the field equation describes empty space (the vacuum).

The cosmological constant has the same effect as an intrinsic energy density of the vacuum, ρ_{vac} (and an associated pressure). In this context it is commonly moved onto the right-hand side of the equation, and defined with a proportionality factor of 8π : $\Lambda = 8\pi\rho_{\text{vac}}$, where unit conventions of general relativity are used (otherwise factors of G and c would also appear). It is common to quote values of energy density directly, though still using the name "cosmological constant".

A positive vacuum energy density resulting from a cosmological constant implies a negative pressure, and vice versa. If the energy density is positive, the associated negative pressure will drive an accelerated expansion of the universe, as observed. (See dark energy and cosmic inflation for details.)

Explanatory models

Models attempting to explain accelerating expansion include some form of dark energy, dark fluid or phantom energy. The most important property of dark energy is that it has negative pressure which is distributed relatively homogeneously in space. The simplest explanation for dark energy is that it is a cosmological constant or vacuum energy; this leads to the Lambda-CDM model, which is generally known as the Standard Model of Cosmology as of 2003-2013, since it is the simplest model in good agreement with a variety of recent observations.

Lorentz transformation of the Special Relativity

In the referential frame of the accelerating electrons the charge density lowering linearly because of the linearly growing way they takes every next time period. From the referential frame of the wire there is a parabolic charge density lowering.

The difference between these two referential frames, namely the referential frame of the wire and the referential frame of the moving electrons gives the relativistic effect. Important to say that the moving electrons presenting the time coordinate, since the electrons are taking linearly increasing way every next time period, and the wire presenting the geometric coordinate. The Lorentz transformations are based on moving light sources of the Michelson - Morley experiment giving a practical method to transform time and geometric coordinates without explaining the source of this mystery.

The real mystery is that the accelerating charges are maintaining the accelerating force with their charge distribution locally. The resolution of this mystery that the charges are simply the results of the diffraction patterns, that is the charges and the electric field are two sides of the same thing. Otherwise the charges could exceed the velocity of the electromagnetic field.

The increasing mass of the electric charges the result of the increasing inductive electric force acting against the accelerating force. The decreasing mass of the decreasing acceleration is the result of the inductive electric force acting against the decreasing force. This is the relativistic mass change explanation, especially importantly explaining the mass reduction in case of velocity decrease.

The Classical Relativistic effect

The moving charges are self maintain the electromagnetic field locally, causing their movement and this is the result of their acceleration under the force of this field.

In the classical physics the charges will distributed along the electric current so that the electric potential lowering along the current, by linearly increasing the way they take every next time period because this accelerated motion.

Electromagnetic inertia and Gravitational attraction

Since the magnetic induction creates a negative electric field as a result of the changing acceleration, it works as an electromagnetic inertia, causing an electromagnetic mass.

It looks clear that the growing acceleration results the relativistic growing mass - limited also with the velocity of the electromagnetic wave.

Since $E = h\nu$ and $E = mc^2$, $m = h\nu/c^2$ that is the m depends only on the ν frequency. It means that the mass of the proton and electron are electromagnetic and the result of the electromagnetic induction, caused by the changing acceleration of the spinning and moving charge! It could be that the m_0 inertial mass is the result of the spin, since this is the only accelerating motion of the electric charge. Since the accelerating motion has different frequency for the electron in the atom and the proton, they masses are different, also as the wavelengths on both sides of the diffraction pattern, giving equal intensity of radiation.

If the mass is electromagnetic, then the gravitation is also electromagnetic effect caused by the accelerating Universe! The same charges would attract each other if they are moving parallel by the magnetic effect.

The Planck distribution law explains the different frequencies of the proton and electron, giving equal intensity to different lambda wavelengths! Also since the particles are diffraction patterns they have some closeness to each other – can be seen as a gravitational force.

Electromagnetic inertia and mass

Electromagnetic Induction

Since the magnetic induction creates a negative electric field as a result of the changing acceleration, it works as an electromagnetic inertia, causing an electromagnetic mass. [1]

Relativistic change of mass

The increasing mass of the electric charges the result of the increasing inductive electric force acting against the accelerating force. The decreasing mass of the decreasing acceleration is the result of the inductive electric force acting against the decreasing force. This is the relativistic mass change explanation, especially importantly explaining the mass reduction in case of velocity decrease.

The frequency dependence of mass

Since $E = h\nu$ and $E = mc^2$, $m = h\nu/c^2$ that is the m depends only on the ν frequency. It means that the mass of the proton and electron are electromagnetic and the result of the electromagnetic induction, caused by the changing acceleration of the spinning and moving charge! It could be that the m_0 inertial mass is the result of the spin, since this is the only accelerating motion of the electric charge. Since the accelerating motion has different frequency for the electron in the atom and the proton, they masses are different, also as the wavelengths on both sides of the diffraction pattern, giving equal intensity of radiation.

Electron – Proton mass rate

The Planck distribution law explains the different frequencies of the proton and electron, giving equal intensity to different lambda wavelengths! Also since the particles are diffraction patterns they have some closeness to each other – can be seen as a gravitational force. [1]

There is an asymmetry between the mass of the electric charges, for example proton and electron, can understood by the asymmetrical Planck Distribution Law. This temperature dependent energy distribution is asymmetric around the maximum intensity, where the annihilation of matter and antimatter is a high probability event. The asymmetric sides are creating different frequencies of electromagnetic radiations being in the same intensity level and compensating each other. One of these compensating ratios is the electron – proton mass ratio. The lower energy side has no compensating intensity level, it is the dark energy and the corresponding matter is the dark matter.

Gravity from the point of view of quantum physics

The Gravitational force

The gravitational attractive force is basically a magnetic force.

The same electric charges can attract one another by the magnetic force if they are moving parallel in the same direction. Since the electrically neutral matter is composed of negative and positive charges they need 2 photons to mediate this attractive force, one per charges. The Big Bang caused parallel moving of the matter gives this magnetic force, experienced as gravitational force.

Since graviton is a tensor field, it has spin = 2, could be 2 photons with spin = 1 together.

You can think about photons as virtual electron – positron pairs, obtaining the necessary virtual mass for gravity.

The mass as seen before a result of the diffraction, for example the proton – electron mass rate $M_p=1840 m_e$. In order to move one of these diffraction maximum (electron or proton) we need to intervene into the diffraction pattern with a force appropriate to the intensity of this diffraction maximum, means its intensity or mass.

The Big Bang caused acceleration created radial currents of the matter, and since the matter is composed of negative and positive charges, these currents are creating magnetic field and attracting forces between the parallel moving electric currents. This is the gravitational force experienced by the matter, and also the mass is result of the electromagnetic forces between the charged particles. The positive and negative charged currents attracts each other or by the magnetic forces or by the much stronger electrostatic forces!?

The gravitational force attracting the matter, causing concentration of the matter in a small space and leaving much space with low matter concentration: dark matter and energy.

There is an asymmetry between the mass of the electric charges, for example proton and electron, can understood by the asymmetrical Planck Distribution Law. This temperature dependent energy distribution is asymmetric around the maximum intensity, where the annihilation of matter and antimatter is a high probability event. The asymmetric sides are creating different frequencies of electromagnetic radiations being in the same intensity level and compensating each other. One of these compensating ratios is the electron – proton mass ratio. The lower energy side has no compensating intensity level, it is the dark energy and the corresponding matter is the dark matter.

The Graviton

In physics, the graviton is a hypothetical elementary particle that mediates the force of gravitation in the framework of quantum field theory. If it exists, the graviton is expected to be massless (because the gravitational force appears to have unlimited range) and must be a spin-2 boson. The spin follows from the fact that the source of gravitation is the stress-energy tensor, a second-rank tensor (compared to electromagnetism's spin-1 photon, the source of which is the four-current, a first-rank tensor). Additionally, it can be shown that any massless spin-2 field would give rise to a force indistinguishable from gravitation, because a massless spin-2 field must couple to (interact with) the stress-energy tensor in the same way that the gravitational field does. This result suggests that, if a massless spin-2 particle is discovered, it must be the graviton, so that the only experimental verification needed for the graviton may simply be the discovery of a massless spin-2 particle. [2]

Conclusions

LHCb spokesperson Guy Wilkinson commented: "The pentaquark is not just any new particle... It represents a way to aggregate quarks, namely the fundamental constituents of ordinary protons and neutrons, in a pattern that has never been observed before in over fifty years of experimental searches.

"Studying its properties may allow us to understand better how ordinary matter, the protons and neutrons from which we're all made, is constituted." [9]

The DCal is such an important addition because the energy densities that are created in the LHC cause ordinary matter to melt into its constituent parts—quarks and gluons. And the DCal is going to explore this super-hot plasma of quarks and gluons as it expands and cools in order to better understand the mechanism that keeps quarks tightly confined. Ultimately, this “confinement” is one of the primary mechanisms that holds all matter together. [8]

Should the CERN team be successful in creating another rainbow universe, proof of a rainbow gravity could force physicists to rethink the origins of the universe—the Big Bang theory, for example, would likely be thrown out. But such a confirmation could also finally bridge general relativity with quantum mechanics. [7]

Motivated by the model's potential to resolve the Big Bang singularity and account for dark matter and dark energy, the physicists plan to analyze their model more rigorously in the future. Their future work includes redoing their study while taking into account small inhomogeneous and anisotropic perturbations, but they do not expect small perturbations to significantly affect the results. "It is satisfying to note that such straightforward corrections can potentially resolve so many issues at once," Das said. [6]

The accelerating Universe fits into the accelerating charges of the electric currents, because the Big Bang caused radial moving of the matter.

Needless to say that the accelerating electrons of the steady stationary current are a simple demystification of the magnetic field, by creating a decreasing charge distribution along the wire, maintaining the decreasing U potential and creating the \underline{A} vector potential experienced by the electrons moving by \underline{v} velocity relative to the wire. This way it is easier to understand also the time

dependent changes of the electric current and the electromagnetic waves as the resulting fields moving by c velocity.

It could be possible something very important law of the nature behind the self maintaining \underline{E} accelerating force by the accelerated electrons. The accelerated electrons created electromagnetic fields are so natural that they occur as electromagnetic waves traveling with velocity c . It shows that the electric charges are the result of the electromagnetic waves diffraction.

One of the most important conclusions is that the electric charges are moving in an accelerated way and even if their velocity is constant, they have an intrinsic acceleration anyway, the so called spin, since they need at least an intrinsic acceleration to make possible their movement.

The bridge between the classical and quantum theory is based on this intrinsic acceleration of the spin, explaining also the Heisenberg Uncertainty Principle. The particle – wave duality of the electric charges and the photon makes certain that they are both sides of the same thing. Basing the gravitational force on the accelerating Universe caused magnetic force and the Planck Distribution Law of the electromagnetic waves caused diffraction gives us the basis to build a Unified Theory of the physical interactions.

The electric currents causing self maintaining electric potential is the source of the special and general relativistic effects. The Higgs Field is the result of the electromagnetic induction. The Graviton is two photons together. [3]

References

[1] 3 Dimensional String Theory

Author: George Rajna

Publisher: Academia.edu

http://www.academia.edu/3834454/3_Dimensional_String_Theory

[2] Graviton Production By Two Photon and Electron-Photon Processes In Kaluza-Klein Theories With Large Extra Dimensions

<http://arxiv.org/abs/hep-ph/9909392>

[3] http://www.academia.edu/4158863/Higgs_Field_and_Quantum_Gravity

[4] <http://hyperphysics.phy-astr.gsu.edu/hbase/astro/univacc.html>

[5] http://en.wikipedia.org/wiki/Einstein_field_equations

[6] No Big Bang? Quantum equation predicts universe has no beginning

<http://phys.org/news/2015-02-big-quantum-equation-universe.html>

[7] Physicists Warming Up the LHC Accidentally Create a Rainbow Universe

<http://www.pbs.org/wgbh/nova/next/physics/lhc-accidental-rainbow-universe/>

[8] LHC Set to Explore The Big Bang & Physics Of Matter

<http://www.davidreneke.com/jetting-into-the-moments-after-the-big-bang/>

[9] Large Hadron Collider discovers new pentaquark particle

<http://www.bbc.com/news/science-environment-33517492>