

# “Experimentally proven”: the big fallacy of theoretical physics.

Oswaldo Domann

odomann@yahoo.com

*Last revision November 2017*

*(This paper is an extract of [11] listed in section Bibliography.)*

*Copyright. All rights reserved.*

## Abstract

The intention of theoretical physics is to construct mathematical models so that experimental data can be predicted through calculation. If the prevailing model cannot explain new experimental data because of its imperfections, theorists add to the model fictitious entities and helpmates which are defined on the basis of the new experimental data, so that the new experimental data can now be calculated with the modified model. Remaining contradictions are camouflaged as good as possible to make the model consistent. If later on calculated data obtained indirectly from new experiments are consistent with the fictitious entities and helpmates, theorists conclude that this is the prove that the fictitious entities and helpmates really exist. The conclusion is a fallacy because it ignores that the model was previously made consistent, what means that all data obtained through experiments and calculations must be explained with the model, otherwise the model would not be consistent. Adding more and more fictitious entities and helpmates to an imperfect model makes it, with the time, more and more complex, untrustworthy and non-physical and finally a radically new model is required to overcome these problems.

## 1 Introduction.

If a prevailing model cannot explain new experimental data because of its imperfections, theorists follow different types of approaches to add fictitious entities and helpmates to the model, taking care to make the model consistent as good as possible. To show the nature of each type of approach the results are analysed emphasizing the idea behind each approach to explain experimental data.

Approaches can be classified as follows:

- non-physical  $\left\{ \begin{array}{l} \text{mythological approaches} \\ \text{mathematical approaches} \end{array} \right.$

- physical approaches
- combinations of the above mentioned approaches

## 1.1 Non-physical approaches.

### 1.1.1 Mythological approaches.

Mythological approaches postulate the existence of concepts, particles or entities with the characteristics required to explain experimental data, adapting nature so that the existing equations still can be used.

Mythological approaches are introduced every time an existing theoretical model cannot explain experimental data. It is the easiest way to solve the problem by introducing a new particle or a new entity to the existing model, defining particles with the required characteristics and integrating them to the existing model as good as possible, so that the result is a consistent theory. All remaining contradictions and deficiencies are camouflaged using denominations that sound well like gluons, gravitons, etc.

To explain how protons can coexist in atomic nuclei without repelling each other, the mythical particles called gluons were defined with the required forces to hold the protons together. That protons repel each other is experimentally detected for distances between protons that are much bigger than the radius of the protons, but not for distances tending to zero. The extrapolation of the Coulomb law to distances that tend to zero is the flaw of our SM which requires the introduction of mythical force carriers that hold protons together.

To explain how neutral bodies attract each other the mythical particles called gravitons were introduced and defined as the carriers of these forces. The mentality of the prevailing theory needs carriers for forces because particles and bodies are seen as isolated entities in space without the necessary means that allow the interaction between them, means (carriers) that are artificially added afterwards to explain interactions.

Dark matter was introduced because experimental data of the movement of galaxies don't match with the calculated data using exclusively bright matter. Dark matter is assumed to exist everywhere it is necessary to get the right calculated results. Nature is adapted to a mathematical equation to solve the problem instead of searching for the flaw in the theory.

Dark energy was introduced based on the same methodology of the approach of mythological entities. Dark energy is assumed to exist everywhere it is necessary to get the right calculated results to explain the expansion of galaxies.

### 1.1.2 Mathematical approaches.

Mathematical approaches modify the existing mathematically formulated laws of physics to match with experimental data, irrespective of the consequences the modifications have on other physical concepts. Mathematical approaches have no physical explanation to their solutions.

In the MOND approach proposed by Mordehai Milgrom, the Newton gravitation law is mathematically modified to match with the experimental data of the motion of the galaxies. Why the movement of galaxies are governed by the additional introduced differential term to the Newton gravitation equation is not explained.

Special relativity is a mathematical approach where time is defined as different for relative moving coordinates. As relativity is a speed problem also length has to be defined as different for relative moving coordinates. With Special relativity, non-physical concepts are accepted only to match experimental data with calculated data. The resulting contradictions are camouflaged calling them paradoxes.

General relativity introduces non-physical concepts like the bending of a theoretical space due to gravitational masses to get the desired agreement between experimental and calculated data..

Quantum mechanics is heavily based on the gauge principle, which is a mathematical approach to get local symmetries. Quantum mechanics is mathematically adapted to explain mythological entities like gluons and gravitons which were introduced in classical physics.

## 1.2 Physical approaches.

Physical approaches are those that are based on proven physical laws and introduce new interpretations or images for existing particles. These theories represent particles as occupying an extension in space, contrary to those theories that represent particles as points in space. The most important theories are:

- a) Vortex theory
- b) String theory
- c) Quantum mechanics
- d) Focal Point theory

a) Vortex theory is based on the assumption of the existence of ether vortices that fill the whole space. The vortices are entities with an extension in space. The postulation of the existence of an ether classifies this theory also as based on mythological approaches.

**b)** String theory defines subatomic particles as composed of fundamental particles which are little strings that oscillate in different modes. The extension of the particles is given by the length of the strings. The characteristic length scale of strings is assumed to be in the order of the Planck length. The vibrational states of the strings define the characteristics of a particle. The idea of strings has its origin in the abstract mathematical Fourier decomposition of functions in sinusoidal oscillations, adding to each oscillation physical characteristics like momentum, energy, etc.

**c)** Quantum mechanics defines subatomic particles as wave packages. The movement of the wave package is defined by a differential equation of a wave function. The idea of quantum mechanics is similar to string theory, adding to the abstract mathematical Fourier representation of a wave package physical characteristics like momentum, energy, etc. The uncertainty principle  $\Delta p \Delta x \geq \hbar/2$  gives the extension of the particle. As quantum mechanics is heavily based on the gauge principle it can be also classified as a theory which is based on a mathematical approach.

**d)** Focal Point theory defines subatomic particles as focal points of rays of Fundamental Particles (FPs) that move from infinite to infinite. FPs store the energy of the particle (electron, positron) as rotations defining longitudinal and transversal angular momenta. Subatomic particles interact through the angular momenta of their FPs. The extension of subatomic particles go from infinite to infinite and fills the whole space. The model does not require the addition of carriers of forces and is not based on an abstract mathematical entity like wave which needs the addition of physical characteristics like momentum, energy, etc.

The theory based on Focal points is called Emission & Regeneration UFT and is presented shortly in section 2.

## 2 Emission & Regeneration UFT.

Our "Standard Model" describes a particle as a point-like entity with the energy concentrated on one point in space. The mechanism how forces between charged particles are generated is not explained. This limitation of our Standard Model results in the introduction of a series of artificial particles and constructions like Gluons, Gravitons, particle's wave, dark matter, dark energy, etc., to explain the mechanism of interaction between particles.

The proposed approach postulates that a subatomic particle (SP) is formed by rays of Fundamental Particles (FPs) that move through a focal point in space. The relativistic energy of the SP is stored by the FPs as rotations defining longitudinal and transversal angular momenta. The interaction between two SPs is now the result of the interactions of the angular momenta of their FPs.

The steps followed to describe mathematically the new model are:

1. Decomposition of the total relativistic energy of a subatomic particle in two terms.
2. Definition of a distribution function  $d\kappa$  that assigns to each volume  $dV$  in space a differential energy  $dE$  for each term of the total relativistic energy of the subatomic particle.
3. Definition of a field magnitude  $d\bar{H}$  for each angular momentum  $J$  associated with the differential energy  $dE = \nu J$ .
4. Definition of interaction laws between  $d\bar{H}$  fields of FPs in that way, that all forces between subatomic particles can be mathematically derived.

In what follows electrons and positrons are called "Basic Subatomic Particles" (BSPs).

The total relativistic energy of a BSP is

$$E_e = \sqrt{E_o^2 + E_p^2} = E_s + E_n \quad \text{with} \quad E_s = \frac{E_o^2}{\sqrt{E_o^2 + E_p^2}} \quad E_n = \frac{E_p^2}{\sqrt{E_o^2 + E_p^2}} \quad (1)$$

The differential energies for each differential volume are:

$$dE_e = E_e d\kappa = \nu J_e \quad dE_s = E_s d\kappa = \nu J_s \quad dE_n = E_n d\kappa = \nu J_n \quad (2)$$

with  $d\kappa$  the distribution function,  $\nu$  the angular frequency and  $J$  the angular momenta.

$$d\kappa = \frac{1}{2} \frac{r_o}{r_r^2} dr \sin \varphi d\varphi \frac{d\gamma}{2\pi} \quad dV = dr r d\varphi r \sin \varphi d\gamma \quad (3)$$

$d\kappa$  is inverse proportional to the square distance to the focal point and gives the fraction of the relativistic energy for the volume  $dV$  of the FP.

FPs leaving the focal point (emitted FPs) have only longitudinal angular momenta  $J_e$  and associated to it a longitudinal emitted field  $d\bar{H}_e$  defined as

$$d\bar{H}_e = H_e d\kappa \bar{s}_e = \sqrt{\nu J_e d\kappa} \bar{s}_e \quad \text{with} \quad H_e^2 = E_e \quad (4)$$

FPs moving to the focal point (regenerating FPs) have longitudinal  $J_s$  and transversal  $J_n$  angular momenta and associated to them respectively a longitudinal emitted field  $d\bar{H}_s$  defined as

$$d\bar{H}_s = H_s d\kappa \bar{s} = \sqrt{\nu J_s d\kappa} \bar{s} \quad \text{with} \quad H_s^2 = E_s \quad (5)$$

and a transversal emitted field  $d\bar{H}_n$  defined as

$$d\bar{H}_n = H_n d\kappa \bar{n} = \sqrt{\nu J_n d\kappa} \bar{n} \quad \text{with} \quad H_n^2 = E_n \quad (6)$$

For the total field magnitude  $H_e$  it is  $H_e^2 = H_s^2 + H_n^2$ .




Figure 1: Unit vector  $\bar{s}_e$  for an emitted FP and unit vectors  $\bar{s}$  and  $\bar{n}$  for a regenerating FP of a BSP moving with  $v \neq c$

Fig. 1 shows at the origin of the Cartesian coordinates the focus of a BSP moving with speed  $\bar{v}$ . The vector  $\bar{s}_e$  is an unit vector in the moving direction of the emitted fundamental particle (FP). The vector  $\bar{s}$  is an unit vector in the moving direction of the regenerating FP. The vector  $\bar{n}$  is an unit vector transversal to the moving direction of the regenerating FP and oriented according the right screw rule relative to the velocity  $\bar{v}$  of the BSP.

The differential linear momentum  $dp$  of a moving BSP is generated out of pairs of opposed transversal fields  $d\bar{H}_n$  at the regenerating FPs of the BSP. Opposed pairs of transversal fields  $d\bar{H}_n$  are generated because of the axial symmetry relative to the velocity  $\bar{v}$  of the BSP as shown in Fig. 1.

**Conclusion:** Basic subatomic particles (BSPs) are structured particles with longitudinal and transversal angular momenta. The sign of the angular momenta of emitted FPs define the sign of the BSP (electron or positron). The transversal field  $d\bar{H}_n$  gives the kinetic linear moment.

Interaction laws between FPs of two BSPs are defined as products between their  $d\bar{H}$  fields.

- **Coulomb law:** The close path integration of the cross product between longitudinal  $d\bar{H}_s$  fields gives the Coulomb equation.

- **Ampere law:** The close path integration of the cross product between transversal  $d\bar{H}_n$  fields gives the Lorentz, Ampere and Bragg equations.
- **Induction law:** The close path integration of the product between the transversal field  $d\bar{H}_n$  and the absolute value of the longitudinal  $d\bar{H}_s$  field of a static BSP gives the Maxwell equations and the gravitation equations.

The fundamental equation to calculate the differential force between two BSPs is

$$dF = \frac{dp}{\Delta t} = \frac{1}{c\Delta t} dE_p = \frac{1}{c\Delta t} |d\bar{H}_1 \times d\bar{H}_2| \quad (7)$$

The model explains the generation and allows the calculations of all four forces (electro-magnetic, strong, weak and gravitation) out of one field, namely the  $dH$  field which unifies them all.

If we compare it with the SM, we have that the classical field theory defines a different field for each force, while quantum mechanics needs four different gauge theories, one for each force, namely QED, QCD, the Electroweak interaction and Gauge/Gravity Duality. These are still four different fields, each for one force and cannot therefore be seen as a unification theory.

**Note:** The complete deduction of the Emission & Regeneration UFT is available at [www.odomann.com](http://www.odomann.com) [11].

### 3 Elementary particles.

The elementary particles of the SM are quarks, leptons, gauge and scalar bosons. It is a mixture of stable and unstable physical particles like the leptons and photons, of mythological particles like the quarks and gluons and of particles which are the product of mathematical approaches like the gauge and scalar bosons.

Elementary particles are defined as the basic components of all other particles and it is noticeable that in the SM very energetic unstable particles that decay into other particles are seen as elementary particles.

In the “E & R” UFT elementary particles are only the stable particles electron, positron and neutrino. All other particles, stable or unstable are composed of these stable particles. The photon is a sequence of neutrinos with opposed angular momenta. The proton and the neutron are composed of electrons and positrons where the binding energy is composed of the energy of photons and neutrinos. The difference between the SM and the “E & R” UFT is that the latter is based on a physical approach where the total energy of a particle is stored in angular momenta of FPs that move from infinite

to infinite through a focal point in space, focal point where the SM places its point-like particle.

The proposed approach “E & R” UFT shows, that all interactions that result in the four known forces are of electromagnetic type, and therefore described by QED. There is no need to introduce additional quantum models like QCD and Quantum/Gravitation Duality to describe the strong, weak and gravitation interactions.

Fig. 2 shows the difference between Fermions and Bosons at the “E&R” UFT and the Standard Model.

	SM	E&R	Examples
<b>Fermions</b>	Rest mass	Focal Point	<u>Basic:</u> electron, positron <u>Composed:</u> Proton, Neutron
<b>Bosons</b>	No Rest mass	No Focal Point	<u>Basic:</u> Neutrino <u>Composed:</u> Photon

Figure 2: Difference between Fermions and Bosons

Fig. 3 shows the difference between the two states of a Fermion at the “E&R” UFT and the Standard Model.

	SM	E&R
Two states	Spin $\pm \frac{1}{2}$	acc/dec electrons or positrons

acc=accelerated Fundamental Particles  
dec=decelerated Fundamental Particles

Figure 3: Difference between Fermions and Bosons



## 4 Interpretation of Data in a theoretical frame.

A theory like our Standard Model was improved over time to match with experimental data introducing fictitious entities (particle-wave, gluons, gravitons, dark matter, dark energy, time dilation, length contraction, Higgs particle, Quarks, Axions, etc.) and helpmates (duality principle, equivalent principle, uncertainty principle, violation of energy conservation, etc.) taking care that the theory is as consistent and free of contradictions as possible. The concept is shown in Fig. 4.


These improvements were integrated to the existing model trying to modify it as less as possible what led, with the time, to a model that resembles a monumental patchwork. To return to a mathematical consistent theory without paradoxes (contradictions) a completely new approach is required that starts from a different picture of a particle. “E & R” UFT is such an approach representing particles as focal points in space of rays of FPs. This representation contains from the start the possibility to describe interactions between particles through their FPs, interactions that the SM with its particle representation attempts to explain with fictitious carriers of forces.

Fig. 4 is a flow diagram where the main steps of the integration of fictitious entities to an existent model are shown. All experiments where the previously defined fictitious entities are indirectly obtained through calculation (point 7. of Fig. 4) are not a confirmation of the existence of the fictitious entities (point 8. of Fig. 4), they are simply the confirmation that the model was made consistent with the fictitious entities (point 3. of Fig. 4).

If we apply the flow diagram for the case of time dilation as the fictitious entity, we have first the experimental data that light speed is measured equal in all relative moving reference systems independent of the relative speeds of the systems.

Then the model is made consistent introducing length contraction and defining that emission theories are wrong because they are not compatible with the new model which is called special relativity. Then, remaining contradictions are called paradoxes to camouflage that there are contradictions. Then it is found that the higher number of muons at sea level can be explained with time dilation and immediately the conclusion is drawn, that this is the experimental prove that time dilation really exists, and not that it is simply the result of the previously constructed consistency of the model. To explain the higher number of muons with time dilation only avoids that scientists search for the real physical origin of the increase of the life time of moving muons.

Fallacy used to conclude that the existence of fictitious entities is experimentally proven



Fictitious entities of the SM

Particle wave  
 Gravitons  
 Dark energy  
 Length contraction  
 Quarks  
 Gluons  
 Dark matter  
 Time dilation  
 Higgs  
 Axions

Helpmates of the SM

Duality principle  
 Equivalent principle  
 Uncertainty principle  
 Violation of energy conservation (Faynman)

Figure 4: Fallacy used to conclude that fictitious entities really exist

## 5 Epicycles of the Standard Model.

The Geocentric model with its circular orbits was too simple to get a good match between experimental and calculated data. The model was improved adding for each planet a set of epicycles to the circular orbits resulting a complicated description which was still far from the real movement of the planets.

The concept is shawn in Fig. 5




Figure 5: Epicycles of the Geocentric model

A big improvement was done when switching first to the Heliocentric representation and then introducing the elliptic orbits.

The concept is shawn in Fig. 6

If we have a look on the presently accepted SM, also big efforts are made to improve

the capacity to describe new experimental data adding more and more new particles and concepts, trying at the same time to make the model consistent. This procedure has its limits as shown with the geocentric model and its epicycles, which became so abstract and strange from reality that a radical new approach was required. This is the present state of our SM.


Following a list of epicycles added to the SM during the last 150 years:

**Examples**

Special Relativity  
 General relativity  
 Coexistence of protons in nuclei  
 Radioactivity  
 Stern Gerlach  
 Flattening of Galaxie’s speed curve  
 Expansion of Galaxies  
 Quarks

**Epicycles**

time dilation and length contraction  
 time space curvature  
 Strong force (Gluons)  
 Weak force (W, Z Bosons)  
 Electron intrinsic magnetic spin  
 Dark matter  
 Dark energy  
 Fraction of electric charge  $Q/e$



*Heliocentric model*

Figure 6: Heliocentric model

With the “E & R “ UFT approach, where particles are represented as focal points, and the finding that electrons and positrons neither attract nor repel each other when

the distance between them tend to zero, the epicycles added during the last 150 years are not more required.

## 6 Characteristics of a good theory.

The primordial objective of a physical theory or a scientific model is to allow calculations that match with experimental data obtained with measurements. A second objective is to allow theoretical predictions that still must be corroborated through experimental data.

To decide in physics between two theoretical models where underdetermination exists, prevalence should be given to the model that

- describes mathematically the biggest number of physical interactions based on the fewest postulates.
- has mathematical descriptions that give calculated data that best match experimental data.
- needs the less number of fictitious entities (gluons, gravitons, dark matter, dark energy, time dilation, length contraction, etc.)
- needs the less number of helpmates (particle-wave duality, equivalent principle, violation of energy conservation (Feynman), etc.)
- is consistent with the less number of paradoxes and contradictions.
- has the biggest potential to predict new interactions and particles.

## 7 Conclusion.

Our SM starts from physical laws that give the relations between forces and static charges, forces and moving charges, forces and neutral masses, strong forces in atomic nuclei and weak forces responsible for atomic decay. For each case a special field is defined resulting the electric, magnetic, gravitation, strong and weak fields. To explain the interactions between subatomic particles mythological carriers are introduced.

Elementary particles are defined as the basic components of all other particles and it is noticeable that in the SM very energetic unstable particles that decay into other particles are seen as elementary particles.

In the “E & R” UFT elementary particles are only the stable particles electron, positron and neutrino. All other particles, stable or unstable are composed of these stable particles. The photon is a sequence of neutrinos with opposed angular momenta.

The proton and the neutron are composed of electrons and positrons where the binding energy is composed of the energy of photons and neutrinos. Quarks are only unstable components of protons and neutrons.

The “E & R” UFT starts from the representation of subatomic particles as Focal-Points of rays of Fundamental Particles (FPs) that move from infinite to infinite. FPs store the relativistic energy of the subatomic particles (SPs) as rotations defining longitudinal and transversal angular momenta. Interactions between SPs are now the result of the interactions of the angular momenta of their FPs and no mythological carriers are required. The model explains the generation and allows the calculations of all four forces (electro-magnetic, strong, weak and gravitation) out of one field, namely the  $dH$  field which unifies them all.

If we compare it with the SM, we have that the classic field theory defines a different field for each interaction (force), while quantum mechanics needs four different gauge theories, one for each interaction, namely QED, QCD, the Electroweak interaction and Gauge/Gravity Duality. These are still four different fields, each for one force and cannot therefore be seen as a unification theory.

The proposed approach “E & R” UFT shows, that all interactions that result in the four known forces are of electromagnetic type, and therefore described by QED. There is no need to introduce additional quantum models like QCD and Gauge/Gravity Duality to describe the strong, weak and gravitational interactions.

## Bibliography

**Note:** The Focal Point approach is based on the concept that fundamental particles are constantly emitted by electrons and positrons and constantly regenerate them. As the concept is not found in mainstream theory, no existing paper can be used as reference.

1. Günter Lehner. **Elektromagnetische Feldtheorie.** 7. bearbeitete Auflage 2010. Springer Verlag.
2. Hering · Martin · Stohrer. **Physik für Ingenieure.** Vierte, verbesserte Auflage 1992. VDI Verlag.
3. Albrecht Lindner. **Grundkurs Theoretische Physik.** Teubner Verlag, Stuttgart 1994.
4. Georg Joos. **Lehrbuch der Theoretischen Physik.** 15., völlig neu bearbeitete Auflage 1989. AULA-Verlag Wiesbaden.

5. Max Schubert / Gerhard Weber. **Quantentheorie, Grundlagen und Anwendungen.** Spektrum, Akad. Verlag 1993.
6. Harald Klingbeil. **Electromagnetische Feldtheorie.** 2. überarbeitete Auflage 2011, Vieweg + Teubner Verlag.
7. Martin Ammon / Johanna Erdmenger. **Gauge/Gravity Duality.** Cambridge University Press 2015.
8. Benenson · Harris · Stocker · Lutz. **Handbook of Physics.** Springer Verlag 2001.
9. B.R. Martin & G. Shaw. **Particle Physics.** John Wiley & Sons 2003.
10. Stephen G. Lipson. **Optik.** Springer Verlag 1997.
11. Osvaldo Domann. **“Emission & Regeneration” Unified Field Theory.** June 2003. [www.odomann.com](http://www.odomann.com).