Gravitational Force and Conservation of Momentum

Eric Su

eric.su.mobile@gmail.com (Dated: March 2, 2018)

In the history of physics, momentum has been represented by two expressions. One from Issac Newton, the other from Special Relativity. Both expressions are expected to describe a physical system that demands conservation of momentum. By examining the gravitational force between two identical particles in two different inertial reference frames, the momentum expression from Issac Newton is found to obey conservation of momentum while the momentum expression from Special Relativity is found to violate conservation of momentum.

I. INTRODUCTION

In 17th century, Issac Newton proposed a definition of force, F = m * a. From this definition, both kinetic energy and momentum can be derived.

In 20th century, Special Relativity[1] proposed a new definition of kinetic energy. This results in new definitions of both momentum and force.

However, the physics law, conservation of momentum, remains intact. Any definition of kinetic energy is expected to generate a force that results in the conservation of momentum.

This paper examines both expressions of momentum in an isolated gravitational system. The total momentum is calculated for this physical system in two different inertial reference frames. The total momentum from each expression of momentum is expected to obey conservation of momentum in both reference frames.

The concept of relativistic mass becomes less popular in modern physics. Relativistic force and relativistic momentum do not share the same relativistic mass. The momentum of a particle is represented by either $\gamma(v) * m(0) * v$ or m(v) * v. Both representations are equivalent to each other mathematically. In this paper, $\gamma(v) * m * v$ is chosen to emphasize Lorentz Factor, $\gamma(v)$, from Lorentz Transformation.

$$\frac{dm}{dv} = \frac{dm(0)}{dv} = 0 \tag{1}$$

II. PROOF

Consider two-dimensional motion.

A. Kinetic Energy and Momentum

In Newtonian Mechanics, force F is defined as multiplication of mass and acceleration.

$$F = m * a \tag{2}$$

In Special Relativity, kinetic energy K is defined as

$$K = (\gamma(v) - 1) * m * C^2$$
(3)

$$\gamma(v) = \frac{1}{\sqrt{1 - \frac{v^2}{C^2}}}$$
(4)

These two definitions generate different expressions for momentum. However, the derivation of momentum from kinetic energy has not been changed. Kinetic Energy K is defined as integration of force over distance.

$$K = \int F \, dx \tag{5}$$

Momentum P is defined as integration of force over time.

$$P = \int F \, dt \tag{6}$$

$$\frac{dP}{dt} = F \tag{7}$$

In Newtonian Mechanics,

$$K = \frac{1}{2} * m * v^2 \tag{8}$$

$$P = m * v \tag{9}$$

In Special Relativity,

$$K = (\gamma(v) - 1) * m * C^2$$
(10)

$$P = \gamma(v) * m * v \tag{11}$$

The difference in two expressions indicates that only one expression of momentum can be correct By applying conservation of memntum to both expressions of momentum in a physical system such as gravitational attraction, the correct expression can be distinguished.

B. Gravitational Force

Two identical particles move along y axis under a gravitational force between them along y axis. The single force on this isolated physical system demands that total momentum P should remain constant.

$$\frac{dP}{dt} = 0 \tag{12}$$

C. Reference Frame

Let the center of mass be stationary in a reference frame F_1 . Both particles move at the same speed u' but in opposite direction along y axis in F_1 .

$$\frac{du'}{dt'} > 0 \tag{13}$$

TABLE I. Velocity and Momentum in F_1

Particle	Value
Velocity of particle 1 O_1	is $(0, u')$
Velocity of particle 2 O_2	is $(0, -u')$
Newtonian momentum of O_1	is $m * (0, u')$
Newtonian momentum of O_2	is $m * (0, -u')$
Relativistic momentum of O_1	is $\gamma(u') * m * (0, u')$
Relativistic momentum of O_2	is $\gamma(-u') * m * (0, -u')$

Let another reference frame F_2 move at a constant velocity of -V relatively to F_1 along x axis. In F_2 , both particles acquire a new velocity V in x direction.

$$\frac{dV}{dt} = 0 \tag{14}$$

Their velocity in y direction become u and -u. The gravitational force accelerates both particles toward each other. u increases with time.

$$\frac{du}{dt} > 0 \tag{15}$$

 O_1 moves at the speed v_1 in F_2 .

$$v_1 = \sqrt{V^2 + u^2}$$
 (16)

 O_2 moves at the speed v_2 in F_2 .

$$v_2 = \sqrt{V^2 + (-u)^2} = v_1 \tag{17}$$

TABLE II. Velocity and Momentum in F_2

Particle	
Velocity of O_1	is (V, u)
Velocity of O_2	is $(V, -u)$
Newtonian momentum of O_1	
Newtonian momentum of O_2	
Relativistic momentum of O_1	
Relativistic momentum of O_2	is $\gamma(v_2) * m * (V, -u)$

D. Conservation of Momentum

The single force in this isolated gravitational system demands conservation of momentum in both F_1 and F_2 .

In Newtonian Mechanics, total momentum in F_2 is P_n . P_n remains constant.

$$P_n = m * (V, u) + m * (V, -u) = 2 * m * (V, 0)$$
 (18)

$$\frac{dP_n}{dt} = 2 * m * \left(\frac{dV}{dt}, 0\right) = (0, 0) \tag{19}$$

In Special Relativity, total momentum in F_2 is P_r . P_r varies with time.

$$P_r = \gamma(v_1) * m * (V, u) + \gamma(v_2) * m * (V, -u)$$
 (20)

$$= 2 * \gamma(v_1) * m * (V, 0) \tag{21}$$

$$\frac{dP_r}{dt} = 2 * m * (V, 0) * \frac{d\gamma(v_1)}{dt}$$
 (22)

$$= 2 * m * (V,0) * \gamma(v_1)^3 * \frac{v_1}{C^2} * \frac{dv_1}{dt}$$
(23)

$$= 2 * m * (V, 0) * \gamma(v_1)^3 * \frac{u}{C^2} * \frac{du}{dt}$$
(24)

Total momentum remains constant in Newtonian Mechanics but not in Special Relativity.

III. CONCLUSION

Special Relativity violates conservation of momentum in an isolated gravational system.

Conservation of momentum fails to hold if momentum is defined as $\gamma(v) * m * v$. The failure of this physics law is due to the introduction of Lorentz factor, $\gamma(v)$, from Lorentz Transformation[8][11].

Lorentz Transformation was proposed on the assumption that the speed of light is independent of inertial reference frame.

As the result of this incorrect assumption[3], Lorentz Transformation violates Translation Symmetry[4] and Conservation of Momentum[10] in physics. Translation Symmetry requires conservation of simultaneity[5], conservation of distance[6], and conservation of time[7]. All three conservation properties are broken by Lorentz Transformation.

Therefore, Lorentz Transformation is an invalid transformation in physics. Consequently, any theory based on Lorentz Transformation is incorrect in physics. For example, Special Relativity.

- Reignier, J.: The birth of special relativity "One more essay on the subject". arXiv:physics/0008229 (2000) Relativity, the FitzGerald-Lorentz Contraction, and Quantum Theory
- Eric Su: Velocity Transformation in Reference Frame. viXra: Relativity and Cosmology/1801.0108 (2018), http://vixra.org/abs/1801.0108
- [3] Eric Su: Standing Wave and Reference Frame. viXra: Relativity and Cosmology/1712.0130 (2017), http://vixra.org/abs/1712.0130
- [4] Eric Su: Special Relativity and Coordinate Transformation. viXra: Relativity and Cosmology/1711.0354 (2017), http://vixra.org/abs/1711.0354
- [5] Eric Su: Simultaneity and Translational Symmetry. viXra: Relativity and Cosmology/1706.0498 (2017), http://vixra.org/abs/1706.0498
- [6] Eric Su: Coordinate Transformation Between Iner-

tial Reference Frames. viXra: Relativity and Cosmology/1709.0120 (2017), http://vixra.org/abs/1709.0120

- [7] Eric Su: Reflection Symmetry and Time. viXra: Relativity and Cosmology/1704.0187 (2017), http://vixra.org/abs/1704.0187
- [8] B. J. Hunt (1988), The Origins of the FitzGerald Contraction, British Journal for the History of Science 21, 6176.
- Eric Su: Mass Transformation Between Inertial Reference Frames. viXra: Relativity and Cosmology/1802.0010 (2018), http://vixra.org/abs/1802.0010
- [10] Eric Su: Conservation of Momentum vs Lorentz Transformation. viXra: Relativity and Cosmology/1802.0326 (2018), http://vixra.org/abs/1802.0326
- [11] H. R. Brown (2001), The origin of length contraction: 1. The FitzGeraldLorentz deformation hypothesis, American Journal of Physics 69, 1044 1054. E-prints: grqc/0104032; PITT-PHIL-SCI00000218.