

# **Expanding Earth, by Growing Water based Crashed Comet core.**

**Leo Vuyk,  
Architect, the  
Netherlands.**

## **Abstract.**

According to Quantum FFF Theory, Electric dark matter black holes, even in the form of microscopic, produced by magnetic quantum interference, produce plasma and water and are proliferated through stellar systems, such as unstable Ball Lightning up to stable Comets and Sunspots (crashed Comets).

As a consequence, crashed comets in the earth are responsible for the volcanism and the base for so called “growing Earth” by its growing compressed water core, as a base for quarks and as such H<sub>2</sub> and O and more complex atoms.

Comet 67P CG, (Churyumov-Gerasimenko) seems to be a unique test bed for this theory.

Recent measurements and photos are already suggesting that a large variety of atoms are ejected by the Comet and surface changes seem to be the origin of local crack shaped colour changes. The magnetic field of the comet seems to ring or sing 3 times every minute by the internal tectonic shocks. The dusty jets observed from the so called “Neck” of the comet seem to be a sign for a central Birkeland Alfvén current circuit effect on dust acceleration and violating the solar heat erosion theory. If sunspots are former comet nuclei splashed into the sun, then we may assume that sunspots are also the creators of new solar plasma. Secondly, if Comet nuclei can survive the sun they also must be able to survive the crash into planets like earth or moons. As a consequence we may assume that all energetic and plasma (new matter) related production processes found around planets and moons could be based on the same process. Examples are found in the water vapor plumes of geysers observed on Jupiters moon Europa. Recent findings of water inclusions in volcanic diamonds are an extra support. The peculiar shape of the continents on earth has been a constant reason for discussion of the origin of the expanding earth.

If these crashed comets also act as gravity point sources, then even the so called Flyby anomaly and the P-wave anomaly could be explained

## **Introduction.**

Quantum FFF (Function Follows Form) is a rigid string theory which states, that the vacuum is seeded with fast opposite oscillating massless 3-Dimensional torus shaped rigid Axion/Higgs particles able to transform by three internal hinges.

Two colliding Axion/Higgs are able to change form into two entangled symmetric Fermion propeller strings by an overflow of energetic opposite collision. This energy overflow is supposed to be present at the black hole event horizon.

Thus the FORM of all particles is based on real joints and gears, responsible for the FUNCTION even for composite Quarks and Photons, however all particles are instant entangled and guided in a dual mirror SuSy multiuniversal way.

That the oscillating Axion/Higgs vacuum system is the messenger medium of all Photon information and Black Holes are equipped with a nucleus of compacted Higgs particles, compressed by the oscillating Axion/Higgs vacuum and acting as dark matter point sources called “Electric Dark Matter Black Holes”( EDMBHs).

The vacuum energy flow around such a Black hole indicates that different sized globular horizons are needed, an event or Photon horizon and two Fermion repulsion horizons. Such horizons are supposed to include even pair production (e-and e+) and compound quarks out of the Higgs vacuum.

Recent findings of water inclusions in volcanic diamonds are an extra support. (a volcano near the São Luíz river in Juina, Brazil.)

All Black Holes are equipped with at least three horizons (fig 5-6):

1: A 3 dimensional globular massless quantum black hole nucleus, surrounded by a globular event horizon, This is the globular shell where maximum opposing photon energy (also vacuum energy) is concentrated

A Fermion repulsion zone located in between two horizons:

2: A fermion attraction/repulsion horizon with entangled pair production (partly annihilated) creating plasma,

3: A fermion repulsion/attraction boundary (by fermion spin flip, ) with zero point electric plasma polarization of electrons pushed outside and protons pushed at the inside. This is supposed to be the base for all Birkeland/ Alfven current circuits in space.(fig 9,)

## **Quantum FFF theory.**

Quantum FFF ( Function Follows Form) theory states, that the vacuum is seeded with fast oscillating massless dual Higgs particles (the origin of dark energy) , oscillating along a complex chiral tetrahedral vacuum lattice, which has the ability to transfer Photon and Graviton FORM information in bunches of linear but chiral oscillations, through the chiral (helix shaped) vacuum lattice with the local speed of light.

The local speed of light is created around massive objects which seem to be able to “drag:” the Higgs vacuum oscillations into an anti-symmetrical action called “LASOF” or Local Anti Symmetrical Oscillating vacuum Frame.

There are no attraction forces in Q-FFF theory. Gravity seems to be the result of two different impulse vector arrays: the massless Higgs impulse array and the (less effective) massless Graviton impulse array, which is supposed to be based on the same massless Higgs particle transporting the “FORM information energy” of the Graviton.

As a consequence, new paradigm Dark Matter Black holes suffer only from the gravitational influence of Higgs vacuum (photon) impulses also coined Casimir push-gravity, because no

gravitons can escape from the Black hole. The Black hole is supposed to be a super dense knot of Higgs particles floating inside ( and compressed and attacked by) the energetic oscillating Higgs vacuum frame.

In Q-FFF theory it is postulated that only micro black hole nuclei below a certain size are able to evaporate back into the Higgs vacuum. Black hole types larger than ball lightning and Comets like 67P C-G, are supposed to have a steady growth and evaporation of water ice and OH Hydroxyl.

No photons like gravitons can escape from inside the Black hole. However, in Q-FFF theory, the vacuum is constantly “eaten” by these NEW Black hole nuclei and the origin of the Casimir quantum gravity effect of Black holes.


In the Q-FFF model, Fermions are assumed to have a propeller shape equipped with a left- or right hand “pitch” (fig,11,12) Quarks and some leptons are compound particles (with photonic gluons) however, electrons and positrons (and neutrinos) are singular particles.

Only the statistical sum of the different kinds of vacuum impulses (in the form of butterfly shaped vector arrays : (fig 5,6) by real collisions from all directions on Fermions are responsible for all (energetic) phenomena in the universe.

The polarisation and so called spin flip of Fermions around Black holes is the origin that Black holes are equipped with a narrow Fermion repelling and plasma creating globular zone between two horizons. (fig, 5,6)

**As a result, Black holes are Zero Point Energy driven electric generators with negative charge at the outside and positive charge at the inside, able to change the world and our economy..**

### **The mysterious ball lightning.**





( fig 1) What do we observe here? Are we able to analyze the truth and think out of the box ?

## Three or more Higgs models in a 3D Rigid String System.

In 1012 the Atlas particle smasher in LHC found two distinct possible Higgs masses around 125GeV.: 123.5 and 126 GeV. Later a bump was found around 375 GeV. Here I present 3D suggestions for such bumps in a Rigid String based Quantum FFF model.

The New Standard Model of Quantum FFF Theory, with Transformer Toroid Axion Higgs, (*AxHi*) as the zero mass Virgin String particle.



Three different shaped Composite Higgs Particles seem to be possible at least: 123.5/ 126 (Mirror Symmetric), and 375 GeV.



**Figure: 2. Cog wheels, joints and hinges at the Quantum scale of spinning Fermion strings with double rotation axis .**  
 Three Higgs Quantum Knots as a base for interference electric dark matter black holes.



Ball Lightning (B.L.) Vapour trail washed out by the opposing wind, (left) B.L. Nucleus (right) (Quantum FFF Theory)



**Dark matter particles are micro black holes.**

**Figure 3, Impression of a Quantum Knot based nucleus of the new paradigm Dark**



**Matter Black Hole. The Quantum Knot is supposed to be compressed by the Dark Energy of the Higgs vacuum lattice attracted and absorbed by the nucleus. However black hole nuclei smaller than Comet- or Sunspot nuclei such as Ball Lightning are supposed to evaporate quickly due to the vacuum energy attack.**

## Growing liquid water based core, responsible for the expansion of the earth.

According to Quantum FFF Theory, Electric dark matter black holes even in the form of microscopic size and produced by magnetic quantum interference. They are producing plasma and water molecules and are proliferated as unstable Ball Lightning up to stable Comets and Sunspots (crashed Comets) As a consequence, crashed comets in the earth are responsible for the volcanism and so called growing Earth by its growing compressed water core.






Figure 4, According to Quantum FFF Theory, Electric dark matter black holes, even in the form of microscopic size and produced by magnetic quantum interference, they produce plasma and water and are proliferated through stellar systems, as unstable Ball Lightning up to stable Comets and Sunspots (crashed Comets) As a consequence, crashed comets in the earth are responsible for the volcanism and so called growing Earth by its growing compressed water core.



# 4X Black Hole Horizon positions A,B,C,D.

A= Fermion polarization or Repel/Attraction shift boundary. B= Hydrogen Plasma and Proton Construction site for D and U quarks. C= Fermion DE-Polarisation or Repel/Attraction shift boundary. D= Photon and vacuum COLLIDER concentration zone for pair production. If black hole nuclei are assumed to be negative charged from the outside and positive charged from the inside. At location B protons and electrons should merge to form real hydrogen plasma, expelled as observed at dual Cygnus A hotspots and even interference B.Hole based Ball Lightning. According to Quantum Function Follows Form Theory.



Cygnus A with dual plasma/gas producing "New physics" negative charged BHs as hotspots, with growing merger (SN) black hole in the center. Below: local Quantum vacuum push gravity vector butterflies originated by the BH vacuum absorption of dark vacuum energy.






Figure 5, Triple Black hole horizons recently proposed by NASA, in accordance with Quantum FFF theory.

The origin of plasma and H<sub>2</sub> production originated by pair producing of Quantum Fluctuations around the black hole. The chirality of the vacuum is the origin of preference for positron mergers with photons into composite positive charged Quarks forming ions. Negative Quarks are only stable in the neighbourhood of positive Ions to form protons.





The NEW Black Hole is equipped with a Fermion repelling horizon. In addition Quantum Fluctuations produce twin Electron- Positron propeller shaped Fermion particles out of two convertible Higgsen. (See the 3D particle zoo of the theory) Quarks (d,u,) are created by the “dressing up” these twins with Photon/Gluon particles. So BHs create simple plasma clouds like Bock Globules and plasma pillars in Nebula and Herbig Haro objects. (Author Leo Vuyk)

Figure 6, Quantum Fluctuations as the origin of pair production and Plasma creation (Quarks) around Dark Matter Black Holes.




Figure 7, New Black hole propulsion principle by a self produced plasma-dust tail,. As a consequence, New black holes do not merge to form larger nuclei, they even repel negative charged metal surfaces by their own exterior electron charge. ( see also fig. 9)

This Ball Lightning photo is an important piece of the new physics of Quantum FFF theory. It shows a self produced vapor trail washed out by the opposing wind of the massless BL nucleus, which seem to be pushed against the wind. Just as observed in multiple single- and pairing Black Hole examples in nebula like the Carina.



Other examples of BLs with plasma tails



**Figure: 8. Evidence for Plasma vapour and even energy production by a micro black hole such as ball lightning or earth bound micro Comet. At the same time it seems a support for the new Black Hole paradigm (see first photo). The BL is propelled against the main wind direction because it left a vapour trail behind and the vapour trail is “washed out” by the wind showing “feathers” of gas. It is clear that Ball Lightnings DENY and violate the second law of thermodynamics and are examples of entropy decrease and even plasma creation.**



Birkeland/ Alfvén circuit currents around stars and galaxies, are driven by new paradigm tandem black holes, producing an external excess of negative charged plasma accelerated by the Casimir polarized vacuum (or Higgs polarized oscillations, according to Q-FFF Theory)





Figure: 9. Black hole propulsion and pairing principle of fig 8, seems to be the origin of dual Stellar or galaxy Anchor black holes (see figure 11) and even so called Birkeland /Alfvén current circuits around stars and galaxies by vacuum polarization. The energetic polarized vacuum oscillation spectrum is the motor for fast gas and electron transport starting direct after the big bang.

## The CPT SYMMETRIC MULTIVERSE CYCLE.

The Inflation epoch starts if the decreasing vacuum pressure equals the increasing Higgs tension of the Big Crunch black hole nucleus. Inflation epoch ends if all splintered black hole nuclei are evaporated, or left behind as Galaxy Anchor Black Holes.



The Pulsating Multiverse depicted as a continuous flow of increasing and decreasing numbers free oscillating- and Black hole condensed Higgs particles and the amount of Quarks and leptons. The size of the pulsating multiverse vacuum is given in orange.

**Figure: 10. Abundant Black Holes observed in the early universe by the CIB and CXB of Chandra and Spitzer space telescopes (2013). A strong support for the Quantum FFF theory based Black Hole splitting Big Bang and contracting Big Crunch Cycle of the Multiverse**

## Characteristics of Quantum FFF Theory.

- 1: The clear MICROSTRUCTURE or the 3D FORM of elementary particles, (also called 3DPreons) made out of convertible Higgs particles, is responsible for “Bound states of Fermions” and composite Quarks. (ref. 4)
- 2: The Higgs is supposed to be energetic oscillating, it is the origin all particle motion and spin states and Dark energy (126 GeV) inside a truncated tetrahedron shaped chiral vacuum lattice. The lattice chirality (left or right handed) is the origin of our material universe. Higgs particles are zero point “Planck Oscillators” the origin of the Casimir force, waiting to be harnessed as free energy. (ref. 17)
- 3: NOTHING SUCKS IN PHYSICS, Gravitons act counter intuitive with less pressure on Fermions than the Higgs vacuum (dark energy) and all particles and vacuum photonic information ( radiation) is ENTANGLED by INSTANT communication between at least two anti-copy UNIVERSES or MULTIVERSE, being entangled since the big bang. (ref. 7)
- 4: Black holes of all sizes (down to ball lightning) do not emit gravitons, they feel only Casimir Gravity of the vacuum oscillations so they are massless but counter intuitively the origin of dark matter and producers of all Hydrogen by Electron and Positron pairs as horizon fluctuations and repel all Fermions even positrons at the double BH horizon. ( ref. 9,10,11 )
- 5: Black Holes are supposed to have a negative electron based surface charge in a material based universe and a positive charge inside an ANTI-material universe, due to the chirality



(left or right handed vacuum lattice spiralling) of the oscillating dark energy Higgs vacuum. (ref. 27,28).

6: The Multiverse is Pulsating by two phenomena, A; vacuum (Higgs) eating new paradigm dark matter black holes (causing the Hubble redshift) and B: by universal expansion caused by the oscillation force (Dark energy) of the Higgs vacuum lattice. (ref: 33)

FUNCTION FOLLOWS FORM in Quantum FFF-Theory. The Microstructure of elementary particles, is supposed to be the origin of FUNCTIONAL differences between Higgs- Photon- and propeller shaped Fermion particles. Something SMALL is missing in mainstream physics: a NEW splitting and pairing MASSLESS BLACK HOLE, the origin of all dark matter, Ball Lightning Micro Comets , Comets, Sunspots up to Galaxy external Anchor Black Holes and the Big Crunch of the CP symmetric pulsating raspberry shaped multiverse.

The multiverse is a collection of huge entangled pinball machines, with dark energy in the form of linear oscillating double Higgs pins as the origin of photonic collision products with the propeller shaped Fermions running and spinning as balls.

All forces are the result of this entangled Pin-Ball interaction. The 126GeV Boson recently found in the LHC is not supposed to be a single but a double massless Higgs boson linear oscillating in tandem as opposing boxer engine pistons in a chiral truncated tetrahedron lattice.

The 126GeV energy is the base for universal dark energy, the frequency is the base for local time and the length a base for the Planck scale. (Twin Higgs, Dual Higgs, Duplex Higgs, or Tandem Higgs).

AS A RESULT, Free energy devices and electron-muon decay levitation is proposed. An unstable Higgs vacuum seems to be present around all black hole horizons by observed H<sub>2</sub> production and annihilation radiation created by pair production of positrons and electrons. (Instability of the Higgs field)

**The main difference with mainstream physics is in short as follows:**

A: That a "black hole" has no mass- it does not emit gravitons-, but is the origin of all "dark matter" in the universe and can exist at all scales from Quantum Knots (or Ball lightning) up to Comets, Sunspots, external Galaxy Anchor Black Holes, up to the Big Crunch- or Big Bang Black Hole.

B: That "dark energy" is based on microcopic massless vacuum (non SM) Higgs particles, energetic oscillating in opposing pairs and able to convert into pairs of electrons and positrons, e.g. at the horizon of black holes.

C: That the 126 GeV mass of the Higgs particle (found by the LHC in Geneva) could be translated into 126 GeV energy of the paired vacuum particles. (alternative non SM Higgs) (And is consequently supposed to be the first sign of "DARK ENERGY") The LHC found a first sign of Dark Energy!!

D: That as a result, the Universe is cyclic, super symmetric and has the form of a raspberry shaped pulsating symmetric Multiverse with finite cycle time.

E: That all matter and humans have their instant entangled copy symmetric counterpart living inside the opposing super symmetric lobes of the raspberry multiverse. which is supposed to be the base for consciousness.





# Quantum Function Follows Form Model





Figure 12, 5x different shaped Photon/Gluons can combine with the two propeller shapes of the Electron and Positron to form all coloured (QCD) Quarks and even a so called Top Prime Quark. The Muon and Tau particle are supposed to be the same as the Down quark, respectively the Charm quark.

Dual Nuclear Comets explained by new black hole physics of Quantum FFF theory. (Internal heating and H<sub>2</sub>O production by two paired dark matter black holes)



New black hole physics seems to be present in dual nuclear comets like Hartley2 (above) and the 67P recently visited by the Rosetta probe. See photo below : (aug 2014) One important signal for internal heating is the surface temperature of 20.degr.C above calculation.





Figure 13: Dumbbell shaped Comets, 25 Hartley and Comet 67P C-G.



Dumbbell shaped Comets producing Hydroxyl and water ice by the internal dual Dark Matter Knots or micro black holes according to Q-FFF Theory.



Quantum FFF theory assumes that micro dark matter black holes are the ZPE energy sources producing Hydroxyl (OH) and water ice nuclei of Comets, direct out of the Higgs field vacuum by “pair production” with a minimal annihilation effect into protons and electrons. TWO energy sources seem to be able to coexist and form exotic dumbbell comet nuclei with linear ice depressions as evidence for the expanding but also evaporating ice nucleus.





Figure: 14, both comets more in detail.



Comet 67P shows details of a new theoretical physics model, (Quantum FFF Theory)



Electrical model of a NEW physics dual dark matter black hole system with H O production of Dumbbell Comets.





Figure: 15, Comet 67P C-G, with electrical model of the dual dark matter black hole system with O H Hydroxyl and water ice production.




# Electric Dark Matter Black Hole Comets and Icy remnants (e.g. Hyperion)




Hyperion, a Saturn moon

Cross section through a Megacryometeor or Terrestrial micro Comet nucleus.





Expected ice structure of the ellipsoidal ice chunk (Megacryometeor) found by J.M.Frais (Madrid). According to Quantum FFF theory this chunk should be the Nucleus of a Terrestrial Micro Comet, produced by a new paradigm black hole, which left the nucleus through the external hole, in consonance with the ice structure of the Hyperion moon. (author Leo Vuyk)



Megacryometeor


The relation between the Hyperion ice structure and the structure of a Megacryometeor as the result of Micro Black hole ice production inside both nuclei.

According to Quantum FFF Theory, even Nano interference Black Holes have a radial structured electric potential horizon layer (internal positive-protons and external negative electrons charged). They produce H<sub>2</sub> and water leading to the icy nuclei of Comets, Ball Lightning and Megacryometeors. The origin: a Fermion repulsion horizon of the black hole, see below.




7x Higgs quantum curves (2) are depicted for Fermions (3) with different distance to the BH horizon. At location (10) the spin of the fermions will FLIP due to the propeller shape of the Fermion and an opposing force away from the horizon is created by the Higgs vacuum itself down to location (7). The zone between (7) and (10)

Figure: 16. Fermion repulsion principle around dark matter black holes producing water ice Comets Megacryometeors. A special example of nuclear water ice production is found in the Moon Hyperion, which is assumed to be a former Comet, left alone by its Black Hole energy source.



Comet 67P Craters originated by aligned gravity point sources according to Quantum FFF Theory.



ESA/Rosetta/MPS for OSIRIS Team MPS/UPD/LAM/IAA/SSO/INTA/UPM/DASP/IDA

Figure: 17, Proposal for the origin of circular craters at Comet 67p C-G.

If we assume that all circular craters at the surface of comet 67P are originated by two aligned gravitating new physics fermion repelling micro black holes (BH), then we may get an impression of the inner BH structure of the comet responsible for the shape. I assume that the basic dumbbell form of the comet is realized by two larger BHs surrounded by several smaller BHs. .

The craters and so called trenches are a logic result of eclipsing BHs ( see intermitted black lines), which are concentrated in the body of the ducky located around the central main BH. (indicated by yellow rings in the image above.)

[www.flickr.com/photos/93308747@N05/?details=1](http://www.flickr.com/photos/93308747@N05/?details=1)



What can we learn from the Shoemaker Levy Comet 9 destruction into multiple energy point sources, about Comet 67P C-G craters? That the Quantum FFF Theory for crater formation at 67P, is in harmony. Conclusion: Comets are aggregations of multiple energetic dark matter point sources, coined new paradigm interference Black holes. The different sizes of Comets (see image) is an indication that Comets seem to grow by merging with other comets, based on one-two- or multiple dark matter point sources. However these point sources does not merge into bigger ones, but stay clear as individuals, probably each produced by strong solar flare interference ( Q-FFF Theory) called solar bright spots (see image 155) fireballs.




Figure 18, What can we learn about multiple nuclear comets?

Central growth of single nuclear Comets and Coral. Comparison Hyperion, a moon of Saturn but assumed to be a former Comet, left alone by its dark matter black hole nucleus (Diameter about 300 km) with a Coral structure. (Right image, diameter a few mm). According to Quantum FFF Theory.





Figure 19, Hyperion, a former Comet.

**The central Comet creation of matter (H, O, C and N) as the the origin of funnel tectonics at the Comet surface and internal sponge structure by new physics dark matter black holes.**



# Comparison Hyperion (a former Comet) with Comet 67P-CG.



According to Quantum FFF Theory, Hyperion (Saturn's moon) is a former icy Comet left alone by its SINGULAR central Dark Matter Black Hole point source. Comet 67P C-G however, is an example of a multi nuclear Comet, with two major nuclei and several smaller nuclei. As a consequence of multiple nuclei, Comet 67P-CG shows a much more rough surface (with craters, trenches and peaks) created by ice production from the inside point sources. The point source remnants of the exploded Comet Shoemaker-Levy, are a clear sign of multiple nuclear Comets.





Figure 20, Hyperion a single nuclear comet, in contrast with Shoemaker Levi multiple nuclear comet.

**Sharp mountain peaks!**


**NOT by EROSION but by plate tectonics pushed from the inside .**



**Figure 21,**  
**NOT EROSION** but Plate tectonics driven by the nuclear matter production of new paradigm dark matter black holes.



Increased Light reflection areas at comet 67P CG, due to Carbon dust surface layer cracks originated by funnel pressure tectonics.



According to Quantum FFFTheory, Comet 67P C-G has an internal Hyperion/ Coral funnel structure (volcano alike, see below) in combination with Central dust production ( $H_2$ , O, C and even N) As a consequence, 67P shows a rough surface (with craters, trenches and peaks) continuously deformed and created by the dust production from the inside point sources.





Figure , 22. Cracks in the Carbon dust layer.

Increased Light reflection areas at comet 67P CG, due to Carbon dust surface layer cracks originated by funnel pressure tectonics.



Birkeland Alfven current circuits of negative charged ions and electrons, between (New Physics) Dark Matter Black Hole nuclear charge splitters, will be found inside dumbbell shaped Comets like 67P C-G, also in Herbig Haro systems, Galaxies and even stellar systems (e.g. Eta Carina), according to Quantum FFF Theory.



Two Charge splitting new physics black holes are supposed to polarize the local oscillating Higgs field as the origin of negative charged Birkeland Alfven current circuits (Orange arrows) As a consequence jets of dust (Blue arrows) are observed from the “neck” of 67P and the neck of Eta Carina. (below)




Figure 23, Two Charge splitting new physics black holes are supposed to polarize the local oscillating Higgs field as the origin of negative charged Birkeland Alfven current circuits (Orange arrows) As a consequence jets of dust (Blue arrows) are observed from the “neck” of 67P and the neck of Eta Carina. (below)

Birkeland Alfven current circuits of negative charged ions and electrons, between (New Physics) Dark Matter Black Hole nuclear charge splitters, will be found inside dumbbell shaped Comets like 67P C-G, also in Herbig Haro systems, Galaxies and even stellar systems (e.g. Eta Carina), according to Quantum FFF Theory.



According to Quantum FFF Theory, Comet 67P C-G has an internal Hyperion/ Coral funnel structure (volcano alike, see below) in combination with Central dust production (H<sub>2</sub>, O, C and even N) As a consequence, 67P shows a rough surface (with craters, trenches and peaks) continuously deformed and created by the dust production from the inside point sources. The Birkeland Alfven current circuits seem to be the origin of pinching the Higgs field around the “neck” of the comet, which is assumed to be the origin of peculiar dust jets coming from the neck of comet 67P.



**Figure 24, Criss cross scratches at comet 67P CG, as evidence for internal ice growing and plate tectonic motion into different directions.**

According to Quantum FFF Theory, comets are not only eroding ice balls heated by the sun. They also CREATE MATTER like H2O Carbon etc. by one or more internal NEW PHYSICS Dark Matter Black Hole. Criss cross scratches seem to be the evidence of the growing process of ice plates into different directions.

Potential Rosetta lander gravity problem by tilted (non perpendicular) gravity vector from the snowy surface of Comet 67P CG.






Figure 25, Anomalous non perpendicular surface Gravity problem.




# 4X Black Hole Horizon positions A,B,C,D.



A= Fermion polarization or Repel/Attraction shift boundary. B= Hydrogen Plasma and Proton Construction site for D and U quarks. C= Fermion DE-Polarisation or Repel/Attraction shift boundary. D= Photon and vacuum COLLIDER concentration zone for pair production. If black hole nuclei are assumed to be negative charged from the outside and positive charged from the inside. At location B protons and electrons should merge to form real hydrogen plasma, expelled as observed at dual Cygnus A hotspots and even interference B.Hole based Ball Lightning. According to Quantum Function Follows Form Theory.



7x Higgs quantum curves (2) are depicted for Fermions (3) with different distance to the BH horizon. At location (10) the spin of the fermions will FLIP due to the propeller shape of the Fermion and an opposing force away from the horizon is created by the Higgs vacuum itself down to location (7). The zone between (7) and (10)



Cygnus A with dual plasma/gas producing "New physics" negative charged BHs as hotspots, with growing merger (SN) black hole in the center. Below: local Quantum vacuum push gravity vector butterflies originated by the BH vacuum absorption of dark vacuum energy.




Ejected Starspot black holes ( former Comet nuclei, with a ring or globule form), able to pair into new stellar Herbig Haro hotspot systems examples: NGC 2440, Crab Nebula and NGC 1987. According to Quantum FFF Theory.

Figure 26



Internal Porous Funnel Structures, created by Dark Matter BH point sources for Comet 67PCG, and Hyperion. (a former Comet without BH nucleus).



Below: 67P-CG cross section with proposed (boulder producing) growing ice funnel structures created by Dark Matter Black Hole point sources of different magnitude. (according to Quantum FFF Theory.)




Figure 27, Internal Porous Funnel Structures, created by Dark Matter BH point sources for Comet 67PCG, and Hyperion. (A former Comet left alone by its former Dark Matter BH nucleus).

Below: 67P-CG cross section with proposed (boulder producing) growing (BLACK CARBONATED water) ice funnel structures created by Dark Matter Black Hole point sources of different magnitude. (according to Quantum FFF Theory.)



Observed collimated dust jets spouting out Comet 67P C-G are suggesting a sub-surface funnel structure as predicted by Quantum FFF model.

Comet 67P Craters originated by aligned gravity point sources according to Quantum FFF Theory.

Central growth of single nuclear Comets and Coal. Comparison H<sub>2</sub> perion, a moon of Saturn but assumed to be a former Comet, left alone by its dark matter black hole nucleus (Diameter about 300 cm) with a Coral structure. (Right image, diameter a few mm). According to Quantum FFF Theory.

**No Fermion Information Loss in Black Holes by Fermion Repelling Horizon.**

Hawking black hole      NEW black hole      Fermion repelling horizon

energy-      energy+      energy+      e<sup>-</sup>      e<sup>+</sup>      Quark (d,u) production

According to Quantum FFF Theory, there is no fermion information loss, only photonic information loss in a black hole. Quantum fluctuations around the BH horizon produce pairs of leptons, e<sup>-</sup>, e<sup>+</sup> and even compound quarks (d, u, etc, see Fermion 3D string propeller theory: Fermion repelling by spin flip). For tripple BH horizons see image nrs 7, 10 and 11. Event horizon=7, Inner photon ring = 10, Outer photon ring = 11. Conclusion The Big Bang did not produce instantly all the Fermions in the universes. Even now lots of Fermions are produced by all BHs even the largest primordial Big bang splinters located outside large galaxies. see also: <<http://vixra.org/abs/1410.0039>>

7a Higgs quantum curves (2) are depicted for Fermions (3) with different distance to the BH horizon. At location (10) the spin of the fermions will FLIP due to the propeller shape of the Fermions and an opposing force away from the horizon is created by the Higgs vacuum itself down to location (7). The zone between (7) and (10).

Figure 28, Observation of collimated dust jets, spouting out Comet 67P.CG. are supporting a subsurface funnel structure as proposed by Quantum FFF Theory ( see also: figure 26)

# Not the radiation of the sun is origin of Comet 67P-CG plasma jets but a new physics micro dark matter black hole.

Comet P67 CG, evidence for local internal energy and plasma creation and ejection.

.According to Quantum FFF Theory created by multiple internal new physics micro electric dark matter black holes.

Crater creation by internal icy Funnel Structures, suggested to be created by aligned Dark Matter BH point sources for Comet 67PCG.




Figure 29.


Not the radiation of the sun is origin of Comet 67P-CG plasma jets but several new physics micro dark matter black holes.

See: comet 67P-CG cross section with multiple craters supposed to be originated by ice funnel structures as the result of gravitating aligned micro Electric Dark matter black holes. ( according to Quantum FFF Theory)



## Conclusions.

1. As a consequence of cometary constant dust and water ( ice) production it is assumed that just like sunspots inside the sun, also the earth center and other planets have a preferred production site for water by crashed comets and consequently growing / expansion abilities.
2. The funnel structure of comet 67P C-G, is supposed to be created by a pencil alike gravity effect originated by the alignment of two “eclipsing” internal Dark Matter Black Holes.
3. The surface of 67P is in constant change by the internal matter production pressure and out gassing of dust. Boulders seem to be the product of broken top edges of the growing water/ icy funnels.
4. The peculiar dust jets originating from the neck of the comet are supposed to be accelerated and guided by the shape of the local oscillating Higgs field. ( fig 22.) just as it does for EtaCarina.
5. Anomalous landslide direction ( avalanches fig 24.) are also evidence for non perpendicular surface gravity effects of the comet by the distribution of multiple gravity point sources ( dark matter black holes).
6. If former matter/plasma production conclusions for comets like 67P, can be transposed to other cosmological locations like sunspots, planets and moons like Europa, then a series of anomalies seem to have the potential to be solved, even the so called Flyby anomaly.



## References :

Books: The New God Particle and Free Will. Author: Leo Vuyk, LuLu publishers, 2008. ISBN number 978-1-4092-1031-3 <http://www.lulu.com/spotlight/LeoVuyk> Quantum FFF Theory is also published in the form of POSTERS at the Flickr site:

<http://www.flickr.com/photos/93308747@N05/>

(82) New model explains what we see when a massive black hole devours a star.

<https://www.sciencedaily.com/releases/2018/05/180529140943.htm> Numbered listing (latest) of

Vixra essays by Leo Vuyk. [http://vixra.org/author/leo\\_vuyk](http://vixra.org/author/leo_vuyk)

[81] viXra:1704.0272 Interference Black Holes, Ball Lightning, Micro Comets, Sprite Fireballs and Sunspots According to Quantum FFF Theory.

[80] viXra:1704.0150 The Origin of Life and the Need for a Rigid String Propeller Fermion Model Combined with a Chiral Vacuum Lattice and Micro Interference Black Holes

[79] viXra:1704.0133 2. Signals for Retarded Single Big Bang Black Hole Nucleus Splitting and Pairing into Dual Black Hole Herbig Haro Systems

[78] viXra:1704.0047 Bohmian Double Slit Interpretation by Dual Entangled Universes, and the Benjamin Libet Experiment.

[77] viXra:1704.0003 A Testable CP Symmetric Multiverse Model by Extended Experiments, Done by the Late Benjamin Libet in 1964.

[76] viXra:1702.0109 CP Symmetry Between Material and Anti Material Copy Universes Combined with Local- and Multi-Universal Cycle Time.

[75] viXra:1702.0040 The Alternative Origin of Hubble Redshift : Vacuum Absorption by black holes as a Support for Quantum Dipole Repeller Gravity and a Contracting Universe.

[74] viXra:1701.0633 Local and Multi-Universal Cycle Time According to Quantum FFF Theory. (FFF= Function Follows Form)

[73] viXra:1612.0365 John S. Bell Was Right: “How to Teach Special Relativity” and Atomic Pear Shaped Contraction.

[72] viXra:1612.0026 Democratic Free Will and Telepathy in the Instant Entangled

[71] viXra:1611.0226 Galaxy Cluster Merging and Vacuum Absorption by black holes as a Support for Quantum Dipole Repeller Gravity and a Contracting Universe.

[70] viXra:1611.0101 Observed Dual Higgs Mass 124-126 Gev and the Chirality of the Vacuum Lattice.

[69] viXra:1611.0031 Rigid String Cosmology with a Massless Axion-Higgs Oscillating Photon Vacuum Lattice and Massive Quantum Knots.

[68] viXra:1611.0005 Electric Dark Matter Black Holes in the Moon (Orientale Basin)

[67] viXra:1609.0407 New Physics Elements in the Quantum Function Follows Form Model.

[66] viXra:1608.0329 God Seems to Play Dice with Dual Entangled Pinball Machines in a Super symmetric (Susy) Multiverse [65] viXra:1607.0376 Axion-Higgs 3-Dimensional Rigid

Transformable Strings and the Compound 650 GeV Z-Z Decay into Quarks/Lepto quarks. [64]

viXra:1605.0257 Reaction Less Drive by Anti Maxwell Dead Zone Around a Wire. [63]

viXra:1604.0372 Herbig Haro Hotspots or Bow shocks Are the Origin of Star Formation, not the Result as the Mainstream Suggest. 29 [62] viXra:1604.0229 Er=epr in the Super symmetric

Cyclic Multiverse and in the Lab Without Strange Cats. [59] viXra:1505.0101 The Origin of



Bok Globules and Molecular Clouds, Splitting and Pairing Electric Dark Matter Black Holes. [58] viXra:1503.0186 Primordial Dark Matter Black Holes Outside Galaxies Responsible for the Creation and Contraction of a Cyclic Universe? 22 [57] viXra:1503.0097 Quantum FFF Theory, Poster News 4.2 [56] viXra:1502.0086 Parity and Chirality as a Base for Quark-Gluon Plasma and Dust Creating Black Holes and the Beginning and End of Time.. [55] viXra:1411.0039 Quantum FFF Theory, Poster News 2 [54] viXra:1410.0039 Evidence for Dark Matter Black Hole Based Plasma, Dust and Ice Production Inside Comets Like 67P,C-G. and the Growing Earth. [53] viXra:1409.0164 The O'Connell Effect in Eclipsing Binaries Explained by Mass Related Light Speed Extinction Distances (Lasof) of Stars and Even Planets. [52] viXra:1407.0001 Evidence for Evaporating Dark Matter Particles in Silicon Fireballs. [51] viXra:1406.0076 Galaxy Formation and Evolution According to Quantum FFF Theory. [50] viXra:1406.0019 Quantum FFF Theory Proposals for Some Unsolved Physics Problems. [49] viXra:1405.0224 Dual Star Ejection in Open Star Clusters by the Central Star. [48] viXra:1404.0151 Future Free Energy of New Physics Ball Lightning Black Holes, the Origin of a Super Social Society or the Opposite? [47] viXra:1404.0002 Proposal for the Origin of Unexpected Large B-Modes Found in the Bicep2 Measurements. [46] viXra:1402.0132 Reconciliation of GR and QM by a New Gravity-Black Hole and Lightspeed Model Called Quantum- FFF Theory. [45] viXra:1402.0044 The Impossible Zero Point Electric Black Hole as the Origin of New Physics even for Comets like 67P,C-G. [44] viXra:1401.0115 Calabi Yau Shaped Double Fermion Spin States. [43] viXra:1401.0071 Democratic Free Will in the Instant Entangled Multiverse. [42] viXra:1312.0143 The Navel Cord Multiverse with Raspberry Shape, a Super Symmetric Entangled 12 Fold Bubble Universe. [41] viXra:1312.0076 Are Sunspots Made of Gravitating Dark Matter Black Holes? [40] viXra:1310.0101 The New Nuclear Magic Number (34) Explained by the Polar Coaxial Ring System of Quantum FFF Theory. [39] viXra:1310.0059 The Semi Relativistic Higgs Field Aether with Mass Related Lightspeed Adaptation. [38] viXra:1309.0081 New Physics by Table Top Experiments. [37] viXra:1308.0083 23 The Raspberry Shaped Super Symmetric Multiverse [36] viXra:1307.0068 Quantum Function Follows Form Theory, the Small Scale, Posters part 1. [35] viXra:1307.0067 Quantum Function Follows Form Theory, the Large Scale, Posters part 2. [34] viXra:1306.0218) Dark Matter UFO Dust Particles or Quantum Knots in the LHC at CERN ? 33, viXra:1306.0065 The Splitting Dark Matter- Black Hole- Big Bang and the Cyclic Multiverse. 32, viXra:1305.0140 Quantum FFF Theory Experiments, a Summary. 31, viXra:1305.0041 The Shnoll Effect Explained by Quantum FFF Theory. 30, viXra:1304.0022 The Self Organizing Universe in the Carina Nebula. 29, viXra:1303.0211 Hubble Redshift Combined with Universal Contraction is Possible. 28, viXra:1303.0053 Micro Birkeland Currents Between Two RF Generated Plasma Balls in 30 the Laboratory. 27, viXra:1302.0172 Silicon Based Ball Lightning Globule Structures and Signs for Accumulation and Retarded Decrease of Tunneling Energy Bullets. 26, viXra:1301.0088 Two or Three Large Quasar Groups (LQGs) Located at the Start of Two or Three Lyman Alpha Systems and a Part of the Raspberry Multiverse? 25, viXra:1301.0050 Dwarf Galaxies and Their Relation with Dark Matter Based Galaxy Anchor Black Holes (Gabhs). 24, viXra:1210.0177 Instant Broglie Bohm Pilot Waves, the Origin of All Entanglement Effects in the Lab and Wavefunction Collapses in Our Universe as Related to Our Opposing Anti-Copy Universe(s) According to Quantum FFF Theory. 23, viXra:1209.0092 New Dark Matter Black Holes and a New Dark Energy Higgs Field, Lead to a Bouncing CP Symmetrical Multiverse, and New Experiments. 22, viXra:1209.0061 Birkeland Currents, Sunspots, Comets and Ball Lightning Originated by New Paradigm Dark Matter Black Holes. 21, viXra:1209.0030 Majorana and Sterile Neutrino Solutions in the Quantum-FFF Model. 20,

viXra:1208.0031 Clumpy Dark Matter Around Dwarf Galaxies a Support for an Alternative Black Hole Theory According to the Quantum Function Follows Form Model. 19,  
viXra:1202.0091 Earth Magnetic Monopole Array Field Interaction with Cyclotron – Synchrotron Electrons and Muon Conversion Used for Levitation Systems. 18, viXra:1201.0092 Earth Magnetic Monopole Array Field Interaction with Cyclotron Electrons used for Levitation Systems. 17, viXra:1112.0065 24 LHC Signals Between 121-130 GeV Interpreted with Quantum-FFF Theory 16, viXra:1111.0096 Reconciliation of QM and GR and the Need for a Pulsating Entangled CPT Symmetric Raspberry Shaped Multiverse. 15, viXra:1111.0061 Black Hole Horizon Curvature Dependent Balance Between Plasma Creation and e-e+ Annihilation in Quantum FFF Theory. 14, viXra:1108.0036 Artificial Ball Lightning Production and Exploitation Device for Zero Point Electric Energy Usage. 13, viXra:1108.0006 Mass in Motion in Quantum FFF Theory 12, viXra:1104.0083 Quantum FFF Theory in Posters. 11, viXra:1104.0044 Ball Lightning, Micro Comets, Sprite-Fireballs and X-Ray/gamma Flashes According to Quantum FFF Theory. 10, viXra:1104.0002 Stellar Anchor Black Holes as the Remnants of Former Herbig Haro Objects 9, viXra:1103.0097 ZPE Zero Point Energy Examples Around Black Holes. 8, viXra:1103.0068 Function Follows Form, at the Quantum Scale and Beyond. 7, viXra:1103.0024 Quantum Gravity and Electro Magnetic Forces in FFF Theory 6, viXra:1103.0015 Wavefunction Collapse and Human Choice-Making Inside an Entangled Mirror Symmetrical Multiverse. 5, viXra:1103.0011 An Alternative Black Hole, Provided with Entropy Decrease and Plasma Creation 4, viXra:1103.0002 3- Dimensional String Based Alternative Particles Model 3, viXra:1102.0056 Experiments to Determine the Mass Related Lightspeed Extinction Volume around massive objects. 2, viXra:1102.0054 Atomic Nuclear Geometry Based on Magic Number Logic. 1, viXra:1102.0052 Construction Principles for Chiral “atoms of Spacetime