# Theory Of Holistic Decomposition Of Any Set Of Any Natural Numbers As One Or More Sets Each With Some Periodicity Of The Number's Non Integral Prime Basis Position Number {Version 2}

Author: Ramesh Chandra Bagadi, FIE, CEng(India)

Affiliation: Owner & Co-Director, texN Consulting Private Limited, Hyderabad, Telengana State, India Email: rameshcbagadi@uwalumni.com Tel: +91-9440032711

## ABSTRACT

In this research investigation, the author has detailed the Theory Of Holistic Decomposition Of Any Set Of Any Natural Numbers As One Or More Sets Each With Some Periodicity Of The Number's Non Integral Prime Basis Position Number.

#### Key Words: Functional Analysis

# INTRODUCTION

The aforementioned Sets which form the Prime Like Trends are of much importance in Functional Analysis as it allows us to decompose data into Trends with unique Natural Periodicity.

THEORY (AUTHOR'S MODEL OF THEORY OF HOLISTIC DECOMPOSITION OF ANY SET OF ANY NATURAL NUMBERS AS ONE OR MORE SETS EACH WITH SOME PERIODICTY OF THE NUMBER'S NON INTEGRAL PRIME BASIS POSITION NUMBER)

Say any Set  $S_{,i}$  is given all of whose elements belong to the Set of Natural Numbers. Let the Cardinality of the Set be  $n_{,i}$  Furthermore, these numbers are arranged in an ascending order.

We now write down each of its elements as sum of primes as detailed below:

Representation Of Any Natural Number As A Special Sum Of Primes

*Note: Here, we consider the following analysis for two cases, namely,* 

#### a) 1 is the First Prime and

*b)* 2 is the First Prime. In the second case if the following representation finally gives delta equal to 1, we have two ways to go further

(i) we can write it as (3-2) or

(ii)write the sum using primes greater than or equal to 2 only. If it is not possible, we follow scheme a) Note that since this theoretical research, the experimenter can choose the best option among these which gives the best results.

We can note that any natural number 'q' can always be written as

 $q = p_{\max} + \delta_1$  where  $p_{\max}$  is the greatest Prime Number possible and which is less than q and

 $\delta_1 = p_{\max 2} + \delta_2$  where  $p_{\max 2}$  is the greatest Prime Number possible and which is less than  $\delta_1$  and  $\delta_2 = p_{\max 3} + \delta_3$  where  $p_{\max 3}$  is the greatest Prime Number possible and which is less than  $\delta_2$  and so on so forth until  $\delta_h = 0$  for some positive integer *h*.

Furthermore, from the given Set S, we write many more sets, namely  $_{1}S$  as First order Elements Set (of the Sum Expression of the Elements of the Set S as detailed already, which is the set of first terms of the aforementioned sum expression of each element of S),  $_{2}S$  Second Order Elements Set (of the Sum Expression of the Elements of the Set S as detailed already, which is the set of second terms of the aforementioned sum expression of each element of S),  $_{3}S$  Third Order elements Set (of the Sum Expression of the Elements of the Set S as detailed already, which is the set of third terms of the aforementioned sum expression of each element of S), etc., to exhaustion till  $_{n}S$  (the  $h^{th}$  Order

elements Set (of the Sum Expression of the Elements of the Set S as detailed already, which is the set of third terms of the aforementioned sum expression of each element of S). This notion of Order will be implicitly understood in *Example 2*.

Now, if we represent the elements of the First Order Element Set  $_{1}S$ , by  $_{1}p_{j}$  then  $_{1}S(1)=_{1}p_{j\min}$  and

 $_{1}S(_{1}n) = _{1}p_{jmax}$ . Here, the index *j* represents the Prime

Basis Position Number of the Prime P. For example, if 1 is considered as the first prime, then the Prime Basis Position Number of the Prime 2 is 2, of the Prime 3 is 3, of the Prime 5 is 4, of the Prime 7 is 5 and so on so forth. We now create Subsets of First Order Element Set

with $r_1 = 0, 1, 2,, g$ and $l_1 = 0, 1, 2,, \frac{\binom{n}{n-1}}{g_1}$ and $g_1 \leq \binom{n-1}{2}$ for $n$ odd and $s_r = \{p_{j\min\{r_1\}}\}$ with $r_1 = 0, 1, 2,, g$ and $l_1 = 0, 1, 2,, \frac{\binom{n}{g_1}}{g_1}$ and $g_1 \leq \binom{n}{2}$ for $n$ even.	$_{1}S$ in a fashion such that $_{1}S_{r} = \left\{ p_{j_{\min + r/i}} \right\}$	
and $_{1}S_{r} = \{ p_{j\min\{r_{l_{1}}\}} \}$ with $r_{1} = 0, 1, 2, \dots, g$ and $l_{1} = 0, 1, 2, \dots, \frac{(n)}{g_{1}}$ and	with $r_1 = 0, 1, 2,, g$ and $l_1 = 0, 1, 2,, \frac{(n-1)}{g_1}$	and
$_{1}S_{r} = \{ p_{j \min + r_{l_{1}}} \}$ with $r_{1} = 0, 1, 2, \dots, g$ and $l_{1} = 0, 1, 2, \dots, \frac{(n)}{g_{1}}$ and	$g_1 \leq \left(\frac{n-1}{2}\right)$ for $n$ odd	
$_{1}S_{r} = \{ p_{j \min + r_{l_{1}}} \}$ with $r_{1} = 0, 1, 2, \dots, g$ and $l_{1} = 0, 1, 2, \dots, \frac{(n)}{g_{1}}$ and	and	
	${}_{1}S_{r} = \left\{ {}_{1}p_{j\min + r/t_{1}} \right\}$	
$g_{\perp} \leq \left(\frac{n}{2}\right)$ for $n$ even.	with $r_1 = 0, 1, 2,, g$ and $l_1 = 0, 1, 2,, \frac{\binom{n}{g}}{g_1}$	and
	$g_1 \leq \left(\frac{n}{2}\right)$ for $n$ even.	

A simple way to find these sets is detailed below using a method detailed below:

For the given set  ${}_{,S}$ , we index the elements with their Prime Position Basis Numbers. Let this Set be  ${}_{,J}J$ . We now do Cartesian cross product of  ${}_{,J}J$  with  ${}_{,J}J$ , i.e., we find  ${}_{,J}X_{,J}J$ . Now, for these  ${}_{,n}n^2$  number of ordered pairs (u1,v1), we find the absolute value of the difference  $\delta_{(u1,v1)}$  between them. We now separately collect all the u, v's for  $\delta_{(u1,v1)} = 1$ ,  $\delta_{(u1,v1)} = 2$ ,  $\delta_{(u1,v1)} = 3$ ,...,  $\delta_{(u1,v1)} = \left(\frac{n-1}{2}\right)$  if  ${}_{,n}n$  is odd or  $\delta_{(u1,v1)} = \left(\frac{n}{2}\right)$  if  ${}_{,n}n$  is even and call them as a set each. The thusly gotten sets are the desired sets. Once, we get the locations (Prime Metric Basis Positions Numbers Of The Primes of the given Set

 ${}^{1}{}^{S}$  ) of the thusly Decomposed Sets of the given Set  ${}^{1}{}^{S}$ , we can now write the Decomposed Sets of Set  ${}^{1}{}^{S}$  in terms of the Primes representing their Prime Basis Position Numbers.

We now conduct similar analysis for all the rest of the Order Element Sets and finally add the individual components to get the desired Trends as detailed in the following example.

Example 1: When the elements of S are all Primes.

$$S = \{3,5,7,13,29,31,53,61,67\}$$

Then

 $J = \{3,4,5,7,11,12,17,19.20\}$ 

Here, 1 is taken as the first Prime.

We now create a table of difference between u and v of the ordered pairs of J X J as shown

Table 1: Table of difference between u1 and v1 of the ordered pairs of  ${}_{1}J \times J$ 

	3	4	5	7	11	12	17	19	20
3	0	1	2	4	8	9	14	16	17
4	1	0	1	3	7	8	13	15	16
5	2	1	0	2	6	7	12	14	15
7	4	3	2	0	4	5	10	12	13
11	8	7	6	4	0	1	6	8	9
12	9	8	7	5	1	0	5	7	8
17	14	13	12	10	6	5	0	2	3
19	16	15	14	12	8	7	2	0	1
20	17	16	15	13	9	8	3	1	0

Needless to mention, the Set with (u1,v1) difference equal to 1 is the Set J itself. We now find all the pairs with (u1,v1) difference = 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17

Table 2: Table of distilled Non Unique PrimeTrends

2	{3,5,7}
	{17,19}
3	{4,7}
	{17,20}
4	{3,7,11}
5	{7,12,17}
6	{5,11,17}
7	{4,11}
	{5,12,19}
8	{3,11,19}
	{4,12,20}
9	{3,12}
	{11,20}
10	{7,17}
11	None
12	{5,17}

	{7,19}
13	{7,20}
	{4,17}
14	{3,17}
	{5,19}
15	{4,19}
	{5,20}
16	{3,19}
	{4,20}
17	{3,20}

These Sets

{3,5,7} which is {3,7,13} {17,19} which is {53,61}  $\{4,7\}$  which is  $\{5,13\}$ {17,20} which is {53,67} {3,7,11} which is {3,13,29} {7,12,17} which is {13,31,53} {5,11,17} which is {7,29,53} {4,11} which is {5,29} {5,12,19} which is {7,31,61} {3,11,19} which is {3,29,61} {4,12,20} which is {5,31,67} {3,12} which is {3,31} {11,20} which is {29,67} {7,17} which is {13,53} {5,17} which is {7,53} {7,19} which is {13,61} {7,20} which is {13,67} {4,17} which is {5,53} {3,17} which is {3,53} {5,19} which is {7,61} {4,19} which is {5,61} {5,20} which is {7,67}

{3,19} which is {3, 61}
{4,20} which is {5,67}
{3,20} which is {3,67}

can be called the Sets gotten by *Holistic* Decomposition Of The Given Set S Of Primes As One Or More Sets Each With Some Periodicity Of The Prime Number's Basis Position Number.

This set of Sets can also be called as the *Primality Tree Set* of the given Set S.

*Example 2*: When the elements of S are not all Primes.

 $S = \{8, 27, 34\}$ 

 $S = \{(7+1+0), (23+3+1), (31+3+0)\}$ 

This gives

$$_{1}J = \{5,10,12\}$$
  
 $_{2}J = \{1,3,3\}$ 

 $J = \{0,1,0\}$ 

For facilitating the addition of Component Prime Trends later on, we can use *Left Sub Pre Tag* and *Right Sub Post Tag* to each of the sum Terms (of *J*) so that later on we know which ones to add on to before and after.

That is, for,

 $S = \{(7+1+0), (23+3+1), (31+3+0)\}$ 

We write it as

 $S = \{(7_{1} + 7_{1} + 10), (23_{3} + 23_{3} + 31), (31_{3} + 31_{3} + 30)\}$ Then  $_{1}S = \{(7_{1}), (23_{3}), (31_{3})\}$   $_{2}S = \{(7_{1} + 10), (23_{3} + 10), (31_{3} + 30)\}$   $_{3}S = \{(7_{1} + 10), (23_{3} + 10), (31_{3} + 30)\}$ Doing the Prime Trends Analysis on  $_{1}S = \{(7_{1}), (23_{3}), (31_{3})\}$ gives  $\{10, 12\} \Rightarrow \{23, 31\}$  $\{5, 10\} \Rightarrow \{7, 23\}$ 

 $\{5,12\} \Rightarrow \{7,31\}$ .

Similarly,

doing the Prime Trends Analysis on

$$_{2}S = \{(_{7}1_{0}), (_{23}3_{1}), (_{31}3_{0})\}$$

gives

 $\{1,3\} \Longrightarrow \{1,3\}$ 

$$\{1,3\} \Rightarrow \{1,3\}$$

Similarly,

doing the Prime Trends Analysis on

$$_{3}S = \{(10), (31), (30)\}$$

gives

 $\{0,1\} \Longrightarrow \{0,1\}$ 

Now, using the Primes Sum expression carefully for each term of S, we sum the appropriate terms of the Component Prime Trends, to get the Composite Trends.

This gives us,

$${27,34} = {(23+3+1), (31+3)}$$

$$\{8,27\} = \{(7+1), (23+3+1)\}$$

 $\{8,34\} = \{(7+1), (31+3)\}$ 

which can be called as the Sets gotten by *Holistic* Decomposition Of The Given Set Of Natural Numbers As One Or More Sets Each With Some Periodicity Of The Number's Prime Basis Position Number.

This set of Sets can also be called as the *Primality Tree Set* of the Set S.

# REFERENCES

- 1. http://vixra.org/author/ramesh\_chandra\_ba gadi
- http://philica.com/advancedsearch.php?aut hor=12897

## ACKNOWLEDGEMENTS

The author would like to express his deepest gratitude to all the members of his Loving Family, Respectable Teachers, En-Dear-Able Friends, Inspiring Social Figures, Highly Esteemed Professors, Reverence Deserving Deities that have deeply contributed in the formation of the necessary scientific temperament and the social and personal outlook of the author that has resulted in the conception, preparation and authoring of this research manuscript document. The author pays his sincere tribute to all those dedicated and sincere

folk of academia, industry and elsewhere who have sacrificed a lot of their structured leisure time and have painstakingly authored treatises on Science, Engineering, Mathematics, Art and Philosophy covering all the developments from time immemorial until then, in their supreme works. It is standing on such treasure of foundation of knowledge, aided with an iota of personal godgifted creativity that the author bases his foray of wild excursions into the understanding of natural phenomenon and forms new premises and scientifically surmises plausible laws. The author strongly reiterates his sense of gratitude and infinite indebtedness to all such 'Philosophical Statesmen' that are evergreen personal librarians of Science, Art, Mathematics and Philosophy.