

# The Cosmic origin of Climate Cycles

F. M. Sanchez  
Sept. 2019

*The Wolf and Milankovich cycles, as well as a 725 years one, are shown to be tightly connected to the invariant Hubble-Sanchez horizon, via the Bohr radius, the background temperature and the Kotov length, implying a liaison between the Mattieu group, the superstring dimension 496 and the Higgs boson mass. The Mattieu group order factorisation  $66 \times 5!$  is implied, and leads to a relation implying the Monster Couple, characterising the Tau, Mu Leptons and Proton masses and confirming the Eddington's Proton-Tau symmetry.*

It was recently proposed that the Wolf solar cycle 11.02 years, tied with a climate cycle, could have a quantum cosmic origin [1]. This could be also the case for the Milankovich cycle for which the time profile shows also a straight temporal edge, characteristic of a *cosmic quantum transition*. The present note confirms this hypothesis by showing that, with the Hubble-Sanchez radius  $R \approx 13.812$  Glyr [2] and  $r_H$  the Bohr radius, the relation [1]:

$$R/r_B \approx (R/l_W)^4$$

giving the Wolf length  $l_W \approx 11.0199$  lyr, extends in the following 'diophantine' manner :

$$R/r_B \approx (R/l_W)^4 \approx (R/l_M)^7 \approx (8S_{496})^{28/3}$$

so leading to a Milankovith length  $l_M \approx 87369$  lyr, where  $S_{496} = 495 + 496 = 991$  the sum of the *true* divisors of the perfect number 496 including 496 itself but excluding unity. The identification  $R/l_M = (8S_{496})^{4/3}$  leads to 87373 lyr, showing 52 ppm precision.

Now 496 is central in the superstring theory: it is the common dimension of the two gauge groups  $O(32)$  and  $E_8 \times E_8$ , both of rank 16 [3]. In its '*introduction to sporadic groups*' [3], Boya notes that 496 is the third perfect number with commentary: '*again, this numerology is not yet understood*'.

However, here, the fact that 496 is a perfect number is essential. The above factor 8 comes from the correspondance, with the smallest sporadic group order  $g_0 = 11 \times 10 \times 9 \times 8$ , see Eq. [77] in the Millenarium [4] :

$$g_0/16 = 11 \times 10 \times 9 / 2 = 496 - 1 = 495 \approx \sqrt{(m_{\text{Higgs}}/m_e)}$$

this Matthieu group, of order  $g_0$  is noted  $M_{11}$  : this illustrates the super-string transition  $11 - 1 = 10$ . Note that  $11 = S_6$ , where 6 is the smallest perfect number.

In spite of the definitive refutation of the standard cosmology interpretation, the symmetry between the thermal photonic radiation and the backwards neutrino field

was constated (see Eq. (57) in the Millenarium [4]). This means that *the statistical part of the standard cosmology is correct*. Introducing the mean reduced wavelength thermal-photon/neutrino  $\lambda_{CB} = \lambda_{CMB} (11/4)^{1/6}$ , this introduces a power 5 :

$$R/r_B \approx (R/l_W)^4 \approx (R/\lambda_{CB})^{5/4} \approx (R/l_M)^7 \approx v^{140}$$

Now  $R/r_B$  is also of order  $a^{a/8}$ , with  $a \approx 137.036$ , so of order  $(2a^2)^8$  (see Eq. [74] in the Millenarium [4]), appearing in :

$$R/r_B \approx v^{140} \approx v \times 2^{120} \approx (2a^2)^8 / \sqrt{(v\sqrt{2})}$$

so that, by eliminating  $v$ :

$$(R/r_B)^3 \approx 2^{136} a^{32} / \sqrt{2} \approx (5/6) (R/l_K)^8$$

so connecting with the Eddington's symmetric matrix  $16 \times 16$  with 136 components [5], as suggested by the Topological Axis, see p.125 of the Millenarium [4] and with  $l_K$  the Kotov length [6], to 0.06 %. This implies the quasi-resonance :

$$(R/l_K)^2 \approx (6/5)^{1/4} (R/l_W)^3 \approx (R/l'_W)^3$$

which defines a Wolf period slightly different ( $t'_W \approx 10.85$  yr), whose beatnote with  $t_W$  is 725 years, which enters also the above lacking 5<sup>th</sup> term :

$$R/r_B \approx (R/l_W)^4 \approx (R/l_{725})^5 \approx (R/\lambda_{CMB})^{5/4} \approx (R/l_M)^7$$

This introduces a new series :

$$R/\lambda_{CB} \approx (R/l_{725})^4 \approx (2a/\pi)^{15} \approx (120)^{14} \approx \phi^{140-2/3}$$

with  $\phi$  the golden number. As  $l_{725}$  is the common point between the two series, it must be of cosmic importance, hence *it could be related to the mini glacial ages*.

Such diophantine properties comes from the factorization  $g_0 = 66 \times 5!$  (0.3 %, 1.5%, 0.9%):

$$R/r_B \approx (66)^{4 \times 5} \approx (120)^{5 \times 7/2} \approx g_0^{4 \times 7/3}$$

The involved large integers are of order the Baby- Monster cardinal number and the square root of the Monster's one. The study of deviation shows that, to 10 and -7.5 ppm :

$$g_0^8 / (120)^{15} \approx (4/3)^{1/60} \approx O_B / 16 \times 66^3 \sqrt{O_M}$$

involving the following large number, involving the Leptons Tau (0.2%) and Mu (0.5%), as well as Proton (1%):

$$O_B \times (120)^{15} \approx \sqrt{O_M} \times g_0^8 \times 16 \times 66^3 \approx ((\tau + 1)/2)^{20} \approx ((\mu - 1/2))^{28} \approx p^{(140-1)/7}$$

suggesting the following liaison between the Taon and the Proton masses (38 ppm):

$$\ln p / \ln((\tau + 1)/2) \approx 1 + d_e / 137$$

with  $d_e$  the Electron excess Lande factor. This confirms the Eddington's Tau-Proton symmetry, predicting the Tau, 30 years before its surprising discovery, calling it "the Heavy Mesotron" [7].

The above relation implying  $l_K$  shows ditrect extension:

$$R/l_K \approx (6/5)^{1/8} (R/l_W)^{3/2} \approx (R/l'_W)^{3/2} \approx (2\sqrt{2}l_{725}/l_K)^2$$

It has been shown [2] that  $2l_K$  is given by the  $c$ -free dimensional analysis, starting from  $G$ ,  $\hbar$  and  $m_{bcd}$ , the DNA bicodon mass, close to  $m_H^2/m_e$ , while  $R/2$  is associated with the mass  $(m_e m_p m_H)^{(1/3)}$ . This means that  $R/l_K \approx 4p^4$ , so :

$$l_{725}/l_K \approx p^2 / \sqrt{2} \approx W e^e$$

showing a liaison with the weak boson factor  $W$ .

## References

- [1] Kotov V. A. and Sanchez F. M. *Solar 22 years cycle*. *Astrophys. Space Sci.*, 2017, v. 362 (6), 1–6. DOI: 10.1007/s10509-016-2985-8.
- [2] Sanchez F. M. *A Coherent Resonant Cosmology Approach and Its Implications in Microphysics and Biophysics*. *Progress in Theoretical Chemistry and Physics*, 2017, v. 30, 375–407, DOI 10.1007/978-3-319-50255-7-23.
- [3] L. J. Boya, *Introduction to Sporadic Groups*, arXiv : 1305.5974 (2013)
- [4] Sanchez F.M. et al, *Back to Cosmos*, *Progress in Physics*, 2019, p. 136.
- [5] Salingeros N. *Some remarks on the algebra of Eddington's E Numbers*. *Foundations of Physics*, 1985, v. 15 (6), 683—691.
- [6] Kotov V.A. And Lyuty V.M. *The 160-mn periodicity in the opticaland X-ray obsevation of extragalactic objects?* *Compt. Rend. Acad. Sci. Paris*, v.310, Ser. II, 743-748.
- [7] Eddington A.S. *The Fundamental Theory*. Cambridge, 1946.