

How the Urban Heat Island Effect Influences the CO₂ Doubling Temperature and its Implications

Alec Feinberg, Ph.D., DfRSoft Research

DfRSoft@gmail.com

Vixra: 2004.0064

Key Words: Urban Heat Islands, Albedo goals, global warming causes, global warming feedback, global warming amplification effects, CO₂ doubling temperature, CO₂ doubling theory, IPCC albedo goals

Abstract

Global warming has both root causes and amplification feedback effects. The main root cause, believed to be CO₂ greenhouse gas, then creates many feedback amplification mechanisms such as loss of ice and snow albedo decrease, increase in atmospheric water vapor and so forth. The strength of the CO₂ mechanism is often assessed by its doubling theory. However, such estimates rely on the fact that CO₂ is the primary root cause. Numerous authors including this one have found the Urban Heat Island effect to be significant and should for many reasons be part of our effort to combat global warming problems. Therefore, if one quantifies the UHI effect, it must affect the CO₂ doubling theory. In this paper we provide a short overview to illustrate how the CO₂ doubling temperature is influenced by the UHI effect. We also discuss its implications related to a lack of IPCC UHI albedo goals.

1. Introduction

The subject of UHI effects having significant contributions to global warming is important. The contention that global warming is only due to CO₂ is very risky as it encourages one to neglect the UHI issue. In actuality, this has been stated mathematically in the literature (see Table 2) using doubling theory giving one the false sense that the doubling temperature should be estimated without any influence from the UHI effect. Ignoring the UHI effect is unrealistic where many authors have now shown significance. One well known paper, McKittrick and Michaels (2007), found that the net warming bias at the global level indicated that the UHI effect may explain as much as half the observed land-based warming. This study was criticized (Schmidt 2009) and defended for a period of about 10 years by McKittrick (see McKittrick Website). Other authors have also found significance (Feddema et al. 2005, Ren et al. 2007, Stone 2009, Yang et al. 2011, and Haung et al. 2015). These studies used land based temperature station data to make estimates. In a recent study by the author (Feinberg 2020), this contention was supported using a totally different approach with a weighted amplified albedo solar urbanization model supplemented with footprint studies for UHI amplification factors and global feedback mechanisms. Significance was observed when UHI amplification effects (see Table 1) increased the footprint so that the effective urbanized solar area was much larger than its own urbanized area.

Table 1 Global Warming Cause and Effects

Global Warming Causes →	Population → Expanding Urban Heat Islands (UHI), Roads & Increases in Greenhouse Gas
Global Warming Amplification Effects →	Increase in Specific Humidity, Decrease in Relative Humidity, Decrease in Land Albedo Due to Cities & Roads, Decrease in Water Type Areas from Loss of Albedo (Reflectivity) due to Ice and Snow Melting
Urban Heat Island Amplification Effects →	UHI Solar Heating Area (Building Areas), UHI Building Heat Capacities, Humidity Effects and Hydro-Hotspots, Reduced Wind Cooling, Solar Canyons, Loss of Wetlands, Increase in Impermeable Surface, Loss of Evapotranspiration.

Table 1 lists the global warming causes and amplification effects (Feinberg 2020). As one can see from the table, UHI effect is a global warming root cause with its own set of amplification effects. Just as the global climate system has its own sensitive amplification effects, the UHI amplification effects can be significant on its solar footprint as described in Feinberg 2020. One would expect that the stronger the influence that the UHI effect plays, the more it should decrease the CO₂ doubling temperature. Therefore, in this paper, we focus on how CO₂ doubling theory is influenced by the UHI effect with a brief overview. UHI amplification effects have been measured, and its root cause is a direct heating source compared to CO₂, both our population driven since 1950 and can be correlated to warming anomalies (Feinberg 2020). Furthermore, we see that numerous authors have found that UHIs likely are a

significant contributor to global warming. Therefore, it is important include it in CO₂ doubling theory and assess its important implications.

2. Review of the Timeline of CO₂ Doubling Theory

Greenhouse theory and early predictions started as far back as 1856 with CO₂ experiments by Foote, Tyndall in 1859, and what has become very popular, doubling theory by Arrhenius in 1896. Since Arrhenius, doubling temperature estimates based on theory and linked to environmental trends, have decrease as shown in Table 2. The doubling temperature, originally 5-6°C estimated by Arrhenius, shows a range with the last estimates now between 1.5 to 4.5°C per the IPCC. Doubling temperature is logarithmic with PPM of CO₂ as shown in Equation 1.

$$13.9^{\circ}\text{C} (57.02^{\circ}\text{F})+2.36^{\circ}\text{C} \text{Ln}(412/311.8)/\text{Ln}2=14.85^{\circ}\text{C} (58.73^{\circ}\text{F}), 0.95\text{C} (1.71^{\circ}\text{F}) \text{ Rise} \quad (1)$$

We see that this equation's (discussed more in Sec. 3) doubling temperature of 2.36°C is very close to the Manabe and Wetherald (1975) estimate in the Table. In this equation we are using CO₂ 2019 estimates versus the reference year 1951. In general, the doubling temperature value of 2.36°C is the temperature increase that one would expect if we doubled CO₂ from 312 to 624ppm. Then we would get another 2.36°C increase if we again doubled it to 1248ppm. The rate and magnitude of global climate change is determined by radiative forcing, climate feedbacks and the storage of energy by the climate system.

Table 2 Key CO₂ doubling theory history and conflicts

Reference	CO ₂ Doubling Temperature
Arrhenius, 1896	5-6°C
Gillbert Plass, 1950's	3.6°C
Manabe and Wetherald, 1975	2.3°C
IPCC (1 st -5 th Assessment 1990-2014, (ECS) equilibrium change	1.5 - 4.5°C
Current Trend, Eq. 1. Based on going from 311.8ppm to 412 PPM from 1951 to Dec 2019, with a 0.95°C (1.71°F) rise	2.36°C *

*Ignoring other GHG

3. CO₂ Doubling Theory Estimates with UHI Influence

Equation 1 can be solved for the doubling temperature DT_{CO₂} as

$$\text{DT}_{\text{CO}_2} = \frac{\Delta T_{\text{CO}_2 + \text{Effects}}}{\text{Ln}(\text{CO}_{2(2019)}/\text{CO}_{2(1950)})/\text{Ln}2} \quad (2)$$

In this case $\Delta T_{\text{CO}_2 + \text{Effect}} = 0.95^{\circ}\text{C}$, $\text{CO}_{2(2019)} = 412\text{ppm}$, and $\text{CO}_{2(1950)} = 311.8\text{ppm}$ (1951 and 2019 ppm and ΔT estimates from NASA databases), giving

$$\text{DT}_{\text{CO}_2} = \frac{0.95^{\circ}\text{C}}{\text{Ln}(412/311.8)/\text{Ln}2} = 2.37^{\circ}\text{C} \quad (3)$$

as expected from Equation 1. Here CO₂ is treated as the main cause of warming and this include all amplification effects such as increase in water vapor greenhouse gas (due to the fact that warm air holds more moisture), snow and ice melting etc.

For example we might estimate that CO₂ is responsible for 1/3 of global warming and the amplification feedback effects are causing ~2/3. There is a wide range of estimates of climate feedback sensitivity driven by uncertainties in how water vapor, clouds, and other factors change as the Earth warms. Climate feedbacks are mixed and some will amplify (positive feedback) or diminish the effect of warming from the root cause effects (see for example Hausfather 2018). The actual feedback is known to be positive (van Nes, 2015). For example, water-vapor feedback alone, which is one of the most important in our climate system, is thought to have the capacity to about double the direct warming (Manabe and Wetherald, 1967; Randall et al., 2007, Dessler et. al, 2008). Then incorporating the feedback, we can write this as

$$DT_{CO_2} = \frac{0.95^\circ C \{X_{CO_2} + X_{Feedback} (1 - X_{Other_GHG}) - X_{Other_GHG}\}}{\ln(412/311.8)/\ln 2} \quad (4)$$

In this section we will assume as an example that $X_{CO_2}=1/3$, $X_{Feedback}=2/3$, and let $X_{Other_GHG}\approx 0$. The X_{Other_GHG} is for other GreenHouse Gas (GHG) which are a small root cause source (so their temperature influence would need to be subtracted out from the DT_{CO_2}), as well it would reduce the CO₂ feedback portion proportionally if it were to be considered. However, we will treat it as negligible ($X_{Other_GHG}=0$) in our estimates.

If we have another main root cause, the UHI effect, then the doubling temperature is diminished similarly to the way we had written it for X_{Other_GHG} . Let's say for example that UHI causes f_{UHI} fraction of global warming. For example, if UHI caused 20%, then $f_{UHI}=0.2$, Incorporating this fractional effect, then the doubling equation becomes

$$DT_{CO_2} = \frac{\Delta T_{CO_2+Effects} \{(X_{CO_2} + X_{Feedback} (1 - f_{UHI}) - f_{UHI})\}}{\ln(CO_{2(2019)}/CO_{2(1950)})/\ln 2} \quad (5)$$

Here we assume that it shares the amplification feedback effect of $X_{Feedback}$ proportionally, so the CO₂ feedback is then diminished by $X_{Feedback}(1-f)$. For Example if UHI effect causes 20% of global warming; now $X_{Feedback}$ is reduced to $0.8 X_{Feedback}$.

Furthermore, the temperature change $0.95^\circ C$ due to global warming of CO₂ is reduced since a fraction is due to UHI effect. For example if UHI causes 20% of global warming (i.e. $0.95^\circ C$), then we must subtract of 20% of $0.95^\circ C=0.19^\circ C$. In this example where

$X_{CO_2}=1/3$ and $X_{Feedback}=2/3$, $f=0.2$ we have

$$DT_{CO_2} = \frac{0.95^\circ C \{1/3 + 2/3(0.8) - 0.2\}}{\ln(412/311.8)/\ln 2} = \frac{\{0.317 + 0.507 - 0.19\}^\circ C}{\ln(412/311.8)/\ln 2} = \frac{0.633^\circ C}{\ln(412/311.8)/\ln 2} = 1.57^\circ C \quad (6)$$

Here the global warming CO₂ doubling temperature is diminished from $2.36^\circ C$ to $1.57^\circ C$ due to the fact that UHI effect is responsible for 20% of global warming (without effects).

To check our results, we solve Eq. 2 for $\Delta T_{CO_2+effects}$, and using $DT_{CO_2}=1.57^\circ C$, we have

$$\Delta T_{CO_2+effects} = DT_{CO_2} \ln(CO_{2(2019)}/CO_{2(1950)})/\ln 2 = 1.57^\circ C \ln(412/311.8)/\ln 2 = 0.633^\circ C \quad (7)$$

Then the temperature rise due to the UHI+amplification feedback effect is

$$\Delta T_{UHI+Effects} = \Delta T_{gw} (f + X_{Feedback} f) = 0.95^\circ C (0.2 + 0.666(.2)) = 0.19^\circ C + 0.1265^\circ C = 0.3165^\circ C \quad (8)$$

Therefore, the global warming increase is as required

$$\Delta T_{gw} = \Delta T_{CO_2+Effects} + \Delta T_{UHI+Effects} = 0.633^\circ C + 0.3165^\circ C = 0.95^\circ C \quad (9)$$




Figure 1 CO₂ doubling temperature with UHI effect (%f) increasing influence with a) $X_{Feedback}=2/3$, b) $X_{Feedback}=1/2$

Figure 1 provides an overview of the Equation 5 doubling temperature versus f when $\Delta T_{gw}=0.95^{\circ}\text{C}$, $X_{\text{CO}_2}=1/3$, $X_{\text{Feedback}}=2/3$ or $X_{\text{CO}_2}=1/2$, $X_{\text{Feedback}}=1/2$.

We note the author feels from his work (Feinberg 2020) that a 10-20% range is a likely estimate for the UHI effect on global warming.

4. Model Findings and Implications

Using the model we can assess the McKittrick and Michaels 2007 contention that the net warming bias at the global level may explain as much as half the observed land-based warming. This would indicate in our model that the CO₂ doubling temperature would diminish between 0.39°C to 0.59°C according to Equation 5 depending on the feedback proportion estimated of $X_{\text{Feedback}}=2/3$ or $X_{\text{Feedback}}=1/2$ respectively (see Figure 1). If that were the case, we see that the CO₂ effect would essentially breakdown. Such a contention would promote pushback as it has (see McKittrick Website). Although it is less likely to be that high in magnitude, it does suggest that there is a reasonable probability we should not restrict our efforts to one path focusing on CO₂. Such a path is putting our planet at risk if it turns out the McKittrick and Michaels work is reasonably accurate along with the many other authors cited in the introduction including this author. We see that one cannot guarantee with 100% probability that our current CO₂ path is correct, as a lack of UHI albedo goals by the IPCC suggests. There are currently no goals for UHI warming rectification while this concern by many authors now goes back about 15 years.

It is clear that there is certainly cause for alarm why the many authors' findings have not been influential enough to encourage UHI IPCC goals. There is really no real reason for the IPCC and its authors not to address this issue through setting albedo goals as they have for CO₂ especially given the uncertainty in CO₂ doubling theory. Each day we take almost no action to try and cool off our cities is valuable wasted time in our fight against global warming while we lose more and more ice and snow. We have of course minimal suggestions of cool roofs, yet there is very little on-going coordinated global effort to make such changes. We continue to use the worst case colors for our roads and roofs, and allow unreflective architecture into our cities and ignore many other mitigating urban choices. There is absolutely no reason why we could not after all this time be using a better safe than sorry policy and have goals for both CO₂ and the UHI effect. Given the uncertainty in all our models, it seems that a continual lack of IPCC albedo goals is a highly risky global policy.

5. Summary

We have provided a short review of CO₂ doubling theory and how its doubling temperature changes due to the UHI effect on global warming. Both the magnitude of CO₂ and the UHI effect are obviously hard to estimate on how much influence each has on global warming anomalies. A reasonable assessment is even difficult at this time. Therefore, we should accept that we most likely have two main root causes of global warming. In our paper (Feinberg 2020) we provided suggestions related to the Urban Heat Island effect which we would like to include here. As of the time of this paper, the IPCC authors are still (approximately 15 years) treating the UHI as only a local effect.

- *We feel this is a serious error on a global scale. We stress that the IPCC is the main governing force and the only agency capable of promoting such albedo goals for cities and roads. Therefore, whether it is just for UHI known health reasons or due to studies that have found significance, we strongly urge the IPCC to set albedo goals and include such goals in their global meetings.*

Therefore our suggestions remain (Feinberg 2020):

- Creating IPCC goals to include the need for albedo enhancements in existing UHIs and roads
- A directive for future albedo design requirements of city and roads
- Recommend an agency like NASA be tasked with finding applicable solutions to cool down UHIs.
- Recommendation for cars to be more reflective. Here although world-wide cars likely do not embody much of the Earth's area, recommending that all new manufactured cars be higher in reflectivity (e.g., silver or white) would help raise awareness of this issue similar to electric cars that help improve CO₂ emissions

References

- Arrhenius S. (1896) , On the influence of carbonic acid in the air upon the temperature of the ground. The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science, 41 (251),: 237–276. doi:10.1080/14786449608620846, also in Publications of the Astronomical Society of the Pacific. 9(54) ,(1897), 14 doi:10.1086/121158.
- Dessler A. E. ,Zhang Z., Yang P., Water-vapor climate feedback inferred from climate fluctuations, 2003–2008, *Geophysical Research Letters*, (2008), <https://doi.org/10.1029/2008GL035333>, also see The physics of climate change, by Dessler, Youtube, Sept 25, 2015
- Feddema, J. J., Oleson K. W., Bonan G. B., Mearns L. O., Buja L. E., Meehl G. A., and Washington W. M., (2005), The importance of land-cover change in simulating future climates, *Science*, **310**, 1674– 1678, doi:10.1126/science.1118160
- Feinberg, A, (2020) Urban Heat Island Amplification Estimates on Global Warming Using an Albedo Model, Preprint: *Vixra: 2003.0088*, DOI: 10.13140/RG.2.2.32758.14402/4, https://www.researchgate.net/publication/339777749_Urban_Heat_Island_Amplification_Estimates_on_Global_Warming_Using_an_Albedo_Model, *Submitted Climate Change J.*
- Hausfather Z., (2018) *How Scientist Estimate Climate Sensitivity, in Carbon Brief*, <https://www.carbonbrief.org/explainer-how-scientists-estimate-climate-sensitivity>
- Huang Q. , Lu Y. (2015), Effect of Urban Heat Island on Climate Warming in the Yangtze River Delta Urban Agglomeration in China, *Intern. J. of Environmental Research and Public Health* 12 (8): 8773
- IPCC Special Reports, Global Warming of 1.5°C (2018), 2019 Refinement of the 2006 IPCC guidelines for National Greenhouse Gas Inventories, <https://www.ipcc.ch/2019/>, 2007 IPCC Fourth Assessment Report, AR5 Synthesis Report, Climate Change 2014, Latest Meeting - UN Climate Change Conf. COP 25.
- IPCC, 2013–2014: Summary for Policymakers. In: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Manabe, S., and R. T. Wetherald (1967), Thermal equilibrium of atmosphere with a given distribution of relative humidity, *J. Atmos. Sci.*, 24, 241–259.
- Manabe S. and Wetherald R., (1975), The effects of doubling the CO₂ Concentration on the Climate of a General Circulation Model, *J. of Atmospheric Sciences*, V 32, No. 1
- McKittrick R., Michaels P. (2007) Quantifying the influence of anthropogenic surface processes and inhomogeneities on gridded global climate data, *J. of Geophysical Research-Atmospheres*
- McKittrick Website Describing controversy: <https://www.rossmckittrick.com/temperature-data-quality.html>
- NASA CO₂ Database used for 1951, <https://data.giss.nasa.gov/modelforce/ghgases/fig1A.ext.txt> and for 2019 <https://climate.nasa.gov/vital-signs/carbon-dioxide/>
- Plass,G., Fleming J., and Schmidt G.,(1959) Carbon Dioxide and the Climate, *American Scientist*, 98(1) 58-62. An abridged reprint of Plass's Scientific American paper with commentary by Fleming and Schmidt
- Randall, D. A.et al. (2007), Climate models and their evaluation, in *Climate Change 2007: The Physical Science Basis. Contributions of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, edited by S. Solomon et al., pp. 591–662, Cambridge Univ. Press, Cambridge, U.K.
- Ren, G.; Chu, Z.; Chen, Z.; Ren, Y. (2007), Implications of temporal change in urban heat island intensity observed at Beijing and Wuhan stations. *Geophys. Res. Lett.*, 34, L05711, doi:10.1029/2006GL027927
- Satterthwaite D.E., F. Aragón-Durand, J. Corfee-Morlot, R.B.R. Kiunsi, M. Pelling, D.C. Roberts, and W. Solecki, (2014): Urban areas. In: *Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (IPCC)*
- Schmidt G. A. (2009), Spurious correlations between recent warming and indices of local economic activity, *Int. J. of Climatology*
- Stone B., (2009), Land use as climate change mitigation, *Environ. Sci. Technol.*, 43(24), 9052– 9056, doi:10.1021/es902150g
- van Nes E. H., Scheffer M., Brovkin V., Lenton T. M., Ye H, Deyle E. and Sugihara G., *Nature Climate Change* 2015. dx.doi.org/10.1038/nclimate2568
- Yang, X.; Hou, Y.; Chen, B. (2011), Observed surface warming induced by urbanization in east China. *J. Geophys. Res. Atmos*, 116, doi:10.1029/2010JD015452