

# Wave Particle and Electron Spin

Kamal L Rajpal

Copyright © 2002-2021 by Kamal L Rajpal. All Rights Reserved. May be distributed for no-profit educational & research purposes. Not for commercial use.

## ABSTRACT

A solitary electron in free space is not a fixed particle at rest in a given inertial frame of reference. It is always oscillating in a simple harmonic motion (SHM) in its own electromagnetic inertia field, even at zero kelvin temperature.

A Newtonian particle exhibits uniform motion in a straight line. A quantum particle like the electron exhibits uniform motion along a sine wave path. This explains the physical concept of the wave-particle nature of the electron. As the mass of a quantum particle increases, the wavelength of the particle decreases as per French physicist Louis de Broglie. In the limiting case the sine wave becomes a straight line. Also, a hypothetical electron without an electric charge is like the bob of a simple pendulum without a string.

In an electron-spin qubit, the electron can oscillate either clockwise or anti-clockwise and cannot oscillate both clockwise and anti-clockwise at the same time. It cannot be both spin-up and spin-down at the same time.

## THE ELECTRON

An electron is a subatomic elementary particle with the smallest non zero rest mass. It has a negative electric charge, which generates a field in free space, extending to infinity, and is conversely acted on by forces due to the field. In a thought experiment assume a solitary electron in free space to be at rest, at the origin in a given inertial frame of reference. Let this electron be subject to a tiny force  $F$  in the (+) Y-axis direction.

*A uniformly accelerating electron* gives rise to *a uniformly changing electric field*. This will induce *a uniformly changing magnetic field*, which will induce *a uniformly changing electric field*, so as to oppose the initial change in the electric field. This will cause the electron to decelerate and come to rest at some point (+a) on the Y- axis.

The decelerating electromagnetic force on the electron will continue to act in the plus (+) Y-axis direction and cause the electron to accelerate in the minus (-) Y-axis direction. Since, deceleration in the plus (+) Y-axis direction is equal to acceleration in the minus (-) Y-axis direction. The electron will accelerate towards the origin.

The initial force F will now be acting in the minus (-) Y-axis direction. This force will carry the electron to a point (-a) 'minus a' on the Y-axis, where the electron will come to rest, change direction and accelerate towards the origin. And so on.

<https://upload.wikimedia.org/wikipedia/commons/2/25/Animate-d-mass-spring.gif>


A solitary static electron in free space is not a fixed particle at rest in a given inertial frame of reference. It is always oscillating in a simple harmonic motion (SHM) in its own electromagnetic inertia field even at zero kelvin temperature.

An electron which is oscillating along the Y-axis, in a SHM, with its rest or equilibrium position at the origin; when subject to a force in the (+) X-axis direction at the origin, will move along a sine wave path in the XY-plane, in the (+) X-axis direction, even at relativistic velocities.

[https://upload.wikimedia.org/wikipedia/commons/7/74/Simple\\_harmonic\\_motion\\_animation.gif](https://upload.wikimedia.org/wikipedia/commons/7/74/Simple_harmonic_motion_animation.gif)

A Newtonian particle exhibits uniform motion in a straight line. A

quantum particle like the electron exhibits uniform motion along a sine wave path. This explains the physical concept of the wave-particle nature of the electron. As the mass of a quantum particle increases the wavelength of the particle decreases as per French physicist Louis de Broglie. In the limiting case the sine wave becomes a straight line.



However, a hypothetical electron with zero electric charge, at rest at the origin in a given inertial frame of reference, when subject to a force in the (+) X-axis direction, will exhibit uniform motion in a straight line in the (+) X-axis direction as per Newton's laws of motion. A hypothetical electron without a charge is like the bob of a simple pendulum without a string.


The intrinsic electromagnetic oscillation nature of a solitary electron in free space is in accordance with the law of conservation of energy and is similar to an ideal simple pendulum oscillating in a SHM in the earth's gravitational field.

When an ideal simple pendulum is displaced sideways from its rest or equilibrium position it is subject to a restoring force due to gravity that will accelerate it back toward the equilibrium position.


The potential (gravitational) field vector direction (Y-axis) and the kinetic (velocity) field vector direction (X-axis), of a SHM oscillating ideal simple pendulum are orthogonal. The potential field and the kinetic field are in phase quadrature.

This implies that when the potential energy is at its maximum,

the kinetic energy or velocity is zero. And, when the potential energy is at its minimum, the kinetic energy or velocity is at its maximum. The potential energy plus kinetic energy is always a constant.



Similarly,



The transverse electric (E) and magnetic (H) fields of a SHM oscillating electron (at rest or uniformly moving) are orthogonal and in phase quadrature. The electric field energy plus magnetic field energy is always a constant.

This is SHM, standing wave; intrinsic electromagnetic inertia generating resonance. The electron rest mass is equivalent to the energy of a photon of wavelength equal to the electron Compton wavelength. It has the value of 0.0243 angstrom. The energy of a photon of this wavelength is equal to the rest mass energy  $mc^2$  of an electron. An analysis of the oscillating electron is also given by Petr Beckmann [1].


The earth's conservative gravitational field is external to the simple pendulum. However, an electron exhibits SHM oscillation in its own electromagnetic inertia field, even at zero Kelvin temperature.

Oscillations can be thermal or electromagnetic. Thermal oscillations tend to zero as the temperature tends to zero kelvin. At zero kelvin we are left with only the electromagnetic oscillations. This is non-thermal, zero point vibration at absolute zero. The zero point energy is the lowest possible vibration energy.

As per Galileo's law of inertia or Newton's first law of motion, a physical body is either at rest in a given inertial frame of reference or will continue to exhibit uniform motion in a straight line. Similarly, an ideal simple pendulum is either at rest or will continue to oscillate forever in a SHM, unless acted upon by an external force to change it.

## CONICAL PENDULUM

A conical pendulum is a simple pendulum in which the bob moves at a constant speed in a horizontal circle with the string tracing out a cone. The time period, for a very small radius of swing only, is the same as for a simple pendulum wherein the bob is swinging back and forth in a vertical plane.



A simple pendulum will oscillate in a SHM along a linear path or, along an elliptical or a circular path (*conical pendulum*). Similarly, an electron exhibits non-thermal standing wave SHM oscillation along a linear path or, along an elliptical or a circular (clockwise or anti-clockwise) path which results in the electron's intrinsic magnetic moment (spin up or spin down). An electron with spin behaves like a tiny magnet. Intrinsic spin also entails that a subatomic particle is spinning like a toy-top about its axis.

In a classical conical pendulum the bob oscillates either clockwise or anti-clockwise. It cannot oscillate both clockwise and anti-clockwise at the same time. Similarly, in an electron-spin qubit, the electron can oscillate either clockwise or anti-clockwise and cannot oscillate both clockwise and anti-clockwise at the same time. It cannot be both spin-up and spin-down at the same time.

## INTRINSIC SPIN & ORBITAL ANGULAR MOMENTUM

Quantum particles carry energy and angular momentum. Angular momentum has two components:

Intrinsic Spin angular momentum (SAM) and  
Orbital angular momentum (OAM).

The SAM of the earth gives us day and night. The OAM of the earth gives us the seasons, as the earth moves around the sun.

Spin is a fundamental property of quantum particles, like its mass or charge. It is present both in moving and in particles at rest. OAM results from the motion of a particle around some object, like an electron around a nucleus.


Spin is the intrinsic angular momentum of a particle which

exists even when the particle is at rest, as distinguished from the orbital angular momentum (OAM). An electron has an intrinsic angular momentum and a consequent intrinsic magnetic moment or spin. The observed electron spin angular momentum (SAM) implies that the electron is a tiny magnet.

Intrinsic spin also entails that a subatomic particle is spinning like a toy-top about its axis. Spin corresponds to the circular or elliptical oscillations of a quantum particle. An analogue in classical mechanics is a "conical pendulum".

## ATOMIC ORBITS

Since an electron does not move in a straight line but along a sine wave path, so, electrons in atomic orbits do not move in a linear circular path but along a sine wave, circular path [1].




The actual path is in between two concentric spheres around the nucleus.

The highest point on a wave is called the peak. The lowest point is called the trough. As the electron orbits the nucleus, the energy required to escape the atom would be less when it is at the highest peak point. Quantum tunneling is very likely to occur at the peak and unlikely at the lowest trough point.

If, the electron orbit circumference is an integral multiple of the electron de Broglie wavelength; the electron which is

moving in a sine wave circular path, will repeat the same sine wave path in each successive orbit. The sine wave paths in consecutive orbits will exactly overlap. The electron wave reconnects with itself.

The electric (E) and magnetic (H) fields oscillate in space and time but do not travel in space and time. This is a stable standing wave electron orbit. The orthogonal E and H fields are in phase quadrature.



Not a Standing Wave

Standing Wave

If, the electron orbit circumference is not an integral multiple of the electron de Broglie wavelength, the sine wave paths in successive orbits do not overlap. The electron wave does not reconnect with itself. The electric (E) and magnetic (H) fields travel in space and time along the electron orbit circumference. It is not a standing wave and so is an unstable electron orbit.

## BUCKMINSTER FULLERENE

Buckminster fullerene is a molecule with the formula  $C_{60}$ . It is composed of sixty carbon atoms in a 'football' configuration, made of twenty hexagons and twelve pentagons.

This molecule so far is the most complex object revealing wave behavior, with a de Broglie wavelength of 2.5 picometers ( $2.5 \times 10^{-12}$  meters) – some 400 times smaller than the diameter of the molecules.



REFERENCE: [1] Beckmann Petr, Einstein Plus Two, The Golem Press, Boulder, Colorado, USA, 1987.

FURTHER READING:

Photon Physics: [http://vixra.org/author/kamal\\_I\\_rajpal](http://vixra.org/author/kamal_I_rajpal)

E-mail: [rajpalkl@yahoo.com](mailto:rajpalkl@yahoo.com)

09 December 2002.      Last Revised 18 April 2021.