

FUNDAMENTAL FORCES ARE NOT FUNDAMENTAL AS OUR 3-D UNIVERSE IS DRIVEN BY AN EXTERNAL ENERGY SOURCE

Authors: Pushpak N Bhandari, PhD Purdue University USA; Nandan M Bhandari MSc University of Saskatchewan, Canada

Abstract: To find a solution to many unsolved mysteries in physics, a new theory has been proposed. This theory proposes an external source of energy that is responsible for all so-called fundamental forces associated with the elementary particles. New dimensions called O-reality and O-imaginary, which are sources of external energy to our 3-D universe, are introduced. These are energy-filled totally symmetric dimensions wherein time does not exist. Current theory states that the energy of elementary particles is by virtue of an external source and not an intrinsic property. This theory integrates quantum particles with gravitational force and holds the potential to solve most existing unsolved problems. A mathematical model is developed using this theory for the calculation of the gravitational force. The results of the gravitational force obtained by this model, wherein the energy source responsible for the gravitational force has an external origin, are in accordance with Newtonian values. This theory brings quantum physics and gravitational force under one umbrella and opens the door for the reasoning behind many unsolved problems in physics. This theory leads to a new approach towards explaining the origin of Universe, dark matter, dark energy, quantum entanglement, double slit experiment and wave particle duality, superposition, holographic universe, uncertainty principle, origin of time and its unidirectional property, increasing entropy.

KEYWORDS: GRAVITY, GENERAL RELATIVITY, QUANTUM PHYSICS, FUNDAMENTAL FORCES

INTRODUCTION: There have been many unsolved problems and mysteries in physics. This current work is focused on finding solutions to most of those problems. Over the years, we have constrained science thinking in Newton, Galileo and Einstein's angles. It has been necessary to come out from those approaches and see at physics from a new direction to find a solution to the unsolved problems.

Unsolved Problems in Physics:

Nature of Gravity, Dark Matter, Dark Energy, Entanglement of Particle, Quantum Tunnelling, Speed of light being constant irrespective frames of reference, Wave particle duality, Origin of the Universe, Measurement problem, uncertainty principle, superposition at the quantum level, Expansion of Universe, Validity of Big Bang Theory.

A new approach to the existing physics is performed so that the solution to unsolved problems can be found.

The following laws laid the foundation of current physics:

"Newton's Universal Law of Gravitation" (1686)[1] – this contains no explanation as to what gravity is. It is a law that describes how gravity works, not what it actually is.

"Einstein's General Theory of Relativity" (1915)[2] tells us that planets and stars (any kind of matter) warp the fabric of space-time and that they produce gravitation as a side effect of this warping - however, we do not have a theory that tells us what this "fabric" is made up of or what its fundamental properties are.

The closest we have to a widely accepted "theory" of gravity and gravitation is "the general theory of relativity," and it doesn't really describe correctly what gravity is.

Newton suggested an empirical equation for gravitational force with G ($6.6743 \cdot 10^{-11} \text{ N} \cdot \text{m}^2 \cdot \text{kg}^{-2}$) as the gravitational constant. Newton's theory and laws of motion have been the foundation of physics, and based on the same, many everyday life problems could be solved very easily for lower velocity values. Newton's theory fails near black holes where extremely high gravitational force exists and at velocities close to the light velocity.

Einstein made sharp progress in the understanding of gravity by introducing the space-time structure and explaining gravity as a result of space-time geometry. In General Relativity, matter shows space-time how to curve, and curvature shows matter how to move.




Fig 1: Space-time Curvature of General Relativity

Although GR has been successful in solving many problems, it still has some unanswered questions.

If space time has a form similar to stretched film, it should have a boundary. The properties of intrinsic tension and elasticity in the fabric should be known. Einstein's theory does not apply to subatomic particles. Hence, quantum physics had been outside the limits of General Relativity.

It has always been assumed that all subatomic forces, e.g., weak forces, strong forces, electromagnetic forces and gravity (so-called fundamental forces), are intrinsic properties of matter, and their existence, nature and properties have nothing to do with anything outside of matter.

The following points have been puzzling, and the reasoning given about it had never been satisfactory.

- i. If a distant object such as a comet comes near the Sun from almost infinite distance, it should fall into the sun by virtue of gravitational force rather than making an elliptical path round around the Sun. How it knows to bend around sun?
- ii. So much of matter in the Universe and existence of Gravity in the Universe should result in collapse of entire matter. There should be some force giving direction to the movement of the objects in the Universe.
- iii. To make planetary motion exist, there should be some additional force to guide the matter in the planetary motion.
- iv. Matter at its smallest scale is in the form of electrons, strings or quarks vibrating. They have energy. They consume energy. Where does this energy come from? These energetic particles exist in association with a larger mass. Hence, it was felt that the existence of these energetic vibrating particles needs some source of external energy. Matter exists by virtue of vibrations in subatomic particles. The energy for the vibration must have a source from outside of the matter. In the presence of Gravity why should Universe expand with acceleration.

The current theory states that the energy to elementary particles is imparted from an external source. This theory replaces the 4-D space-time fabric of GR with 3-D energy lines. The energy lines radiate from an external source and impart energy to the matter of our 3-D universe. Two unique additional dimensions are introduced in this theory: the Reality O-dimension and the Imaginary O-dimension. These two dimensions are unique and totally symmetric. These dimensions are filled with potential energy, and they are the source of the energy in this theory. These dimensions are totally symmetric energy-filled balls. We call them dimensions because they can act on individual particles separately as well as collectively on the agglomerate of the particles as well as on the total universe in the same manner in the form of halo. This energy integrates quantum particles with gravitational forces. Further application of this theory can solve many more problems and hold the potential to be universal theory.

Picture below shows a children toy that gave an idea of a new approach to look at the matter and basic physics. Picture shows a spinning wheel connected with a pair of threads on both sides. You twist the thread by rotating its wheel with the help of fingers. Energy is stored in the twisted thread. As you pull the thread, the stored energy in the thread is released and imparted to the wheel. The wheel gains kinetic energy and in turn twists the thread again. Thus, pulling the threads again releases the stored energy in the thread.

The following link shows how the external force acts on the Universe:

<https://www.youtube.com/embed/adX64oONGBg?feature=oembed>

Fig 1: Spinning wheel analogy to illustrate external energy source principle




Fig 2: Illustrations of the mechanism of the external source of energy by means of spinning toy with threads connected on two sides

A similar mechanism should be applicable for the vibrational energy in subatomic particles. Energy for vibrating subatomic particles is obtained from an external source. Similarly, matter composed of subatomic particles must have an energy source from outside

O-DIMENSIONS:

In this theory, there is an additional pair of basic dimensions. We call them O-dimensions.

1. Reality O-dimension
2. Imaginary O-dimension.

O-Dimensions are spherical energy filled dimensions that exist around every particle individually and around multiple particles collectively as well as around the entire Universe. When observed in a 3-D universe, these dimensions form a halo-like structure around each discrete particle as well as around the composite of particles and further around planets as well as around the entire 3-D universe.

These names are derived from real numbers and the concept of imaginary numbers. (Instead of going into Fancy new dimensions, it was decided to attempt to solve the problems with the help of known mathematically proven dimensions). Further work can lead to linking this theory with Schrodinger's equation. Straightforward solution could be found for wave particle duality and uncertainty principle with the help of this hypothesis. It is planned to give new approach to quantum physics by considering superposition of two 3-D dimensions created by two new sources of energy from O-Dimensions. Work in this direction has been initiated.

Both dimensions are totally symmetric and filled with energy (kind of potential energy). We call them dimensions because they are not confined to any particular location. Therefore, what we call O-dimensions are symmetric energy spheres having unique symmetry properties, which are different from the 3-D universe. These spheres of energy surround every particle individually as well as every system of matter under study. Being independent and unique, we call them dimensions. These dimensions are called O-energy dimensions (1. Reality-O energy dimension, Imaginary O-energy dimension). Being absolutely symmetric time does not exist in these O-dimensions. The difference between O-dimensions and Euclidean space dimensions is that Euclidian space is asymmetric, and there exists time and entropy in this space, whereas the O- dimension is absolutely symmetric, and time does not exist in it. O-Dimensions encircle the Euclidian 3-D universe. O-dimensions exist around each particle of the 3-D universe individually as well as collectively in the form of halo. The symmetry of the O-dimension implies that every particle in this dimension is omnipresent. You cannot distinguish between two particles. Time does not exist in the O-dimension. Particles at the periphery of the 3-D universe and O-dimension have dual properties, such as timeless and omnipresence of the O-dimension as well as properties of the asymmetric universe, as they change their position across the phase. Energy applied to the 3-D Universe totally or individually on any particle of the 3-D universe is uniform from all directions.




Fig 3: 3-DIMENSIONAL UNIVERSE AT THE CENTRE OF TWO O-DIMENSIONS

Some more possible configurations of 0 dimensions in association with 3 D Universe

Fig a:




Fig B:




FIG C:




Fig: D:

FIG 4: A, B, C: Possible Orientations of the 3-D Universe with respect to 0-Dimensions

These two O-dimensions are independent.

Basic Rules of Symmetry:

- 1. Time does not exist in the total symmetric system**
- 2. In a system with non-existent time, every particle is omnipresent. In other words, you cannot distinguish between two particles.**
- 3. Asymmetry gives rise to time. The time value is related to the degree of asymmetry.**

This new theory substitutes the space-time structure of the relativistic approach by energy lines imparting energy to every subatomic particle from an external source (O-Dimensions). This energy is imparted by a pair of proposed O-dimensions. This theory connects subatomic particles with external energy sources. The O-dimension encircles every subatomic particle and imparts the energy required by the particle. For a larger mass, the O-dimension of each particle adds up to form a larger O-dimension encircling the larger mass. The O-dimension of larger 3-D matter is the sum of all O-dimensions of subatomic particles. O-dimensions are present around every discrete particle, agglomerate or composite of particles or even planets as well as the entire Universe in the form of Halo. Every system under study is surrounded by the O-dimension, which imparts energy to the system uniformly from all directions.

The quantum field has come inside the domain of this theory, and it focuses light on unanswered problems such as dark energy. This theory supports the possibility of the Holographic Universe. We propose not to use a time as a dimension but it should be treated as a field for any calculation.

1. Beginning of the 3-D Universe

At present, the widely accepted theory for the beginning of Universe is Big Bang theory, which is absurd, nonintuitive and illogical. Attempts have been made to fit the theory with observations, which has resulted in its wider acceptance. In the current 3-D universe of ours, every new creation takes place by interaction between two opposite species, viz. male and female. Even plants also create new plants by the interaction of male and female parts. In such a case, why should be the beginning of Universe be by a big explosion. No child to any animal species is born by explosion in the womb, nor any plant species propagates by firework. Thus, the Big Bang is scientifically wrong theory of beginning, which is leading us in the wrong direction. It is necessary to correct all initial points in the theories that are giving wrong direction to science. It has become absolutely essential to go to those wrong starting points for correction, as science has become standstill due to them.

The 3-D universe is analogous to a biological system. In biological systems, two entities with opposite properties (such as males and females) give rise to new entities. Similarly, a 3-D universe was formed when two O-dimensions (1. Reality, 2. Imaginary) interacting with each other may be by accident.

A momentary spark/perturbation/interaction between these dimensions is the beginning of the 3-D universe. This spark created asymmetric quantum space and caused the beginning of a new universe. It is not only the beginning of a new Universe; it is the beginning of time and entropy initiated by the creation of an asymmetric 3-D universe. The asymmetric points created at connecting points between the O-Reality Dimension and O-Imaginary Dimension. A knot is generated between the energy of two O-dimensions, causing a stress on the energy fields of two dimensions, which consequently initiates vibrational motion in the knot. This process proliferated, causing the birth of a larger 3-D Universe. Initial knots may be particles having no mass or very small masses, such as photons/electrons. Further interactions of O-dimensions created new small

particles. Further small massless particles merged to form larger, more asymmetric particles. This is the beginning of our new 3-D asymmetric Universe. Word asymmetry represents the degree of asymmetry and not total asymmetry. During the explanation of the new theory, time is expressed in terms of time (seconds) per unit of length (Meter) of the Universe. In the beginning of the Universe, this unit of time per unit of length in the Universe was very large.

Formation of a 3-D Universe wherein a time parameter exists and subsequently an entropy





Fig 5: Beginning of the 3-D Universe, Time and Entropy

EXPANDING 3-D UNIVERSE



Diameter of 3-D universe is D and time per unit length is T per Meter

Diameter of 3-D universe is $2D$ and time per unit length is $(T/2)$ per Meter

Diameter of 3-D universe is $4D$ and time per unit length is $(T/4)$ per Meter

Diameter of 3-D universe is $8D$ and time per unit length is $(T/8)$ per Meter

Fig 6(a)

Fig 6(b)

Fig 6(c)

Fig 6(d)

Fig 6: Time value per unit length in the 3-D universe decreases as the universe expands

Universe is shown at its 4 stages of expansion

The velocity of light C is the same in all 4 stages when observed in their own frames.

The time value/unit length of the universe differs in these stages. Reciprocal is unit length divided by time. Hence relative velocity of light increases with expansion when observed from expanded frame of universe.

Hence, the speed of light of stage (a) with reference to other stages is lower when observed from other stages; similarly, for every stage, the speed of light is observed to be lower compared to the expanded state when observed from the expanded state.

The wavelength of light of every stage is more than that of the expanded stage when observed from the expanded stage. A redshift is the result of a change in the relative time span of the Universe as it expands. When an object from the distant past is observed from the expanded state of the universe, the object observed value has a higher wavelength of light and lower frequency. This is the cause of the observed redshift.

As the asymmetry and volume of Universe increased, the value of time per unit distance decreased. The current value $1/(3 \times 10^8)$ seconds/meter (the reciprocal of the velocity of light) is the representative current state of asymmetry of the Universe. Thus, the speed of light is nothing but the degree of asymmetry of the Universe, and it is a fundamental value of the current state of the Universe. The time value per unit distance of the 3-D universe has been decreasing over very long periods of time as the Universe expands. Additionally, the velocity of light regularly increases with the expansion of the universe when observed from the expanded stage of the universe. A decrease in time per unit length value results in an increase in entropy value. Since our Universe is expanding continuously, the time per unit length is decreasing. This is the reason for time appearing to be Unidirectional. Thus, time and entropy are functions of the degree of asymmetry. The increasing entropy property is due to continuous expansion of the Universe. In a 3-D universe, a photon appears to travel from one point to another, whereas when viewed from the 0-dimension, it is already at those two points in the beginning itself. The phenomenon of light traveling is a property of the 3-D universe due to the presence of space and time, and it is different when observed from from 0-Dimensions.

The proliferation of asymmetry caused further expansion of the 3-D universe, or one can say that expansion caused an increase in asymmetry. Particles of this Universe that are in a vibrational motion are connected to Two 0-dimensions by means of energy lines. Energy from 0- Dimensions is stored in the interwound or twisted form of energy lines, which impart this energy to the 3-D universe.

Small massless particles or particles with very low mass of the 3-D Universe lie on the boundary of the 3-D universe and 0 universes and possess dual properties of the 0 universe, such as timelessness, along with the properties of the 3-D asymmetric universe (space, time and entropy). Particles change their properties as they move across the boundary from one phase to another phase. When observed in a 3-D universe, these dimensions form a halo-like structure around each discrete particle as well as around the composite of particles and further around planets as well as the whole of the 3-D universe. The importance of this property in explaining quantum entanglement, speed of light and wave particle duality will follow in the next sections.

The 3-D universe generated has 3 coordinates with entropy and the existence of unidirectional flowing time. Unidirectional flow of time and entropy is due to the expansion and continuous

increase in asymmetry of the universe. The space time of Einstein's Universe is replaced by energy lines, as shown in the figures below. It is proposed to use time as a field in 3-D universe instead of separate dimension.




Fig 7: Picture of the energy line association with matter in a 3-D universe.

BIG BANG [3]: As shown in Fig 6, time has become increasingly smaller compared to the earlier universe as Universe expanded. Therefore, today's 1 second is equivalent to almost 3000 years at the time of origin of Universe. When we observe Universe in back time close to the beginning of Universe, a period of 3000 years of expansion appears to have occurred in one second. Is this illusion we call Big Bang?





Fig 8: 3-D particle formed in between 2 O-Dimensions, a beginning of the 3-D universe

Massless particles (Present on the boundary of 3-D universe and 0 Dimensions. They are part of both dimensions and possess properties of both dimensions.)



Interaction between small massless particles gives rise to larger particles. Larger particles are part of only the 3-D universe and do not share properties of 0-dimensions. If a massless particle is pulled away from the boundary of the 3-D universe and 0-dimension, it loses its timelessness and obtains a particulate form.

Fig 9: Formation of a larger 3-D Universe




Fig 10: 3-D Universe vibrating between two 0-dimensions

As per this theory, the energy source of subatomic forces is from an external energy source. All fundamental forces, such as electromagnetic, gravitation, weak force and strong force, have external input of energy.

To verify the new theory where the energy source for all the subatomic forces and subsequently the gravitational force is also external, a new model for the gravitational force is proposed. Gravitational force calculated between the Sun and planets in our solar system as well as between Earth and its moon. The results of gravitational force are parallel to the existing values calculated with Newton's equation confirming the validity of the new theory

1. Gravitational force and New Model

When two objects come closer, some of their energy lines are cancelled and create an energy vacuum in the objects, as shown in the figure below. Red colored conical sections of two objects

are energy starved regions caused by the shadow of each object on another object. Two red colored sections of matter fall into the energy shadow region, and an energy vacuum is generated. This vacuum is the cause of the gravitational force.




Fig 11: Red coloured cones of Matter are energy starved regions of two objects

R is the shortest distance between Object 1 & Object 2

Among the two spherical objects used, Object 1 is more massive than Object 2.

Mass of the conical section in the energy shadow (shown in red) for object 1= MCS1

Mass of the conical section in the energy shadow (shown in red) for object 2= MCS2

D is the diameter of object 1, which is larger than Object 2, which is smaller in size and has diameter d.

Dx is the diameter of the bottom of the energy starved energy cone of Object1

dx is the diameter of the bottom of the energy starved cone of Object 2

CONICAL SECTIONS OF THE MATTER IN RED COLOUR ARE IN SHADOW AREA OF EXTERNAL ENERGY FIELD.

GRAVITATIONAL FORCE IS PROPORTIONAL TO THE SUM OF MASSES OF ENERGY SHADOW CONES MULTIPLIED BY SQUARE OF SPEED OF LIGHT "C"

GRAVITATIONAL FORCE IS PROPORTIONAL TO (MCS1+MCS2)*C²

The new equation of the gravitational force is as follows:

$$\text{Gravitational force} = 2 * K * (MCS1 + MCS2) * C^2 * MCS2 * ((D/Dx^2) + (d/dx^2))$$

$$\text{But } D_x^2 = d_x^2$$

$$\text{Hence, GRAVITATIONAL FORCE} = 2 * K * (MCS1 + MCS2) * C^2 * MCS2 * (D + d) / D_x^2 \dots \dots \dots (1)$$

When two objects come closer due to the cancellation of the energy lines of the two objects, distortion occurs in the lines of energy.

MCS1 is the mass of the shadow cone of Object 1, which is starved for energy (Unit kg)

MCS2 is the mass of the shadow cone of Object 2, which is starved for energy (Unit kg) $MCS1 > MCS2$.

K is a new gravitational constant $1.5711 \cdot 10^{-35} \text{ kg}^{-1}$

C= Velocity of light $3 \cdot 10^8 \text{ m/s}$

R= shortest distance between two objects

OBJECT 1

OBJECT 2

The area shown in red is the matter falling in the shadow area. Matter deprived of external energy is responsible for gravitational force




Fig 12: Green portion is the space devoid of energy lines.

1. VALIDATION OF THEORY:

To verify the validity of the theory, equation no. 1 is proposed for the gravitational force. This equation is applied to the planetary system of our solar system as well as the Moon and Earth to check the validity of the new theory.

The results show that the calculated gravitational force values are in accordance with the existing values calculated with Newtonian theory. These calculations are performed to confirm the validity of this theory wherein the energy of shadow mass cones is converted into energy by multiplying it by the square of the speed of light. The results are within the accuracy limits of the data and support the proposed theory.

Thus, $E=MC^2$ was used to calculate the energy of the starved portion in the shadow of the planets. The values match the gravitational force using the Newtonian equation. Thus, the strong force inside the energy-starved portion of planets is proportional to the gravitational force calculated by this theory and generates proof for the relation between the strong force and gravitational force. Additionally, it implies that the gravitational force is directly related to the strong force. This confirms that the particles of the 3-D universe exist by virtue of an external force.

The calculations are shown below.

| C:Velocity of Light= 3*10 ⁸ M/S; K(Gravitational Constant)=1.57711*10 ⁻³⁵ Kg ⁻¹ | | | | | | | | | | | | | | | | | | | | | | | |
|--|-----------|-------------------|--------------------|--|---|--|---|--|--|---|---|--|-------------|---|---|------------------------------|-------------------------------------|-------------|-------------|--|-------------|------------|--|
| STAR/ PLANET | Mass Kg M | Density kg /m3 | Diameter METERS | Distance Meter From Sun or Earth | Diameter of bigger cone bottom Dx | Diameter of smaller cone bottom dx | Volume of sphere section of big Cone | $\frac{\pi}{24} Dx^2 \cdot D$ Volume of big cone m ³ | $\frac{\pi}{24} dx^2 \cdot d$ Volume of smaller cone m ³ | h(big) (D/2) SQRT((D/2) ² -Dx ² /4) | Volume of sphere section of big Cone | $\frac{\pi}{24} dx^2 \cdot d$ Volume of smaller cone m ³ | h(small) | Volume of sphere section of small Cone | Volume of sphere section of small Cone | Mass of bigger cone kg | m_{pc} Mass of smaller cone | F New | Msc +Mpc | F=2K((msc+mpc)* C^2*mpc*(Dia of planet 2)/Dia ² | F NEWTON | F/F newton | |
| SUN | 1.989E+30 | 1410 | 1.392E+09 | | | | | | | | | | | | | | | | | | | | |
| Mercury | 3.285E+23 | 5430 | 4879500 | 57419000000 | 59146.48 | 59146.48 | 6.37112E+17 | 6.3768E+17 | 6.028287792 | 1.01451E+17 | 2.14391E+15 | 179.241472 | 2.23341E+15 | 3.55638E+14 | 8.98327E+20 | 1.21274E+19 | 1.32849E+22 | 9.1E+20 | 1.25159E+22 | 1.30638E+22 | 1.016926467 | | |
| Venus | 4.868E+24 | 5243 | 12107000 | 1.08E+11 | 78022.89 | 78022.89 | 1.10867E+18 | 1.10966E+18 | 1.093313813 | 1.7654E+17 | 9.25663E+15 | 125.7048484 | 9.64281E+15 | 1.53548E+15 | 1.56322E+21 | 5.05572E+19 | 5.3828E+22 | 1.61E+21 | 5.34218E+22 | 5.3822E+22 | 1.00009734 | | |
| Earth | 5.972E+24 | 5510 | 12742000 | 1.5205E+11 | 58325.76 | 58325.76 | 6.19553E+17 | 6.20105E+17 | 6.010972404 | 9.86549E+16 | 5.44416E+15 | 66.74604158 | 5.67125E+15 | 9.03066E+14 | 8.7357E+20 | 3.12486E+19 | 3.42312E+22 | 9.05E+20 | 3.31438E+22 | 3.54146E+22 | 0.966583157 | | |
| Mars | 6.417E+23 | 3933 | 6779000 | 2.1794E+11 | 21649 | 21649 | 8.53559E+16 | 8.5432E+16 | 0.084173799 | 1.35917E+16 | 3.99038E+14 | 17.28428171 | 4.15682E+14 | 6.61914E+13 | 1.20352E+20 | 1.63488E+18 | 1.79092E+21 | 1.22E+20 | 1.68968E+21 | 1.639E+21 | 1.092693792 | | |
| Jupiter | 1.898E+27 | 1326 | 139822000 | 7.4284E+11 | 131005.5 | 131005.5 | 3.12562E+18 | 3.12841E+18 | 3.082334161 | 4.97711E+17 | 3.01389E+17 | 30.68622963 | 3.13959E+17 | 4.99935E+16 | 4.40713E+21 | 4.1631E+20 | 4.56045E+23 | 4.82E+21 | 5.08788E+23 | 4.16494E+23 | 1.094960785 | | |
| STATERN | 5.683E+26 | 687 | 116460000 | 1.4761E+12 | 54912.38 | 54912.38 | 5.49159E+17 | 5.49649E+17 | 0.541553378 | 8.74457E+16 | 4.41052E+16 | 6.472972132 | 4.59447E+16 | 7.31604E+15 | 7.74314E+20 | 3.1564E+19 | 3.45767E+22 | 8.06E+20 | 3.61235E+22 | 3.68628E+22 | 0.93798335 | | |
| URANUS | 8.681E+25 | 1270 | 50724000 | 2.946E+12 | 11983.67 | 11983.67 | 2.61539E+16 | 2.61773E+16 | 0.025791764 | 4.16465E+15 | 9.14884E+14 | 0.707793932 | 9.53042E+14 | 1.51758E+14 | 3.6877E+19 | 1.21036E+18 | 1.32589E+21 | 3.81E+19 | 1.31472E+21 | 1.39852E+21 | 0.948063985 | | |
| NEPTUNE | 1.024E+26 | 1640 | 49244000 | 4.4742E+12 | 7660.325 | 7660.325 | 1.06869E+16 | 1.06964E+16 | 0.010538936 | 1.70174E+15 | 3.62928E+14 | 0.297907218 | 3.78065E+14 | 6.02014E+13 | 1.50686E+19 | 6.20026E+17 | 6.79206E+20 | 1.57E+19 | 6.78221E+20 | 6.68479E+20 | 1.016048047 | | |
| PLUTO | 1.309E+22 | 1880 | 2376600 | 5.71E+12 | 289.6871 | 289.6871 | 1.52796E+13 | 1.51396E-05 | 2.44462E+12 | 25048798049 | 0.008827594 | 26093366659 | 4155021804 | 2.15442E+16 | 4.90558E+13 | 5.37251E+16 | 2.16E+16 | 4.99649E+16 | 5.54741E+16 | 0.968471193 | | | |
| MOON | 7.348E+22 | 3340 | 3474800 | 384400000 | 57590.92 | 57590.92 | 5.52925E+15 | 5.53415E+15 | 65.07477928 | 1.05078E+19 | 1.44747E+15 | 238.642671 | 1.50795E+15 | 2.40119E+14 | 3.04662E+19 | 5.03654E+18 | 1.98334E+20 | 3.55E+19 | 2.13571E+20 | 2.027E+20 | 0.97845974 | | |

Gravitational Force Calculation by new theory and comparison with Gravitational force by Newton's formula:

Column F/ F newton shows how well the model fits with the Newtonian data.

| STAR/ PLANET | F=2K((msc+mpc)*C^2*mpc*((Dia of Planet 1+ Dia of planet 2)/Dx^2 | F NEWTON | F/F newton |
|-----------------|--|-------------|-------------|
| SUN | | | |
| SUN / Mercury | 1.25159E+22 | 1.30638E+22 | 1.016926467 |
| SUN / Venus | 5.34218E+22 | 5.3822E+22 | 1.00009734 |
| SUN / Earth | 3.31438E+22 | 3.54146E+22 | 0.966583157 |
| SUN / Mars | 1.68968E+21 | 1.639E+21 | 1.092693792 |
| SUN / Jupiter | 5.08788E+23 | 4.16494E+23 | 1.094960785 |
| SUN / STATERN | 3.61235E+22 | 3.68628E+22 | 0.93798335 |
| SUN / URANUS | 1.31472E+21 | 1.39852E+21 | 0.948063985 |
| SUN / NEPTUNE | 6.78221E+20 | 6.68479E+20 | 1.016048047 |
| SUN / PLUTO | 4.99649E+16 | 5.54741E+16 | 0.968471193 |
| Earth / MOON | 2.13571E+20 | 2.027E+20 | 0.97845974 |

Table 1: Data[8,9] showing the calculation of the gravitational force by the proposed model and comparison with the Newtonian gravitational force.

The gravitational constant "K" is derived from these data.

There is a small deviation between Newtonian values and these results. The accuracy of Data(1,2) obtained from the Internet may not be perfectly accurate. The second reason is that distances between the planets are taken from the data available on the internet. As shown in Figure 11, the energy lines connecting two objects are curved due to the energy vacuum generated. Light follows this curvilinear path. Hence, the data represent the distances represented by curved lines. The actual shortest distance will be less than the values available in standard data. This can lead to the inaccuracy of the results. Figure 12 above and its discussion also imply that the actual distance between distant planetary objects is less than the observed values as they vary with the time value of the expanding universe. The most important thing of this exercise is that these calculations prove the concept of having energy source to our Universe being from outside as correct one.

This principle will solve most of the mysteries. Einstein suggested exploring hidden variables of existing science theories to explain the strange behavior of quantum particles. This theory is an approach towards the same.

While discussing this theory with some people, they raised the question of why, if there is an external source of energy, we cannot detect it and why we cannot utilize it to solve the energy problems of our planet. The question raised was very interesting. An explanation for the question is as follows:

Energy lines store energy from external sources and subsequently impart this stored energy to matter. Transmission of energy from the external source to the particle of the 3-D universe occurs through the O-Dimension. The O- dimension is an integral part of every particle as well as the entire 3-D Universe. O-

Dimension exists like a Halo around every matter. There does not appear to be any point where the energy could be tapped from. Small massless particles lie on the boundary of the O-dimensions and 3-D universe. Energy is transmitted directly from the O- dimension to subatomic particles. Nevertheless, further investigations based on this theory could lead to the possibility of utilizing external energy to solve the energy problem of our planet. At this stage, only the possibility appears that the nuclear energy could be tapped by controlling the external energy source instead of performing the fission reaction. Even if this possibility is realized, it will change the energy scenario of our planet.

Hans Hermann Otto (10) (11) further modified the equation for gravitational force of the new theory by incorporating Universal gravitational constant: $6.743 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$ in the equation 1. Modified Gravitational Force equation is:

$$\text{GRAVITATIONAL FORCE} = 2 * 7.978975 * G * \text{MCS1} * \text{MCS2} / (\text{Dx}/2)^2. \text{ ----(2)}$$

G is universal gravitational constant : $6.743 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$. Gravitational force calculation as per modified equation are given below:

| C:Velocity of Light+ $3 \times 10^8 \text{ M/S}$; G(Gravitational Constant)= $6.743 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$ | | | | | | | | | | | | | |
|--|-----------|----------------|-----------------|----------------------------------|-----------------------------------|------------------------------------|--------------------------------------|---------------------------------------|-----------------------|------------------------|--|-------------|-------------|
| STAR/ PLANET | Mass Kg | Density kg /m3 | Diameter METERS | Distance Meter From Sun or Earth | Diameter of bigger cone bottom Dx | Diameter of smaller cone bottom dx | Volume of sphere section of big Cone | Volume of sphere section ofsmall Cone | Mass of Bigger cone M | Mass of smaller cone m | F = $2 * 7.978975 * G * M * m / (\text{Dx}/2)^2$ | F newton | F/F newton |
| SUN | 1.989E+30 | 1410 | 1.392E+09 | | | | | | | | | | |
| Mercury | 3.285E+23 | 5430 | 4879500 | 57419000000 | 59146.48461 | 59146.48461 | 6.37112E+17 | 2.23341E+15 | 8.98327E+20 | 1.21274E+19 | 1.32645E+22 | 1.30638E+22 | 1.015362916 |
| Venus | 4.868E+24 | 5243 | 12107000 | 1.08E+11 | 78022.88889 | 78022.88889 | 1.10867E+18 | 9.64281E+15 | 1.56322E+21 | 5.05572E+19 | 5.53099E+22 | 5.53822E+22 | 0.998694237 |
| Earth | 5.972E+24 | 5510 | 12742000 | 1.5205E+11 | 58325.76126 | 58325.76126 | 6.19553E+17 | 5.67125E+15 | 8.7357E+20 | 3.12486E+19 | 3.41862E+22 | 3.54146E+22 | 0.965311632 |
| Mars | 6.417E+23 | 3933 | 6779000 | 2.1794E+11 | 21649.00431 | 21649.00431 | 8.53559E+16 | 4.15682E+14 | 1.20352E+20 | 1.63488E+18 | 1.78856E+21 | 1.639E+21 | 1.091256371 |
| Jupiter | 1.898E+27 | 1326 | 139822000 | 7.4284E+11 | 131005.4817 | 131005.4817 | 3.12562E+18 | 3.13959E+17 | 4.40713E+21 | 4.1631E+20 | 4.55445E+23 | 4.16494E+23 | 1.093520382 |
| STATERN | 5.683E+26 | 687 | 116460000 | 1.4761E+12 | 54912.37721 | 54912.37721 | 5.49159E+17 | 4.59447E+16 | 7.74314E+20 | 3.1564E+19 | 3.45312E+22 | 3.68628E+22 | 0.936749448 |
| URANUS | 8.681E+25 | 1270 | 50724000 | 2.946E+12 | 11983.67413 | 11983.67413 | 2.61539E+16 | 9.53042E+14 | 3.6877E+19 | 1.21036E+18 | 1.32414E+21 | 1.39852E+21 | 0.946816822 |
| NEPTUNE | 1.024E+26 | 1640 | 49244000 | 4.4742E+12 | 7660.324527 | 7660.324527 | 1.06869E+16 | 3.78065E+14 | 1.50686E+19 | 6.20026E+17 | 6.78313E+20 | 6.68479E+20 | 1.014711452 |
| PLUTO | 1.309E+22 | 1880 | 2376600 | 5.71E+12 | 289.6871454 | 289.6871454 | 1.52796E+13 | 26093536659 | 2.15442E+16 | 4.90558E+13 | 5.36544E+16 | 5.54741E+16 | 0.967197185 |
| MOON | 7.348E+22 | 3340 | 3474800 | 384400000 | 57590.923 | 57590.923 | 5.52925E+15 | 1.50795E+15 | 3.04662E+19 | 5.03654E+18 | 1.97099E+20 | 2.027E+20 | 0.972369844 |

Table 2: Data [8,9] showing calculation of Gravitational force by proposed model and with incorporation of Universal Gravitational constant in the equational force calculation (Equation 2)

1. DARK MATTER[4]:

The existence of dark matter was proposed as the observed velocities of the objects in galaxies and their masses did not match with each other. If the objects had to stay in their stationary orbits, the predicted masses of Galaxies had to be higher than the actually measured

one. Hence, the concept of dark matter came into existence. This dark matter helps to prevent galaxies from disintegrating.

Current theory proposes that energy-starved matter is responsible for the gravitational force. In figures 11 and 12, red colored conical sections are energy starved matter. Their mass multiplied by the square of the velocity of light is proportional to the gravitational force. Energy lines are cancelled close to the material objects in space and create an area that is devoid of energy lines. Fig 13 shows high energy concentration around material objects and creation of low energy intermittent regions in between material objects. These low energy regions are energy vacuums and have the property of exerting a force of attraction on the material objects in the space. Deficiency of mass, which leads to the dark matter concept, is due to uneven energy densities in space. The energy-deficient spaces in the Universe that exhibit the force of attraction on the Universal objects lead to the concept of Dark Matter.

Therefore, there is no such thing as dark matter, but it is the force exerted by the energy- deficient regions in the spaces caused by the uneven distribution of material objects.

Furthermore, due to the cancellation of energy lines, some energy lines in the space adjacent to the energy vacuum area become curved. Photons travel in space along the energy lines. If energy lines are curved, observed distances between two objects appear more than what it is in reality.

Similarly observed distances between galactic objects could be more than the shortest distances in reality. The discussion in Fig. 6 above also suggests that decreasing the time value per unit distance in the expanded universe leads to lesser distances between distant galactic objects than what is observed. We calculate the energy of rotating objects by the formula ($F = MR\omega^2$). In reality, R, the shortest distance between two objects, is less than the one measured by visual means or by any other means. Calculation of the centrifugal force using virtual distances will result in a higher value than calculation performed with the shortest distance value. Hence, the predicted centrifugal force value is higher than the value in reality and could be a cause of reasoning for dark matter. It is necessary to explore whether these two possible reasons for dark matter account for five times

High Energy concentration around Matter





Fig 13: Low-energy regions in space give rise to the concept of dark matter.

1. Quantum Entanglement [5]:

Small massless particles reside on the boundary of the 3-D universe and O-dimension. They are timeless and omnipresent. This means that they exist at almost every point on the circumference of the 3-D universe. The observer inside the 3-D universe sees photons/electrons travelling due to the existence of time in the 3-D universe. Travelling of light between two points and its speed is a property of a 3-D universe. At the boundary of the O-dimension and 3-D universe, separation of entangled particles does not take place, while in the 3-D universe, the particles are observed as separated from each other by a large distance. This explains the unusual behaviour of entangled particles. Entanglement is observed only in the case of massless or very low mass particles, as they exist on the periphery of the contact surface of the O- dimension and 3-D universe. The existence of particles at the boundary of the O-dimension and 3-D universe gives the dual property of both dimensions to the particles. When observed from the 3-D universe, it has a particulate property with time associated with it, whereas from the O-dimensional side, it is a timeless omnipresent particle. Therefore, entangled particles residing on 2 opposite sides of the 3-D universe are at the same original position in the O-dimension. Distance and time are virtues of the 3-D universe. Distances and separation of particles are not taking place in the O-dimension. Separation of particles takes place in the 3-D universe and not in the O-dimension. Hence, quantum entanglement is observed as distance separation is not taking place in the O-Dimension. Obviously, if we observe the transfer of the signal from one entangled particle to another entangled particle faster than the speed of light, it is not surprising, as separation in a 3-D universe is a property of the 3-D universe, although the particles are not separated in the O-dimension.

ENTANGLEMENT

Entangled Particles on the Boundary of O Universe and 3-D Universe. In O-Dimension they are not separated from each other even though they get separated when observed in 3-D Universe



Entangled Particles separated in 3D Universe but their position in O-Dimension is unaltered.

Fig 14: Instant transfer of signal between two entangled particles in a 3-D universe at speeds greater than light is due to their unseparated existence in the O-Dimension.

Transmission of the signal from one entangled particle to another one takes place instantaneously in the O-Dimension, and the results are visible instantaneously in the 3-D Universe. Yes, Einstein is correct in this case too. The principle of locality is not violated, as separated quantum particles are in the locality of each other in the O-dimension. The appearance of instant results in the 3-D dimension is a manifestation of what has happened in the O-dimension.

1. Double slit experiment and wave particle duality [6]:

Photon in double slit experiment appears to be travelling from the source to the slits and further to screen as we are doing the experiment in the frame of 3-D Universe. As per current theory, photons exist on the circumference of the 3-D universe, and the O-dimension has the property of timelessness and is omnipresent. As per this theory photon, at the time of the start its journey towards double slit and screen, is already present at these three points (Starting point, double slit and screen).

Observation in a 3-D universe shows the photon as travelling due to the existence of a time parameter in the 3-D universe. When we attempt to observe the photon in a 3-D universe using a photon detector either before hitting the screen or near the double slit, we pull it into the 3-D universe completely from the interphase of the 3-D universe and O-Dimension, and then it becomes exclusively a part of the 3-D universe; its timeless and omnipresence property is lost, and it becomes a particle in the 3-D universe.

Hence, any observation of a photon in a double slit experiment makes the photon an absolute part of the 3-D universe, and it is then a particle.

UNOBSERVED TRAVEL OF AN ELECTRON

TRAVELLING ELECTRON OBSERVED INTERMITTANTLY




FIG 15: Unobserved travel of photons and observed travel of photons in a 3-D universe

The left figure represents a double slit experiment without any detector. Photons are present at the boundaries of 2 O-dimensions and the 3-D universe. The same photons are projected in a 3-D universe. 2- O dimensions impart vibrations in the photons on the boundary, and this vibration is transmitted as a wave in a 3-D Universe.

When the Detector for Photons is introduced near slits, photons are no longer part of the O-Dimensions, and they are solely part of the 3-D universe and show a particulate form. Photons are pulled inside completely in the 3-D universe, and their properties by virtue of O-Dimensions are lost.

1. Dark Energy [7]:

When distant galaxies are moving away from each other at very high acceleration, a conclusion was drawn that there must be an additional energy than the known one. This additional energy was termed dark energy. Our current theory proposes an external source of energy that drives the Universe. Hence, it justifies the existence of additional energy in the Universe and explains the Dark energy. The whole Universe vibrates through an external source, and hence, dark energy is the prime energy source of our Universe. **Observed dark energy is a manifestation of a small part of dark energy, which drives the universe.** Energy lines in a 3-D universe contain and carry energy from an external source. **Energy lines are nothing but dark energy.**

Holographic Universe and Consciousness: If any information exists on the periphery of O-dimensions, it can be transmitted to a particle in the 3-D field generated by interactions with the O-dimension. This information can be transmitted to the 3-D universe along with external energy. This information gained by particles can give rise to a holographic Universe.




Fig 16(a)




Fig 16

Fig 16: CONCEPT OF HOLOGRAPHIC UNIVERSE AND ITS POSSIBILITY FROM THE PERSPECTIVE OF CURRENT THEORY

Fig 16(a) Information on the surface of the O-Dimensions is transmitted to the 3-D Universe; Fig 16(b): Information for consciousness is transmitted to the objects in the 3-D universe

One can explore the possibility of explaining consciousness using this theory. Data for consciousness are on the surface of O-Dimensions. These data are transmitted to the particles of 3-D Universe. Recipient particles or objects can have different filters by virtue of which variations of consciousness exist in recipient objects.

- 2. Uncertainty of measurements:** This theory can give more understanding of the uncertainty principle, as small particles possess timeless and omnipresence properties of the O-dimension as well as the time, momentum and entropy properties of the 3-D universe. Particles can jump from the 3-D universe to the periphery of two O-dimensions back and forth. The presence of particles solely in the 3-D universe wipes out its wave property. When the position of the particle is determined, it becomes solely a part of the 3-D universe, and its wave form is lost, leading to uncertainty in momentum measurement. Work has been initiated to explain Quantum Physics using newly proposed theory. Two external dimensions cast two universes having superposition on each other. One Universe is Real one and another universe is in the form of Hilbert space.

3. **Superposition:** The existence of small particles on the boundary of the 0 dimension and 3-D universe is proposed. Two 0- dimensions are proposed, viz. 1. 0-Real dimension and 2. 0- imaginary dimensions. Particles residing on the periphery of the 0-dimension and 3-D universe possess dual properties, i.e., the property of the 0-dimension and the property of the 3-D universe. The energy transmission from two 0-dimensions to particles results in the addition or real wave function from the real 0-dimension and the complex vector of wave function from the imaginary 0-dimension. As explained under the section of Double slit experiment observation brings superimposed waves completely in 3-D universe and in a particulate form. This can open more explanations for Schrodinger's equation and further its understanding.

4. Conclusion:

This new theory has opened the doors to the following:

- I. Possibility of utilizing the external source of energy driving the Universe to solve the energy problems of our planet
- II. Theory of Origin of Universe and new vision of Big Bang
- III. Dark matter concept justification and reasoning
- IV. Dark energy solution
- V. Wave particle duality explanation
- VI. Reasoning for particle entanglement
- VII. Foundation for developing Holographic universe theory
- VIII. Superposition
- IX. Uncertainty Principle.

This theory brings an association between the Gravitational Force and the other 3 forces, viz. Weak force, strong force and electromagnetic force. This theory brings gravitational force and quantum physics under one umbrella.

This is the opening of a new door for physics, and more work on this principle will open vast new scientific areas. Quantum physics could develop at very fast speed due to the understanding of correct basic principles. Even fantasy claims can be avoided due to proper understanding of exact basics.

References:

1. <https://www.britannica.com/science/Newtons-laws-of-motion>
2. https://en.wikipedia.org/wiki/General_relativity
3. Valery A Rubakov, INTRODUCTION TO THE THEORY OF THE EARLY UNIVERSE Hot Big Bang Theory, (WORLD SCIENTIFIC, 2017)
4. Nima Arkani-Hamed, Douglas P. Finkbeiner, Tracy R. Slatyer, and Neal Weiner, Phys. Rev. D 79, 015014 , January 2009
5. Vedral, V. Quantum entanglement. Nature Phys 10, 256–258 (2014).
6. O. Carnal and J. Mlynek, Phys. Rev. Lett. 66, 2689, 27 May 1991
7. Li Miao et al, Commun. Theor. Phys. 56 525, 2011
8. https://en.wikipedia.org/wiki/Solar_System

9. https://en.wikipedia.org/wiki/List_of_gravitationally_rounded_objects_of_the_Solar_System

10. Hans Herman Otto, Comment to Bhandari and Bhandari: Fundamental forces are not fundamental as our 3-D Universe is driven by an external energy source, https://www.researchgate.net/publication/371681456_Reciprocity_Relation_Between_Alternative_Gravity_Formulas

11. Hans Hermann Otto, https://www.researchgate.net/publication/371681456_Reciprocity_Relation_Between_Alternative_Gravity_Formulas